(19) World Intellectual Property Organization

International Bureau





(43) International Publication Date 10 February 2005 (10.02.2005)

PCT

(10) International Publication Number WO 2005/012534 A1

(51) International Patent Classification⁷: A01K 67/033

C12N 15/85,

(21) International Application Number:

PCT/GB2004/003263

(22) International Filing Date: 28 July 2004 (28.07.2004)

(25) Filing Language: English

(26) Publication Language: English

(30) Priority Data:

0317656.7 28 July 2003 (28.07.2003)

(71) Applicant (for all designated States except US): OXITEC LIMITED [GB/GB]; 71 Milton Park, Abingdon, Oxfordshire OX14 4RX (GB).

(72) Inventor; and

(75) Inventor/Applicant (for US only): ALPHEY, Luke [GB/GB]; 71 Milton Park, Abingdon, Oxfordshire OX14 4RX (GB).

(74) Agent: LORD, Hilton, David; Marks & Clerk, 57-60 Lincoln's Inn Fields, London WC2A 3LS (GB).

(81) Designated States (unless otherwise indicated, for every kind of national protection available): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BW, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, EG, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NA, NI, NO, NZ, OM, PG, PH, PL, PT, RO, RU, SC, SD, SE, SG, SK, SL, SY, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW.

(84) Designated States (unless otherwise indicated, for every kind of regional protection available): ARIPO (BW, GH, GM, KE, LS, MW, MZ, NA, SD, SL, SZ, TZ, UG, ZM, ZW), Eurasian (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European (AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, HU, IE, IT, LU, MC, NL, PL, PT, RO, SE, SI, SK, TR), OAPI (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

Published:

with international search report

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: EXPRESSION SYSTEMS FOR INSECT PEST CONTROL

(57) Abstract: Promoters active in insects can be enhanced by positive feedback mechanisms and associated with repressible lethal effects.

WO 2005/012534 PCT/GB2004/003263

EXPRESSION SYSTEMS FOR INSECT PEST CONTROL

The present invention relates to insect expression systems comprising a promoter.

The genetic manipulation of insect species other than *Drosophila melanogaster*, by recombinant DNA methods, is in its infancy (Alphey, 2002; Alphey and Andreasen, 2002; Alphey *et al.*, 2002; Benedict and Robinson, 2003; Berghammer *et al.*, 1999; Catteruccia *et al.*, 2000; Coates *et al.*, 1998; Handler, 2002; Horn *et al.*, 2002; Jasinskiene *et al.*, 1998; Lobo *et al.*, 2002; Lozovsky *et al.*, 2002; McCombs and Saul, 1995; Moreira *et al.*, 2004; Peloquin *et al.*, 2000; Perera *et al.*, 2002; Scott *et al.*, 2004), and very few transgenic lines of non-*Drosophila* insects have been made, using heterologous promoters.

Insect transformation is a low-efficiency system requiring the identification of rare transformants, in a background of larger numbers of non-transformed individuals. It is, therefore, important that the transformants have an easily scored marker. The current favourites are the fluorescent proteins, such as GFP, DsRed and their mutant derivatives. These require transcriptional control elements, including a promoter, for their function. The best known of these are from the *Drosophila* Actin5C (Act5C) and ubi-p63E (Pub) genes. A silk moth homologue of Act5C, BmA3, has also been used, as well as a couple of tissue-specific promoters (3xP3, a synthetic eye-specific promoter, and Act88F, specific to the indirect flight muscles).

However, none of these promoters is entirely satisfactory. Act5C has been used to transform various mosquitoes, as well as *Drosophila*, but its expression pattern in mosquitoes is far from ubiquitous (Catteruccia *et al.*, 2000; Pinkerton *et al.*, 2000). Efforts to use it as part of a transformation marker in medfly (*Ceratitis capitata*) have failed, where equivalent experiments with Pub have achieved good success. Pub has similar limitations: the expression pattern seen in medfly transformants is highly variable, suggesting that the expression pattern is at least highly sensitive to position effect. In addition, none of these promoters can be regulated in the sense of being turned on and off as desired.

Fussenegger et al., (1998a; 1998b) illustrate positive feedback driving multi-cistronic transcripts, using a selection marker, in one instance. Experiments were restricted to mammalian systems. pTRIDENT is described as a tricistronic artificial mammalian operon. Expression or

2

transient expression of cell cycle arresting genes is described for "metabolic engineering", *i.e.* regulating expression of desirable proteins, and it is mentioned that a transcriptional "squelching" effect by the VP16 transactivator domain may be lethal for the host cell, even at moderate expression levels (Berger *et al.*, 1990; Damke *et al.*, 1995; Gill and Ptashne, 1988; Gossen and Bujard, 1992; Salghetti *et al.*, 2001). The benefits of autoregulatory mono- or polycistronic systems are discussed, including one-step, auto-regulated and auto-selective multicistronic mammalian expression systems which included the tTA in a multicistronic, pTRIDENT-based or quattrocistronic configuration (pQuattro-tTA; Fussenegger *et al.*, (1998b); Figure 2). Since the tTA gene is encoded on the multicistronic expression unit itself, little or no tTA is expressed under repressive conditions. This positive feedback regulation system showed no signs of squelching. Experiments with a monocistronic positive feedback configuration in transgenic animals also showed no detrimental effects (Shockett *et al.*, 1995).

Very few promoters or other control elements have been characterised, and there remains a pressing need for such elements. It would be desirable to provide a universal promoter active in all or most cells of a wide range of insects, or to enable wider usage of an existing promoter. It is a further aim to regulate the activity of insect promoters, especially in a life stage- and/or sex-specific manner. It is also an aim to selectively reduce or eliminate the promoter activity in particular cells or tissues. The present invention provides such systems.

Surprisingly, it has now been found that it is possible to employ a positive feedback mechanism both to enhance the effect of an insect promoter, as well as to control its expression.

Thus, in a first aspect, the present invention provides an insect gene expression system, comprising at least one gene to be expressed and at least one promoter therefor, wherein a product of a gene to be expressed serves as a positive transcriptional control factor for the at least one promoter, and whereby the product, or the expression of the product, is controllable.

As used herein, the term "gene" refers to any DNA sequence that may transcribed or translated into a product, at least one such having activity or function *in vivo*. Such a gene will normally have at least a transcription promoter and a terminator operably associated therewith.

The product capable of positive transcriptional control may act in any suitable manner. In particular, the product may bind to an enhancer located in proximity to the promoter or promoters, thereby serving to enhance polymerase binding at the promoter, for example. Other mechanisms may be employed, such as repressor countering mechanisms, such as the blocking of an inhibitor of transcription or translation. Transcription inhibitors may be blocked, for example, by the use of hairpin RNA's or ribozymes to block translation of the mRNA encoding the inhibitor, for example, or the product may bind the inhibitor directly, thereby preventing inhibition of transcription or translation.

More preferably, the mechanism is a positive feedback mechanism, wherein the product, which may either be RNA or the translation product thereof, acts at a transcription enhancer site, normally by binding the site, thereby enhancing promoter activity. Enhancement of the promoter activity then serves to increase transcription of the gene for the product which, in turn, further serves to either lift inhibition or enhance promotion, thereby leading to a positive feedback loop.

Control of the product may be by any suitable means, and may be effective at any level. In particular, it is preferred that the control be effective either to block transcription of the control factor gene or to block translation of the RNA product thereof, or to prevent or inhibit action of the translation product of the gene.

For example, the gene product of tTA (tetracycline-repressible transcription activator) acts at the tetO operator sequence (Baron and Bujard, 2000; Gossen *et al.*, 1994; Gossen and Bujard, 1992). Upstream of a promoter, in either orientation, tetO is capable of enhancing levels of transcription from a promoter in close proximity thereto, when bound by the product of the tTA gene. If the tTA gene is part of the cassette comprising the tetO operator together with the promoter, then positive feedback occurs when the tTA gene product is expressed.

Control of this system is readily achieved by exposure to tetracycline, which binds to the gene product and prevents transactivation at tetO.

The tTA system also has the advantage of providing stage-specific toxicity in a number of species. In particular, "squelching" is observed in the development phases of many insects, the precise phase of susceptible insects being species-dependent. Some insects may reach

WO 2005/012534 PCT/GB2004/003263

pupation before the larva dies, while others die early on. Susceptibility ranges from 100% fatality to a small reduction in survival rates. In general, though, adult insects appear to be immune to the squelching effect of tTA, so that it is possible to raise insects comprising a tTA positive feedback system in the presence of tetracycline, and then to release the adult insects into the wild. These insects are at little or no competitive disadvantage to the wild type, and will breed with the wild type insects, but larvae carrying the tTA positive feedback cassette will die before reaching maturity.

It is relatively straightforward to modify the tTA sequence to enhance compatibility with the desired insect species, and this has been demonstrated, in the accompanying Examples, with tTAV, which has an additional two amino acids to provide a protease site, but which is encoded by a sequence substantially changed from that of tTA in order to more closely follow *Drosophila* usage.

Accordingly, in a preferred aspect, the present invention provides a system as described, wherein at least one gene is tTA, or is a gene encoding a similar product to tTA effective to upregulate the tetO promoter.

Thus, the present invention is useful in combination with a dominant lethal gene, allowing selective expression of the dominant lethal gene, or stage specific expression, as desired, of the lethal gene or the lethal phenotype. It will be appreciated that the dominant lethal gene does not need to be an integral part of the positive feedback mechanism, but may be part of a bicistronic cassette, for example. Use of the present invention in association with RIDL (Release of Insects carrying a Dominant Lethal) is particularly preferred.

Control of the feedback mechanism, in the case of tTA or an analogue thereof, is simply effected by the presence or absence of tetracycline, or by modulating tetracycline concentration, when the tTA gene product is used. In the case of another preferred positive feedback system, GAL4, this may be controlled by temperature, for example, thereby suppressing the effective gene, preferably a dominant lethal gene, until release of the insect.

Other mechanisms may also be employed, such as ribozymes or antisense or partially self-complementary RNA molecules, such as hairpin RNA, to inhibit or prevent expression of an activating peptide, or blocking agents that prevent binding of the activator to the enhancer site.

Such blocking agents may be expressed by the insect itself under selective conditions, or may be administered as part of the culture medium, for example.

Where the blocking, or controlling agents are produced by the insect, then it is preferred that their expression be selective, such as being sex specific. Administration of the blocking agent in the culture medium, for example, will enable suppression of the positive feedback cassette under all circumstances until release of the insect, after which stage- or sex- specific selection will occur, preferably in a succeeding generation, particularly preferably the following generation.

More preferably, the cassette comprising the positive feedback mechanism is associated with stage- or sex- specificity. For example, sex specific splicing is observed with the *transformer* and *doublesex* mechanisms seen in most insects, and can be employed to limit expression of the feedback system to a particular sex, either by employing sex specific splicing to delete all or part of the effector gene, or to incorporate a frameshift or stop codon, or to modulate RNA stability or mRNA translational efficiency, for example, or otherwise to affect expression so as to differentiate between the sexes. Targeting the females of pest species is particularly preferred.

Although it is possible to provide the effector gene in a separate location and even on a separate chromosome, it is generally preferable to link the effector gene with the feedback gene. This may be achieved either by placing the two genes in tandem, including the possibility of providing the two as a fusion product, or for example by providing each gene with its own promoter in opposite orientations but in juxtaposition to the enhancer site.

An effector gene is the gene whose expression it is desired to enhance. Where a positive feedback product is also effective as a stage-specific lethal, such as tTA in many species, then the effector and the feedback gene may be one and the same, and this is a preferred embodiment.

The effector gene will often be a lethal gene, and it is envisaged that the system of the present invention will most frequently be employed in the control of insect pest populations, particularly in combination with the RIDL technique or related method, as described hereinunder.

It is preferred to include a marker with the systems of the invention, such as DsRed, green fluorescent protein, and variants thereon, as transformation success rates in insects are extremely low, so that it is useful to be able to select in some way.

The promoter may be a large or complex promoter, but these often suffer the disadvantage of being poorly or patchily utilised when introduced into non-host insects. Accordingly, it is preferred to employ minimal promoters, such as the Hsp70 promoter which, while having a naturally somewhat low level of activity, can be substantially enhanced by a positive feedback scenario, such as by the use of tTA and tetO.

A promoter is a DNA sequence, generally directly upstream to the coding sequence, required for basal and/or regulated transcription of a gene. In particular, a promoter has sufficient information to allow initiation of transcription, generally having a transcription initiation start site and a binding site for the polymerase complex. A minimal promoter will generally have sufficient additional sequence to permit these two to be effective. Other sequence information, such as that which determines tissue specificity, for example, is usually lacking, and preferred minimal promoters are, normally as a direct result of this deficiency, substantially inactive in the absence of an active enhancer. Thus, a cistron, or system, the two terms preferably being generally interchangeable herein, of the invention will generally be inactive when the or each promoter is a minimal promoter, until a suitable enhancer or other regulatory element is de-repressed or activated, typically the gene product.

Thus, it will be appreciated that minimal promoters may be obtained directly from known sources of promoters, or derived from larger naturally occurring, or otherwise known, promoters. Suitable minimal promoters and how to obtain them will be readily apparent to those skilled in the art. For example, suitable minimal promoters include a minimal promoter derived from hsp70, a P minimal promoter (exemplified hereinunder as WTP-tTA), a CMV minimal promoter (exemplified hereinunder as JY2004-tTA), an Act5C-based minimal promoter, a BmA3

promoter fragment, and an Adh core promoter (Bieschke, E., Wheeler, J., and Tower, J. (1998). Doxycycline-induced transgene expression during Drosophila development and aging. Mol Gen Genet 258, 571-579). Act5C responds to tTA in transgenic *Aedes*, for example, and the invention.

Not all minimal promoters will necessarily work in all species of insect, but it is readily apparent to those skilled in the art as to how to ensure that the promoter is active. For example, a plasmid, or other vector, comprising a cistron of the invention with the minimal promoter to be tested further comprises a marker, such a gene encoding a fluorescent protein, under the control of a promoter known to work in that species, the method further comprising assaying putative transgenic individuals for expression of the marker, and wherein individuals expressing the marker are then assayed for expression of the gene under the control of the minimal promoter, such as by assaying transcribed RNA. Presence of the RNA above background levels under induced or de-repressed conditions is indicative that the minimal promoter is active in the species under investigation; absence or presence at low levels only of such RNA in non-induced or repressed conditions is indicative that the minimal promoter has low intrinsic basal activity.

We have used the following marker promoters, by way of example, only, but many more are useful and apparent to those skilled in the art:

mini-white (white promoter): WTP2-tTA, JY2004-tTA

Act5C promoter: LA513 and LA517

ubi-p63E promoter: LA656 and LA1038

BmA3 promoter: LA710

hr enhancer and ie1 promoter: LA928, LA1124 and LA1188

and all of these are useful as, or in the preparation of, minimal promoters.

It will be appreciated that a cistron or system of the invention may comprise two or more cistrons. A system may further comprise non-linked elements, such as where a second gene to be expressed is remote from the positive feedback cistron.

Thus, in a preferred aspect, the present invention provides positive feedback constructs of the general form shown in accompanying Figure 1. In this scenario, the tetracycline-repressible transcription activator (tTA) protein, when expressed, binds to the tetO operator sequence and

drives expression from a nearby minimal promoter. In the configuration shown, this then drives expression of tTA, which then binds to tetO, and so on, creating a positive feedback system. This system is inhibited by tetracycline, which binds to tTA and prevents it binding tetO.

Expression is controllable, and this may be achieved by operably linking the promoter to a controllable transcription factor. As illustrated above, this may be tTA (tetracycline-repressible or tetracycline-inducible), or any other factor controllable system, such as GAL4 (which is somewhat cold-sensitive, and can be further controlled by use of GAL80 or mutants thereof), or the streptogrammin regulated expression system, for example. It will be appreciated that other binding sites for the appropriate transcription factor will depend on the transcription factor concerned, such as UAS_{GAL4} (upstream activation sequence) for GAL4, for example.

Preferred systems of the present invention have high levels of induced expression, preferably available at several induced levels, with a low basal level of expression of the regulated gene but also of any other component, and preferably across a range of species. Basal levels are preferably low or substantially non-existent where expression is strongly deleterious, but acceptable levels will depend on the effect of the product. Maximum levels will not generally be an issue, as the positive feedback condition will often provide fatal levels of expression and, even where the expression product is not fatal, or associated with fatal consequences, it is likely to be expressed in far higher concentrations than most gene products.

Where a basal level of expression is desired, then a promoter sequence that does not need the presence of the enhancer may be employed, although there will then, generally, be feedback. Unless there is a cut-off level of feedback, below which the feedback product will not work, then it will be appreciated that it is preferred to keep to a minimum feedback gene expression

Different constructs of the invention (described in the accompanying Examples) have varying activity, according to the components of the constructs. For example, in *Drosophila*: WTP-tTA gives a low level of induced (non-repressed) expression

JY2004-tTA gives strong expression when not repressed, approximately equivalent to Act5C-tTA

LA513 is lethal when not repressed.

The first two appear to give constitutive expression, as judged by use of a reporter gene (tRE-EGFP), this is difficult to assess for the lethal LA513, although at 10µg/ml tet, just sufficient for good survival, LA513 in *Drosophila* drives expression of a tetO₇-EGFP reporter gene in both the male and female germline in adults, as well as in somatic cells. This distinguishes it from Act5C, commonly used as a "ubiquitous, constitutive" promoter, which does not, in fact, express well in these cells.

The properties of these constructs are shown in Table 1, below.

Table 1

	Max expression	Minimal promoter	Intron	Optimised coding region?	3'UTR and polyA
WTP-tTA	Low	P	ΡΡ1α96Α	No	fs(1)K10
JY2004-tTA	High	CMV	Rabbit β-globin	No	Rabbit β- globin
LA513	V. high (lethal)	Hsp70	Adh	Yes	fs(1)K10

Accordingly, it will be appreciated that the induced or non-repressed expression level can be modified in a useful and predictable way by adjusting the sequence of the positive feedback system. Toxicity and/or activity of the tTA protein can be modified independently of the transcriptional and translational control signals by several approaches, *e.g.* use of a nuclear localisation signal, modification of the activation domain, *etc.* (see Fussenegger, 2001 for more examples).

The lethality of LA513 is useful, for the reasons given above, and more particularly because:

- a) It provides a compact, highly effective repressible lethal gene system;
- b) As it uses only simple control elements from Drosophila (hsp70 minimal promoter, a small intron and a terminator from fs(1)K10), it, or its expression cassette, functions across a wide phylogenetic range;
- c) It has very little, if any, deleterious effect on adults, even in the absence of tetracycline. This is a highly desirable and surprising property for field use, for example in a RIDL-based control programme, as the released adults must be competitive and long-lived for full efficacy of

the programme. It will be appreciated that the effect of the system of the invention could be further modified by the incorporation of an adult-effective lethal, for example in the "positive feedback – bi-directional expression" configuration described herein; and

d) By its nature, "cross-talk" between various elements is minimised. This is because: (i) the core of the construct is only a single composite element, rather than the normal two in bipartite expression systems; (ii) the principal enhancer of the autoregulatory component, the tTA binding sites, is substantially active only in the absence of tetracycline and (iii) modest expression of tTA under the influence of a nearby enhancer, whether in another part of the construct or in nearby chromatin, is unlikely to be significantly deleterious.

JY2004-tTA is also useful, in the present invention.

Without being bound by theory, the mechanism by which LA513 kills embryos and early larvae, but not adults, appears to be an inherent property of its toxicity. tTA toxicity is believed to derive from "transcriptional squelching", in which high level expression of the transcriptional activator domain (in the case of tTA this is VP16 or a fragment thereof) binds elements of the transcriptional machinery and titrates them, leading to a general effect on transcription, although it may also act to saturate the ubiquitin degradation pathway. Transcriptional squelching is the effect which is thought to lead to deleterious effects in mammalian cell lines expressing tTA at high levels; in the optimised expression context of LA513 positive feedback drives tTA expression to lethal levels. However, developing stages may be more sensitive to disruption of transcription than adults: they have to express genes in a highly coordinated fashion to allow proper development, while adults may be more tolerant of disruption.

The development of LA513 heterozygotes on media with an intermediate level of tet (3 or 10 μ g/ml), just sufficient for survival, showed a significant delay, relative to their wild type siblings. Parallel experiments using higher concentrations of tetracycline, *e.g.* 100 μ g/ml, did not show any developmental delay, thereby suggesting that sub-lethal expression of tTA can adversely affect the normal development of the insects.

It is preferred that a positive feedback system show a higher on:off ratio and switch from on to off over a narrower concentration range than a conventional system, thereby allowing the use of a wider range of effector molecules. Lower-toxicity (lower specific activity) effector molecules can be used, as they can be expressed at a high level under active conditions without leading to problems of toxicity at basal levels. Conversely, more toxic (higher specific activity) ones can be used as the necessary low basal level does not preclude high levels of expression when de-repressed or induced. Since basal level of expression is only partly determined by the level of tTA, this advantage is particularly clear in the case of lower-toxicity molecules. tTA is a preferred example of a low specific activity effector molecule that can be used as a lethal in the positive feedback context of LA513, for example. The advantage of switching from on to off over a narrow concentration range is that a modest concentration of repressor can be used without risk of residual (not fully repressed) expression leading to adverse effects and potentially selecting for resistance. Conversely, for an inducible system, modest concentrations of the activator can give full expression.

Activated or de-repressed drivers are useful for expressing effector molecules. Examples of effector molecules include functional RNA's, such as hairpin RNA's, ribozymes etc., and one or more encoded proteins. It will be appreciated that, for different applications, different levels of expression are appropriate. Since the sequence-specific transcription factors used to drive the positive feedback system can also be used to express other genes in a bipartite expression system, this may be achieved by making two separate constructs, one with the driver (normally a promoter-transcription factor construct, here the positive feedback construct), the other with the gene or molecule of interest under the control of a composite promoter (binding site + minimal promoter) responsive to the transcription factor (Bello et al., 1998; Brand et al., 1994). This is also appropriate for these positive feedback drivers. Alternatively, the two elements may be combined on the same construct. This embodiment has significant advantages for most field applications, as it very substantially reduces the risk that the two functional elements can be separated by recombination. Further, the complete expression system can be introduced with only a single transformation event, as well as meaning that insects homozygous for the system are homozygous at only one locus rather than two, which makes them easier to construct by breeding, and tends to reduce the fitness cost due to insertional mutagenesis.

It is also possible to condense such an expression system into a more compact form, such as is illustrated in accompanying Figure 2.

WO 2005/012534 PCT/GB2004/003263

This exploits the bi-directional nature of enhancers, in this case the tetO binding site in the presence of tTA. This arrangement further allows, or facilitates, the use of insulator elements to reduce the effect of enhancers or suppressors in the adjacent chromatin: in this arrangement the entire expression cassette can be flanked by insulators. This arrangement also removes the need to duplicate the transcription factor binding sites within the construct. Such duplication is preferably avoided, as it can lead to instability through homologous recombination. For similar reasons, it is generally preferred that non-identical insulators, such as scs and scs' are used, rather than using the same one twice.

It is further possible to condense the system to provide a single transcript, either bicistronic or expressing a single polypeptide, which may potentially be further processed into more than one protein, for example by use of the ubiquitin fusion technique (Varshavsky, 2000). Each of these approaches (bi-directional expression, bicistronic expression, fusion protein with transactivator) tends to reduce the size of the construct, which in turn will tend to increase the transformation frequency and reduce the mutagenic target. Such condensation can be achieved in several ways, as shown, diagrammatically, in accompanying Figure 3. Appropriate extensions to and variations of the arrangements shown diagrammatically will be apparent to those skilled in the art.

As an example of the utility of such a system, a general transformation marker might be constructed by using a transactivator system known to function over a wide phylogenetic range, for example those based on tetR, GAL4, lexA or AcNPV ie-1. Such a transactivator, functionally linked to a coding region for a fluorescent protein by any of the above methods (bi-directional expression, bicistronic expression, fusion protein with transactivator), would provide a genetic marker expressed in a wide range of tissues and developmental stages across a broad phylogenetic range. Such a marker would be useful not only for detecting transgenics in transformation and other lab experiments, but also for distinguishing, for example, transgenic flies from wild type flies in the field, or those caught in the field.

Another example is expression of a transposase. Integrated into the chromosomes, this would be a "jump-starter" construct, for example *piggyBac* transposase integrated into an insect chromosome using *mariner/mos1*. Such constructs are useful to remobilise *piggyBac* elements. A widely-applicable jump-starter should be expressed at a significant level across a wide

phylogenetic range. The expression system of this invention provides this. Furthermore, such a construct (*piggyBac* transposase under the control of a positive feedback system of one of the above structures) would also be useful in insect transformation *via* transient expression (coexpression of a "helper" plasmid, the most widely-used method for insect transformation), and again would be useful and functional across a wide phylogenetic range.

It is advantageous to regulate the action of an expression system at stage-, sex- or other levels, in addition to being able to regulate the expression level by changing environmental conditions. Suitable examples are as follows:

1. Expression of a repressor protein.

Repressor proteins are known or can be constructed for the main expression systems, *e.g.*GAL80 or its mutant derivatives for the GAL4 system, tetR fused to inhibitory proteins for the tet system, *etc.* Another alternative is gene silencing of the transcription factor using a hairpin RNA directed against part of the expression cassette. Basal expression from the positive feedback system is rather low, therefore it can readily be suppressed by expression of such an inhibitor.

Expression of a suitable inhibitor under suitable control will tend to inhibit expression from the positive feedback expression cassette where the inhibitor is expressed. Female-specific expression, for example, can therefore be achieved by expressing an inhibitor in males.

2. Integrating specificity into the positive feedback system.

Specificity can be integrated into the positive feedback system by using components that are themselves specific. For example, the hsp70 minimal promoter + SV40 intron and polyA signal combination of pUAST is known not to be expressed in the female germline of *Drosophila*, while the P minimal promoter + P intron + fs(1)K10 polyA signal of pUASp is so expressed (Rorth, 1998). Positive feedback expression systems can, therefore, be constructed which specifically do or do not express in this tissue, depending on the use of appropriate regulatory elements.

In another embodiment, sex-specificity can be integrated into the system by use of sex-specific splicing. The sex-specific splicing of *doublesex* and its homologues is a conserved regulatory mechanism and, therefore, available for use in this way across a wide phylogenetic range. Sex-specific splicing of *transformer* and its homologues is another alternative. The use of sex-

specific splicing to integrate specificity into a positive feedback expression system can be achieved in several ways, as shown, diagrammatically, in accompanying Figure 4. Appropriate extensions to and variations of the arrangements shown diagrammatically will be apparent to those skilled in the art.

In another configuration, a specific splice site can be inserted into the transactivator coding region so that two (or more) alternative proteins are produced in different conditions, *e.g.* in different cell types or in different sexes. This can be arranged so that a transcriptional activator is produced in one cell type but a transcriptional repressor is produced in another cell type. This arrangement has the advantage that it is relatively robust to inefficient (imperfect) splicing – production of a relatively low proportion of transcriptional activator in the inappropriate cell type, *e.g.* in male cells, will be less likely to produce the positive feedback amplification as these cells are also producing a larger amount of repressor. Discrimination in output (ratio of levels of transcriptional activator in the two cell types, or ratio of expression of a reporter or other RNA or protein functionally linked to the expression of the transcriptional activator) between the two cell types is thereby enhanced.

It will be readily apparent to those skilled in the art that any of these specific transactivator arrangements can readily be combined with any of the arrangements disclosed herein for expression of an additional protein or RNA, e.g. bi-directional expression, bi- or multi-cistronic expression, expression of a fusion protein, or combined with one or more separate expression cassettes dependent on, or partly dependent on, expression of the transactivator, either combined on the same construct or elsewhere in the genome or cell.

3. Using a specific effector molecule

Specificity in phenotypic consequence can also be introduced by use of a specific effector molecule. Where a molecule, e.g. RNA or protein, expressed under the control of any of the expression systems described herein, has a specific effect only in particular cells, tissues, or sex, etc, then phenotypic specificity can be obtained with broader or less specific expression of the transactivator. For example, in the context of a RIDL-type mass-release insect population control programme, using the system to express a molecule only toxic, or preferentially toxic, to pre-adult stages, results in adults which are fully, or reasonably competitive, relative to wild type. This is desirable as the effectiveness of the programme depends on the competitiveness

and longevity of the adult forms, when released into the wild. Since their internal repressor (e.g. tetracycline) concentration is likely to decline in the wild, it would be advantageous to ensure that induction (de-repression) of the expression system, as and when it occurs in adults, has a minimal negative effect on them.

As another example, sex separation, or sex-specific effects, can be achieved by expression in both males and females of a molecule with differential effects in males and females. For example, expression of the Transformer protein in male Drosophila will tend to transform them into females, but have no effect on females. Similarly, expression of Male specific lethal-2 (Msl-2) protein in Drosophila will tend to kill females, but not males (Gebauer et al., 1998; Kelley et al., 1995; Matsuo et al., 1997; Thomas et al., 2000). Conversely, expression of a partially self-complementary RNA molecule with substantial homology in its self-complementary or double-strand-forming region to ("hairpin RNA against") transformer will tend to transform genetic females into phenotypic males, while not affecting genetic males, and expression of hairpin RNA against msl-2 will tend to be lethal to males but not to females. Expression of hairpin RNA against the male- or female-specific exons of doublesex will tend to affect those sexes only, and simultaneous expression of RNA encoding the other form of doublesex (i.e. Dsx^M in females or Dsx^F in males) will tend to modify or enhance this effect. This simultaneous expression of a protein and a hairpin RNA molecule can readily be accomplished by combining the bicistronic or fusion protein approach described above with expression of a hairpin RNA using the bi-directional expression system also described above. Sex-, stage- or other specificity can be further added to such a system by incorporation of appropriate specific splicing or other transcriptional, translational or other post-translational control signals to either part of the system as will be apparent to the person skilled in the art.

Multi-functional hairpin RNA molecules may be constructed and are envisaged. For example, RNAi against *transformer* in the Mediterranean fruit fly *Ceratitis capitata* Wiedmann (medfly) will tend to transform genetic females into fertile males. For an area-wide population control program based on mass-release of such insects, it is preferable to sterilise the released flies. This can be accomplished by using a composite RNA molecule that simultaneously disrupts expression of both *transformer* and a gene required for spermatogenesis or embryonic or larval viability. Many such genes are known in *Drosophila* with homologues in mosquitoes or other animals. With medfly, a suitable homologue can readily be isolated, using techniques

known to those skilled in the art. We prefer the use of a gene which allows the production of seminal fluid, and preferably also of sperm, to reduce the tendency of the female to re-mate after insemination by the affected male. We particularly prefer to direct this second part of the hairpin RNAi molecule against a paternal effect lethal, so that no viable progeny can be produced, or against a zygotically expressed gene required for embryonic or larval viability or development, so that progeny inheriting the construct will be affected. Other configurations are envisioned and will be readily apparent to those skilled in the art: for example expression of a female-specific lethal protein by bicistronic expression and a hairpin RNA leading to paternal-effect lethality by bi-directional expression. In common with the composite hairpin RNA against a suitable sexdetermination gene and a paternal effect lethal, this allows the generation of a single-sex (maleonly) population of insects, all of whose progeny die through the action of the paternal-effect lethal, irrespective of whether their progeny or mates feed on tetracycline. Thus, the present invention provides a controlled promoter, as defined, wherein the promoter is operably linked with DNA encoding an RNAi causing lethality or sterility. In this case, lethality may correspond to low fitness, such as flightless, rather than outright lethality, provided that the likelihood of breeding on is substantially reduced.

4. Using site-specific recombinase(s)

Specificity can also be introduced into the positive feedback system by inserting a "stuffer" fragment which inactivates it. If this "stuffer" fragment is flanked by target sites for a suitable site-specific recombinase, then it will tend to be excised in the presence of active recombinase. Any system for selective expression of active recombinase, for example, expression of the recombinase under the control of a female-specific promoter, will therefore tend to lead to selective expression of the positive feedback system, in this case in females only. If the recombinase is expressed in somatic cells only, for example by using the method described above, then the version transmitted to the next generation includes the stuffer fragment, which can again be daughters but not sons. Conversely, if the recombinase is expressed in the genome only, provision of active recombinase will lead to offspring in which the expression system is active, from parents in which it is inactive. This can be used, for example, to generate gametes containing an active dominant lethal or sterile gene system (e.g. female-specific or non-sex-specific) for use in an insect population control strategy.

In a preferred embodiment, the stuffer fragment encodes the recombinase. This embodiment is particularly compact. In another preferred embodiment, the stuffer fragment encodes a transcriptional repressor which tends to inactivate the positive feedback expression system – this embodiment tends to reduce the basal expression of the system in the presence of the stuffer fragment.

Conversely, the system can be specifically inactivated in certain cells, or clones of cells, by introducing target sites for a suitable site-specific recombinase at suitable positions, and then expressing or introducing the appropriate active recombinase in appropriate cells, such that one or more key functional elements of the expression system are removed or disrupted by recombination between the target sites for the recombinase.

Suitable recombinase systems include cre/lox and Flp/FRT.

The present invention is illustrated by the following, non-limiting, Examples. In the following Examples, the Figures are as follows:

Figure 1 shows a tetracycline-repressible transcription activator scenario;

Figure 2 shows a system of the invention using a bi-directional enhancer;

Figure 3 shows a sex-specific system;

Figure 4 shows another sex-specific system;

Figure 5 is a diagram of the tetO₇-tTA region of pJY2004;

Figure 6 is a schematic diagram of pLA513;

Figure 7 is a schematic diagram of the LA513 transposon;

Figure 8 is a schematic diagram of pLA517;

Figure 9 illustrates the bidirectional action of tetO₇ in 513A and 513B mosquitoes;

Figure 10 is a schematic diagram of pLA656;

Figure 11 is a schematic diagram of pLA928;

Figure 12 is a schematic diagram of pLA1124;

Figure 13 is a schematic diagram of pLA670;

Figure 14 is a schematic diagram of pLA1038;

Figure 15 is a schematic diagram of pLA710;

Figure 16 illustrates the sex-specific splicing of *Cctra* in medfly;

Figure 17 is a schematic diagram of pLA1188; and

18

Figure 18 illustrates sex-specific splicing in medfly.

EXAMPLES

A series of constructs was made with tTA in a positive feedback configuration, *i.e.* with tTA expression regulated by tTA binding to tetO. Transgenic insects carrying these constructs were obtained and their properties analysed.

tTAV

In some cases, the intention was to obtain very high levels of expression of tTA in the absence of tetracycline. In various exemplified constructs described hereinbelow, tTA expression was so high as to be lethal. As part of the process of obtaining strong expression of tTA, part of the tTA open reading frame was redesigned to express a similar protein, but with codon usage closer to the norm for *Drosophila melanogaster*, and lacking some potential cryptic splice sites present in the original nucleotide sequence. This variant tTA sequence was named tTAV (SEQ ID NO. 31, protein sequence SEQ ID NO. 32).

EXAMPLE 1

WTP-tTA and JY2004-tTA in Drosophila melanogaster

The tTA coding region (SEQ ID NO. 29, tTA protein sequence SEQ ID NO. 30) from pUHD15-1 (SEQ ID NO. 33, Gossen *et al.*, 1994; Gossen and Bujard, 1992) was placed under tetO control, in a positive feedback configuration, by inserting it into pWTP2 (Bello *et al.*, 1998) or pJY2004, a version of pJY2000 that lacks insulators (Stebbins and Yin, 2001). These constructs were named pWTP-tTA and pJY2004-tTA, respectively. A diagram of tetO₇-tTA region of pJY2004 is provided as accompanying Figure 5, and is SEQ ID NO. 14.

In pWTP-tTA, the tetO₇ binding sites are followed by a minimal promoter from the P element, a leader sequence from $Drosophila\ hsp70$, a short intron from the $Drosophila\ PP1\alpha96A$ gene, the tTA coding region and a transcription terminator from $Drosophila\ hsp70$. In pJY2004-tTA, the minimal promoter and leader sequences are from CMV, followed by the tTA coding region and a transcription terminator from rabbit β -globin, as shown in Figure 5.

Transgenic *Drosophila melanogaster* carrying either of these constructs were fully viable, even without dietary tetracycline. Insects doubly heterozygous for WTP-EGFP and either of these constructs were examined for green fluorescence characteristic of EGFP expression. Insects with WTP-tTA and WTP-EGFP showed very weak fluorescence only slightly above background autofluorescence. In contrast, insects with JY2004-tTA and WTP-EGFP showed strong fluorescence, similar to that seen in insects carrying EGFP under the control of the Actin5C promoter, which is widely used as a strong, constitutive promoter in *Drosophila* (e.g. Reichhart and Ferrandon, 1998). Expression of EGFP was repressed to undetectable levels when the insects were raised on diet supplemented with tetracycline to 100 μg/ml. Control insects heterozygous for either WTP-EGFP, JY2004-tTA or WTP-tTA showed no fluorescence above background whether or not they were raised on a diet containing tetracycline.

We placed tTA under the control of the Actin5C promoter, in plasmid pP [Casper-Act5C-tTA]. Transgenic flies carrying this construct and WTP-EGFP, raised on a diet lacking tetracycline, showed green fluorescence at a comparable intensity to that observed in equivalent flies with JY2004-tTA and WTP-EGFP.

These results show that positive feedback constructs can be used to give strong (JY2004-tTA) or weak (WTP-tTA), tetracycline-repressible expression from a suitable construct (here WTP-EGFP).

EGFP is widely used as a neutral reporter. We further tested JY2004-tTA flies by crossing them to flies with constructs capable of expressing proteins known or predicted to be deleterious. We inserted the central domain of Nipp1Dm (Bennett *et al.*, 2003; Parker *et al.*, 2002) ("nipper"), into pJY2004, to make pJY2004-nipper, and transformed *Drosophila* with this construct. We also used flies carrying tetO-hid (Heinrich and Scott, 2000). In each case,

crossing to JY2004-tTA flies gave tetracycline-repressible lethality. Data from two example crosses are presented in Table 2, below.

<u>Table 2</u>
Use of positive feedback constructs to drive expression of lethal genes in *Drosophila*.

Male JY2004-tTA/CyO x Female tetO-hid/tetO-hid			[tetracycline]
			(μg/ml)
ЈҮ2004-tTA	СуО	·	
0	15		0
9	10		100
Male JY2004-tTA/	CyO x Female JY2	2004-	
nipper/JY2004-nip	per		
JY2004-tTA	СуО		
0	20		0
16	13		100

EXAMPLE 2

LA513 in Drosophila melanogaster

We made construct pLA513 (SEQ ID NO. 16, schematic diagram shown in Figure 6), containing a non-autonomous *piggyBac* transposon. We generated transgenic *Drosophila melanogaster* carrying this construct by co-injection with a helper plasmid into a white-eyed strain (Handler, 2002; Handler and James, 2000). Potential transgenics were screened for fluorescence characteristic of DsRed2. 5 transgenic lines were recovered, and were designated O513, M8, M13, F23 and F24. A schematic diagram of the LA513 transposon is shown in accompanying Figure 7.

Drosophila melanogaster stocks were maintained at 25°C on yeast/sugar/maize/ tetracycline medium (tetracycline (Sigma) at 100µg/ml final concentration), unless stated otherwise. All experiments were performed at 25°C.

Survival of LA513/+ transgenics with and without tetracycline

Heterozygous transgenics were crossed in at least triplicate to wild type on media with or without Tc (tetracycline). In the absence of any lethality, it would be expected that approximately half the progeny of such a cross would be transgenic. Progeny were scored as young adults for DsRed marker fluorescence [Matz et al., 1999] using an Olympus SZX12 microscope with fluorescence capability, and the ratio of fluorescent (transgenic) to total flies was calculated. The results are shown in Table 3, below. In these experiments, all 5 transgenic lines showed 100% lethality, in the absence of tetracycline, and good survival (i.e. fluorescent:non-fluorescent ratio ~1:1), in the presence of 100µg/ml tetracycline. Inspection of the vials showed few or no large fluorescent larvae in the absence of Tc, although many very small fluorescent larvae were present, at a time when non-fluorescent (wild type for LA513) larvae were visible at all sizes. This suggests that, in the absence of tetracycline, LA513 causes lethality at an early (embryonic and/or early larval) developmental stage.

<u>Table 3</u>
LA513 insertions are tetracycline-repressible dominant lethals

	0 μg/ml tetracycline		100	ine	
LA513 line	# Flies	# Fluorescent	# Flies	# Fluorescent	Ratio
O513	490	0	1963	937	0.48
M8	74	0	66	25	0.38
M13	657	. 0	1838	892	0.49
F23	473	0	1914	845	0.44
F24	61	0	114	60	0.53
Total	1755	0	5895	2759	0.47

Dominant lethality could have several causes. Without being restricted by theory, it seems likely that, in the absence of tetracycline, tTAV accumulates to a relatively high concentration and that this is lethal, possibly due to transcriptional squelching, or interference with protein degradation. An alternative is that, in the absence of tetracycline, tTAV binds to tetO and acts as a long-range enhancer, perturbing the expression of genes near to the LA513 insertion. This appears unlikely, as all 5 transgenic lines gave similar results. Each of these lines was derived from a different G0 injection survivor, and these lines are, therefore, likely to carry LA513 integrated at different genomic sites. We verified this by inverse PCR. Table 4, below, shows the integration sites for 3 of the lines; in each case the LA513 insertion was at a TTAA sequence, as expected from the known insertion site preference of the *piggyBac* transposon. As expected, the 3 insertions were indeed at 3 different sites in the *Drosophila* genome.

Table 4
Insertion sites of LA513 in *Drosophila* genome

Line	Sequence Amplified or at Site of Integration	Predicted chromosome arm	Predicted Drosophila cytology	Nearest predicted gene
O513	Cacagcgcatgatgagcaca TTAA caaaatgtagtaaaatagga (SEQ ID NO. 1)	2L	25F4-25F5	CG9171
M8	Gtttcgataaatattgctat TTAA aatgcttattttcaatgcta (SEQ ID NO. 2)	2L	36F6–36F6	CG15160
F24	Tttgttttctaacgttaaag TTAA agagagtccagccacatttt (SEQ ID NO. 3)	2L	21C4-21C5	CG13691

Flanking sequence is shown with the TTAA insertion site capitalised. Predicted chromosome locations, and the nearest predicted gene, are also shown; these are based on the published *Drosophila* genome sequence.

EXAMPLE 3

WO 2005/012534

Reducing the toxicity of tTAV

The toxic effect of high level expression of tTAV is thought to be due to transcriptional squelching and/or interference with ubiquitin-dependent proteolysis, *via* the VP16-derived section (Gossen and Bujard, 1992; Salghetti *et al.*, 2001). We, therefore, modified tTAV by removing the VP16 section and replacing it with a synthetic sequence which encodes 3 copies of a peptide (PADALDDFDLDML) derived from VP16 (Baron and Bujard, 2000; Baron *et al.*, 1997). This derivative was named tTAF; the resulting plasmid was named pLA517, and is SEQ ID NO. 17, and is shown, diagrammatically, in accompanying Figure 8.

Drosophila melanogaster were transformed with this construct, and one transgenic line was obtained. LA513 heterozygous males were crossed to wild type (for LA513) females and the progeny scored for fluorescence (as adults). If all progeny are equally likely to survive, the expected proportion of the total progeny that are fluorescent is 50%. In the absence of tetracycline, this proportion was 32%, only a modest reduction compared with 48% when parents and progeny were raised on diet supplemented with tetracycline to 100 μg/ml. The results are shown in Table 5, below. We tested whether supplying tetracycline in the diet of the parents but not of the progeny could reduce this lethality. In this case, we observed an intermediate proportion of 0.37, indicating that maternally contributed tetracycline has a modest beneficial effect.

<u>Table 5</u>
Effect of tetracycline on the survival of LA517/+ *Drosophila* and their +/+ siblings

LA517			
Parent [Tc] µg/1	ml Progeny [Tc]	ug/ml Non-Fluores	cent Fluorescent
0	0	165	78
100	100	524	482
100	0	502	297

Since LA517, alone, had little impact on viability, unlike the closely related construct LA513, we tested whether it was capable of driving expression of a heterologous gene under tetO control. For this we used tetO-hid (Heinrich and Scott, 2000). Flies homozygous for tetO-hid were crossed with flies heterozygous for LA517. In the absence of tetracycline, only 3.4% of the adult progeny carried LA517. In the presence of 100 µg/ml tetracycline, this proportion was 42%. LA517 is, therefore, capable of driving effective expression of a heterologous gene.

Table 6

Effect of tetracycline on the survival of LA517/+, +/tetO-hid *Drosophila* and their +/+, +/tetO-hid siblings

TetO-Hid x LA517/+						
[Tc]	Non-Fluorescent	Fluorescent				
0	636	23				
100	174	127				

EXAMPLE 4

Use of analogues of tetracycline

Line F23 was used to determine whether chemical analogues of tetracycline could be used in place of tetracycline to suppress the lethality of LA513. For this purpose we tested 3 analogues at a range of concentrations from 0 to 100 μ g/ml (suppliers: tetracycline and doxycycline, Sigma; 4-epi-oxytetracycline, Acros Organics; chlortetracycline Fuzhou Antibiotic Group Corp.). We calculated the concentrations required for half-maximal survival. These are shown in Table 7, below.

<u>Table 7</u> Efficacy of Tc analogues

Line	Tc/Analogue	Concentration for half-maximal survival, µg/ml
F23	Tetracycline	5.0
F23	Doxycycline	3.9
F23	7-chlortetracycline	1.7
F23	4-epi-oxytetracycline	42.0

PCT/GB2004/003263

EXAMPLE 5

Longevity of LA513/+ adults in the absence of tetracycline

LA513 clearly confers dominant lethality, active at an embryonic and/or early larval stage. Larvae were raised on a diet supplemented with $100\mu g/ml$ tetracycline. After eclosion, adults were transferred to a diet lacking tetracycline. The lifespan of these adults was measured, and also of comparable w^{1118} non-transgenic adults. As shown in Table 8, below, the transgenic lines showed good adult survival relative to the non-transgenic control. This suggests that stage-specificity can be obtained in this way – here LA513 is a larval/embryonic lethal, but not an adult lethal.

Table 8

Mean adult lifespan of LA513/+ transgenic *Drosophila*.

	Mean post-eclosion		
Line	survival time, days	Standard deviation	Number of Flies
O513	40.3	12.3	66
M8	26.1	2.5	9
M13	29.5	9.9	47
F23	29.6	. 11.3	83
F24	19.9	10.0	9
w ¹¹¹⁸	22.2	8.6	88

It is possible to explain these longevity data by postulating that larvae accumulate tetracycline by feeding, and retain this tetracycline into adulthood, so that they survive even in the absence of dietary tetracycline as adults. To examine this, flies heterozygous for LA513/+ (M13 line) were raised as larvae on various concentrations of tetracycline. After eclosion, adults were transferred to diet lacking tetracycline and the lifespan of these adults was measured, as above. As shown in Table 9, below, the concentration of dietary tetracycline as larvae had no obvious effect on subsequent adult longevity in the absence of tetracycline, implying that adult survival is not primarily due to retention of tetracycline from larval feeding. At a concentration of 1 μ g/ml, no transgenics survived to adulthood, and at 3 μ g/ml only about half of the expected number survived to adulthood, so that this concentration is close to the minimum for larval survival.

<u>Table 9</u> Effect of larval tetracycline on adult longevity

	Mean post- eclosion		,,
Larval tetracycline	survival time,	Standard	
μg/ml	days	deviation	Number of Flies
1	_	_	-
3	33.5	13.2	9
10	28.4	9.6	17
30	26.3	11.3	23
100	29.5	9.9	47

Another possible explanation for the survival of LA513/+ adults is that tTAV is inactive in adults, so that the positive feedback cycle does not work, and tTAV does not accumulate. We examined this by measuring the amount of tTAV mRNA by quantitative PCR following a reverse transcriptase reaction (quantitative rt-PCR, or qPCR). We used Taqman chemistry and reagents (ABI), and an ABI Prism 7000 qPCR instrument. Each sample was assayed in triplicate; data are the mean of these three assays. The 18S primers anneal to *Drosophila melanogaster*, *Ceratitis capitata* and *Aedes aegypti* 18S RNA, so these primers were used for all three species.

Primers used:

18S RNA	SEQ ID NO.
Forward Primer: ACGCGAGAGGTGAAATTCTTG	4
Reverse Primer: GAAAACATCTTTGGCAAATGCTT	5
TaqMan MGB Probe: 6-Fam-CCGTCGTAAGACTAAC-MGB	6
tTAV	
Forward Primer: CATGCCGACGCGCTAGA	7
Reverse Primer: GTAAACATCTGCTCAAACTCGAAGTC	8
TaqMan MGB Probe: VIC-TCGATCTGGACATGTTGG-MGB	9

We found that O513 raised on 100 μ g/ml tetracycline had a tTA:18S ratio of 0.00016 (larvae) and 0.00013 (adult). Adults raised as larvae on 100 μ g/ml tetracycline, but then transferred to non-tetracycline diet as adults had ratios of 0.0061, 0.0047, 0.0087 and 0.011 after 1, 2, 4 and 8 days without tetracycline, respectively. This 28- to 64-fold increase in expression relative to the tetracycline-fed control indicates that the tTAV-based positive feedback expression system is functional in adults.

EXAMPLE 6

LA513 in Aedes aegypti

Aedes aegypti (the yellow fever mosquito, also the major vector of urban dengue fever) were transformed with LA513. Two independent insertion lines, LA513A and LA513B, were obtained.

Males heterozygous for LA513A (reared as larvae on 30 µg/ml tetracycline) were allowed to mate with wild type females. Eggs were collected and the resulting larvae raised in normal media, or in media supplemented with tetracycline (Tc) to 30 µg/ml. The number of transgenic and non-transgenic adults resulting from these eggs was determined. Data are the sum of at least 5 experiments. Larvae were reared at a density of \leq 250 individuals per litre; all the eggs in "no tetracycline" experiments were washed twice before submergence to avoid transferring tetracycline. For the "with tetracycline" experiments, the parental blood and sugarwater was supplemented with tetracycline to 30 µg/ml; for the "no tetracycline" experiments it was not. χ^2 test for differentiation in ratio of the transgene and wild types for survival to adult: "with tetracycline", either orientation: P>0.05; "without tetracycline, either orientation P<0.001 (null hypothesis: genotype with respect to LA513 has no effect on survival).

LA513A is, therefore, a repressible dominant lethal, with a penetrance in these experiments of 95-97%. LA513B is also a repressible dominant lethal, with a penetrance in these experiments of 100%. The results are shown in Table 10, below.

<u>Table 10</u>
Effect of tetracycline on the survival of LA513/+ *Aedes aegypti* and their +/+ siblings.

Parents		Progeny								_
Male	Female		Tc as	Genotype						
		F	lai vae		1 st	2 nd	3 rd	4 th	Pupae	Adults
	ž.	Egg			-	2	3	4	Pupae	Adulis
					instar					
					larvae					
				LA513A/+	489	468	446	442	437	434
LA513A/+	+/+	1000	Yes	Wild type	444	431	403	400	396	392
				LA513A/+	442	420	404	399	393	383
+/+	LA513A/+	1000	Yes	Wild type	466	444	428	417	412	404
				LA513A/+	274	265	235	208	155	7
LA513A/+	+/+	540	No	Wild type	233	225	214	212	209	206
		+		LA513A/+	216	205	181	168	131	9
+/+	LA513A/+	497	No	Wild type	241	225	216	214	211	207
		T								
Parents		Progeny								
Male	Female		Tc as	Genotype						
			larvae							
		Egg			1 st	2 nd	3 rd	4 th	Pupae	Adults
					instar					
					larvae					
- , ,				LA513B/+	161	153	147	141	139	131
LA513B/+	+/+	377	Yes	Wild type	178	171	165	160	157	153
				LA513B/+	189	181	170	166	161	153
+/+	LA513B/+	442	Yes	Wild type	203	198	185	182	180	176
				LA513B/+	69	19.	0	0	0	0
LA513B/+	+/+	188	No	Wild type	85	84	83	83	82	81
				LA513B/+	91	60	0	0	0	0
+/+	LA513B/+	240	No	Wild type	107	104	99	98	95	93

We examined the survival of LA513A/+ males that had been raised on tetracycline (30µg/ml), as larvae, but not given tetracycline as adults. We found that all males tested survived for three weeks, irrespective of genotype (LA513A/LA513A, LA513A/+ or +/+) or the presence or absence of tetracycline in their diet (n≥40 for each genotype).

We examined the survival of LA513A/+ males that had been raised on tetracycline (30µg/ml), as larvae, but not given tetracycline as adults. We found that all males tested survived for three weeks, irrespective of genotype (LA513A/LA513A, LA513A/+ or +/+) or the presence or absence of tetracycline in their diet (n≥40 for each genotype).

We investigated the induction kinetics of tTAV in adult LA513B/+ mosquitoes after withdrawal of tetracycline, using qPCR. As shown in Table 11, below, tTAV increased in males and females following withdrawal of tetracycline. Induction of tTA expression is fairly rapid after removal of Tc, as with *Drosophila*. In each case, shifting between diets containing different levels of tetracycline provides a level of control over the expression level of genes controlled by tTA (here exemplified by tTA itself), using such a positive feedback system.

Table 11
Induction of tTA expression in LA513B/+ males following withdrawal of tetracycline

		•	tTA:18S expression
Sex	Time (days) withou	nt tTA:18S expression	relative to male with
	tetracycline	ratio	tetracycline
Male	0	0.00036	1 -
Female	0	0.00060	1.7
Male	3	0.0043	12
Female	3	0.014	38
Male	4	0.054	150
Female	4	0.019	530
Male	8	0.012	34
Female	8	0.52	1500
Male	16	0.10	280
Female	16	0.032	88

WO 2005/012534 PCT/GB2004/003263 30

EXAMPLE 7

Tetracycline-repressible enhancement of a nearby promoter by tTAV in a positive feedback configuration

We observed that the fluorescent marker in LA513A and LA513B transgenic mosquitoes showed a different pattern of fluorescence in the absence of tetracycline, compared with the pattern in the presence of tetracycline. Fluorescence in the presence of tetracycline was typical of Actin5C-driven expression in mosquitoes (Catteruccia et al., 2000; Pinkerton et al., 2000), and limited largely to the swollen part of the thorax. In contrast, in the absence of tetracycline, expression was much stronger and evident substantially throughout the body of transgenic individuals. In each case, assessment of fluorescence intensity and expression pattern was made by visual observation using fluorescence microscopy.

Elevated expression of tTAV in this positive feedback situation appears, therefore, to be stimulating expression from the nearby Actin5C promoter. This is illustrated, diagrammatically, in Figure 9. We also found that intermediate concentrations of tetracycline, just sufficient substantially to suppress the lethality of LA513, did not suppress this broader expression pattern of fluorescence. At these intermediate concentrations of tetracycline, tTAV accumulates to an intermediate level – sub-lethal, but higher than in 30 µg/ml tetracycline, and which still influences the expression of DsRed2. This again exemplifies the additional control available by modulating tetracycline concentration.

Figure 9 illustrates the bidirectional action of tetO₇ in 513A and 513B mosquitoes. In 513, DsRed2 is under the transcriptional control of the Drosophila Actin5C promoter.

- (A) In the presence of tetracycline, relatively little tTAV is produced, this binds tetracycline and has little or no effect on DsRed2 expression. DsRed2 is seen in a pattern typical of Actin5C expression in mosquitoes.
- (B) In the absence of tetracycline, tTAV stimulates its own expression in a positive feedback loop.
- (C) tTAV binding to the tetO sites enhances expression of both the hsp70 minimal promoter, and hence tTAV, but also the Actin5C promoter, and hence DsRed2.

EXAMPLE 8

LA656, LA928 and LA1124 in Ceratitis capitata

No transgenic lines of the Mediterranean fruit fly (medfly, *Ceratitis capitata* Wiedmann) were obtained, using pLA513, probably indicating that the Actin5C-based marker of pLA513 is inappropriate for use in medfly. This emphasises the desirability of expression constructs with a wide species range. We, therefore, modified the construct to include a polyubiquitin (ubi-p63E)-based marker instead of the Actin5C-based one of pLA513. One such construct is pLA656. We also made two additional constructs, pLA928 and pLA1124 (SEQ ID NO's 18, 20 and 21, respectively, and shown, diagrammatically, in Figures 10, 11 and 12), using a marker based on the hr5 enhancer and ie1 promoter from a baculovirus (*Autographica californica* nuclear polyhedrosis virus, *Ac*MNPV). These differ in the orientation of the marker with respect to the tetO-tTAV cassette. The hr enhancer is closer to the tetO-tTAV cassette in pLA1124 than in pLA928. Furthermore, pLA1124 has 21, rather than 7, copies of tetO and additionally has a putative GAGA-factor binding region related to that of pUASp (Rorth, 1998).

One transgenic line was obtained from pLA656, three for pLA928, and three for pLA1124. These lines are assumed to have independent insertions, as they were derived from different G0 injection survivors.

Males heterozygous for each line were crossed to wild type females. The progeny were raised on standard yeast/sugar/wheatgerm or yeast/sugar/maize *Drosophila* diet, supplemented with tetracycline as appropriate. The parents were raised on the same diet, supplemented with tetracycline to 100µg/ml in the case of the transgenic males. The wild type females to which these males were mated were raised without tetracycline, to eliminate any potential maternal contribution of tetracycline. The number of transgenic and non-transgenic pupae and adults obtained from each cross was determined by scoring for DsRed2 by fluorescence microscopy.

The results of these crosses are shown in Table 12, below. In each case, in the absence of tetracycline, survival of the heterozygous transgenics was less than 2% relative to their wild type

shifting between diets containing different levels of tetracycline, modifying the construct, and using position effect, are discussed elsewhere herein.

Table 12

Effect of tetracycline on the survival of transgenic medfly heterozygous for various constructs, and their +/+ siblings

LA656	Progeny	F/NF	Pupal	F	F	NF	NF	Adult
	[Tc]	pupae	survival	male	female	male	female	survival
	(μg / ml)		ratio (%)]		ratio
								(%)
	0	84 /	7	6	2	530	551	0.7
		1161						
	0.1	16/	4	0	0	205	177	0
		423						
	1	124 /	32	34	12	155	174	14
•		384				<u> </u>		
	3	258	70	84	53	165	133	46
		/370						
	10	249 /	99	91	98	107	127	81
		252						
	100	. 330 /	107	151	150	134	148	107
		307						

<u>LA928m1</u>	Progeny	F/NF	Pupal	F	F	NF	NF	Adult
	[Tc]	pupae	survival	male	female	male	female	survival
	(μg / ml)		ratio ·					ratio
			(%)					(%)
	0	28 /	1.87	5	1	661	639	0.46
		1499				1		
	0.1	0 / 765	0	0	0	347	246	0
	1	190 /	74	62	59	119	101	55
		256						
	3	290 /	96	133	98	143	107	92
1		302			0			
	10	nd	nd	nd	nd	nd	nd	nd
	100	222 /	77	117	84	146	126	74
		286				4		

LA928m3	Progeny	F/NF	Pupal	F	F	NF	NF	Adult
	[Tc]	pupae	survival	male	female	male	female	survival
	(μg / ml)	: 	ratio					ratio
			(%)					(%)
	0	68 /	6.6	13	4	489	449	1.8
		1026						
	0.1	0 /	0	0	0	117	91	0
		265						
	1	358 /	80	154	100	228	164	65
		446						
	3	105 /	100	39	35	42	38	93
		105	-					
	10	nd	nd	nd	nd	nd	nd	nd
	100	245 /	100	109	121	117	108	100
		245						

LA928f1	Progeny	F/NF	Pupal	F male	F	NF	NF	Adult
	[Tc]	pupae	survival		female	male	female	survival
	(μg / ml)		ratio					ratio
			(%)					(%)
	0	17 /	1.3	2	0	639	599	0.16
		1331						
	0.1	2 / 254	0.8	0	0	100	84	0
	1	461 /	81	218	146	244	. 181	85
		567						
	3	520 /	99	214	182	249	202	88
		527						
	10	350 /	91	139	112	131	159	87
		399						
	100	126 /	108	63	57	57	49	113
		117						

<u>LA1124f1</u>	Progeny	F/NF	Pupal	F	F	NF	NF	Adult
	[Tc]	pupae	survival	male	female	male	female	survival
	(μg / ml)		ratio (%)		ā		,	ratio (%)
	0	104 /	51	0	3	95	62	1.9
		213						
	100	478 /	89	218	208	205	203	104
		536						

LA1124m1	Progeny	F/NF	Pupal	F	F	NF	NF	Adult
	[Tc]	pupae	survival	male	female	male	female	survival
	(μg / ml)		ratio (%)			1		ratio (%)
	0	337 /	.77	2	1	176	207	0.78
		437						
	100	84 / 90	93	35	31	30	26	118

WO 2005/012534 PCT/GB2004/003263

LA1124m2	Progeny	F/NF	Pupal	F	F	NF	NF	Adult
	[Tc]	pupae	survival	male	female	male	female	survival
	(μg / ml)		ratio (%)					ratio (%)
	0	104/	72	0	1	46	34	1.3
		145	:					
	100	77 / 77	100	24	14	19	13	119

F: fluorescent;

NF: non-fluorescent.

Pupae were collected and scored for fluorescence (column 3), then allowed to eclose. Surviving adults were scored for sex and fluorescence (columns 5-8). From these data on adults, the ratio of fluorescent to non-fluorescent survivors was calculated, presented in column 9 as the percentage of fluorescent adults observed relative to non-fluorescent. It is to be expected that these crosses give, on average, equal numbers of transgenic and non-transgenic individuals; if an equal proportion of transgenic and non-transgenic individuals were to survive to adulthood, then this would give an "adult survival ratio" of 100%.

We further investigated the expression of tTA in these transgenic lines by quantitative (real-time) rt-PCR (qPCR). The results are given in Table 13, below.

<u>Table 13</u>
Expression levels of tTA in wild type and transgenic medfly

Sample	tTA/18S ratio	NT/T ratio
Larvae		
WT tet	3.13E-06	
WT NT	2.81E-06	
656 tet	5.80E-06	1.00
656 NT	2.06E-04	36
670A tet	2.71E-06	1.00
670A NT	1.10E-04	41
670e tet	9.70E-06	1.00

670e NT	8.40E-05	8.7
Adults		
WT female	2.83E-06	
WT male	2.16E-07	
Heterozygous		
656 tet M 0d	5.52E-06	1.00
656 tet M 8d	1.12E-05	2.0
656 NT M 0d	4.49E-05	8.1
656 NT M 2d	2.77E-04	50
656 NT M 4d	2.22E-04	40
656 NT M 8d	9.71E-05	18
656 NT M 16d	1.49E-04	27
670 M tet	4.21E-06	1.00
670 F tet	2.86E-06	0.68
670 M NT S	6.93E-05	16.45
670 F NT S	1.92E-04	45.57
928Am1 F tet	7.17E-06	1.00
928Am1 M tet	8.56E-06	1.19
928Am1 M NT		
2d	1.71E-04	23.81
928Am1 M NT		
4d	5.36E-04	74.72
928Am1 M NT		
8d	1.91E-04	26.66
928Am1 M NT		
16d	1.01E-05	1.41
928Am1 M tet		
8d	1.11E-06	0.16
928Am1 M NT S	2.22E-04	31.02
928Am1 M NT S	1.51E-04	21.11
928Am3 F tet	9.09E-07	1.00

WO 2005/012534			PCT/GB2004/003263
		37	
	928Am3 M tet	9.09E-07	1.00
	928Am3 FNTS	3.62E-05	39.85
	928Am3 F NT S	8.74E-04	962.07
	928Am3 F NT		
	S	2.99E-04	329.32
	928Am3 M NT		
	S	5.53E-05	60.83
	928Am3 M NT S	9.18E-04	1009.90
	1124f1 F tet	2.86E-05	1.00
	1124f1 F NT 7d	4.11E-04	14.35
	1124m1 M tet	1.62E-05	1.00
	1124m1 F NT S	9.30E-04	57.55
	1124m2 F tet	8.98E-05	1.00
	1124m2 F NT 7d	7.90E-04	8.79
	homozygous		
	656 tet 8d	1.49E-05	1.00
	656 NT 0d	9.23E-05	6.2
	656 NT 2d	3.90E-03	262
	656 NT 4d	1.92E-03	129
	656 NT 8d	4.70E-03	316
	656 NT 16d	8.58E-04	58

M: male;

F: female;

tet: raised on diet supplemented with tetracycline to 100 µg/ml;

NT S: raised on standard diet (0 µg/ml tetracycline);

d: days post-eclosion;

NT (n)d: raised on tet diet, then held as adults on non-tet (NT) diet for n days, as indicated; tet (n)d: raised on tet diet, then held as adults on tet diet for n days, as indicated.

PCT/GB2004/003263 38

EXAMPLE 9

LA670 in Ceratitis capitata

We obtained a single transgenic line of medfly by transformation with pLA670, a construct which closely resembles pLA656. This plasmid is illustrated in accompanying Figure 13, and is SEQ ID NO. 23.

However, this transgenic line gave a significant number of adult transgenic progeny, even when raised as larvae on diet lacking tetracycline (Table 14). However, this LA670 insertion line does produce a readily detectable amount of tTAV mRNA in the absence of tetracycline, and this is substantially reduced by dietary tetracycline (assessed by qPCR, results shown in Table 13, above). LA670, therefore, represents a useful regulatable source of tTAV with which to drive the expression of tTAV-responsive genes. The difference in phenotype between LA656 and LA670, which are extremely similar in structure, is probably due to position effect, which is the variation in expression of transgenes depending on where they have inserted in the genome. Such variation is also shown by the variation in phenotype and tTAV expression levels between different transgenic lines with the same construct, as shown in Table 13, above. A simple method for obtaining transgenic lines carrying positive feedback constructs with different expression levels and phenotypic consequences is therefore provided, comprising generating a panel of insertion lines and screening for suitable basal and de-repressed expression levels and patterns.

Table 14 Effect of tetracycline on the survival of transgenic medfly heterozygous for LA670, and their +/+ siblings

LA6	<u>70</u>	Progeny	F/NF	Pupal	F	${f F}$	NF	NF	Adult
		[Tc]	pupae	survival	male	female	male	female	survival
		(μg / ml)		ratio (%)			:		ratio (%)
		0	182 /	83	72	35	102	103	52
			220						
		100	10/8	125	5	3	5	3	100

F: fluorescent:

NF: non-fluorescent.

Pupae were collected and scored for fluorescence (column 3), then allowed to eclose. Surviving adults were scored for sex and fluorescence (columns 5-8). From these data on adults, the ratio of fluorescent to non-fluorescent survivors was calculated, presented in column 9 as the percentage of fluorescent adults observed relative to non-fluorescent. It is to be expected that these crosses give, on average, equal numbers of transgenic and non-transgenic individuals; if an equal proportion of transgenic and non-transgenic individuals survived to adulthood, this would

We tested the ability of LA670 to drive expression of sequences placed under the transcriptional control of tetO. We analysed the expression of two potential mRNAs from pLA1038 (Figure 14, SEQ ID NO. 24), which contains two potential tTA-responsive transcription units, divergently transcribed. These are CMV-tTA and hsp70-Cctra-nipper. PCR analysis, with controls, was performed on the expression of these transcription units in the presence and absence of pLA670. Both transcription units are expressed in the presence of pLA670. CMV-tTA is expressed at a lower, but detectable, level in LA1038/+ transgenics in the absence of LA670. hsp70-Cctra-nipper is not detectably expressed in the absence of pLA670, showing that expression is indeed driven by, and dependent on, tTAV supplied by pLA670.

EXAMPLE 10

LA710 in Pectinophora gossypiella

give an "adult survival ratio" of 100%.

Pectinophora gossypiella (pink bollworm, a lepidopteran) was transformed with LA710 (Figure 15, SEQ ID NO. 19) by standard methods (Peloquin *et al.*, 2000). Four transgenic lines were recovered. Males of these lines were crossed with females wild type for LA710. Newly hatched larvae were placed in individual 1.7 ml vials with diet, either with or without 7-chlortetracycline (40μg/ml), and scored for fluorescence. No significant difference was observed in the numbers of transgenics surviving to adulthood relative to numbers of their wild type siblings, either with or without chlortetracycline. We conclude that LA710 does not typically lead to the accumulation of lethal levels of tTAV, even in the absence of dietary chlortetracycline.

We examined the expression of tTAV mRNA in LA710 transgenics by PCR following a reverse transcriptase reaction (rt-PCR). We found that tTAV mRNA was not detectable in chlortetracycline-fed larvae, but was detectable in larvae which had not received chlortetracycline (data not shown). This positive feedback construct LA710, therefore, provides, in these moths, a source of tTAV that can be regulated by supplying dietary chlortetracycline, and for which de-repressed expression, though readily detectable, is non-lethal. We also observed significant variation in the intensity of the band corresponding to tTAV mRNA in samples from different lines.

EXAMPLE 11

LA1124 in Pectinophora gossypiella

Pectinophora gossypiella (pink bollworm, a lepidopteran) was transformed with LA1124 (Figure 12, SEQ ID NO. 21) by standard methods (Peloquin *et al.*, 2000). A single transgenic line was recovered. Males of this line were crossed with females wild type for LA1124. Newly hatched larvae were placed in individual 1.7 ml vials with diet, either with or without 7-chlortetracycline (40μg/ml), and scored for fluorescence. These larvae were screened again when they had had time to develop to a late larval stage. All larvae survived, except for the fluorescent (LA1124/+) larvae on diet lacking chlortetracycline, as shown in Table 15, below.

Table 15

Pink bollworm: survival from early to late larval stage of LA1124/+ or their wild type siblings, on diet with or without chlortetracycline

100 μg/ml ch	lortetracycline	0 μg/ml chlortetracycline			
LA1124/+	Wild-type	LA1124/+	Wild-type		
3 (0 dead)	11 (0 dead)	8 (8 dead)	7 (0 dead)		

We examined the expression of tTAV mRNA in LA1124 pink bollworm by PCR following a reverse transcriptase reaction (rt-PCR). We found that tTAV mRNA was readily detectable in chlortetracycline-fed larvae, but considerably elevated in larvae which had not received chlortetracycline (data not shown). The significant basal expression of tTAV mRNA in

this construct is probably due to the inclusion in LA1124 of the hr enhancer, which was included for this reason. Comparison of the structure and function of LA1124 with that of LA710 clearly illustrates that basal and maximum levels of the gene product can readily be selected by appropriate modification of the expression construct, this principle being demonstrated, here, by regulating levels of expression of a tTAV-dependent RNA (in this case the tTAV mRNA).

EXAMPLE 12

Sex-specific expression using positive feedback

It is preferred to control, by design, the expression of tTAV from a positive feedback construct, so that it can be differentially expressed in different tissues, or different developmental stages, or different sexes, for example. One application for this is in genetic sexing, in which a sexual dimorphism is induced between the two sexes and this is used as a basis for separating the two sexes. In the context of the Sterile Insect Technique, *e.g.* for medfly, this preferably means killing the females, most preferably at an early stage in their development. No early-acting female-specific promoters are known for medfly, which limits the potential of the two-component repressible dominant lethal system exemplified for *Drosophila* using promoters or enhancers from yolk protein genes (Heinrich and Scott, 2000; Thomas *et al.*, 2000). It would clearly be advantageous to be able to combine the beneficial characteristics of a conditional positive feedback system with a mechanism conferring female specificity.

We, therefore, modified a non-sex-specific positive feedback construct by inserting a sex-specific intronic region from *Cctra*, the medfly homologue of the *Drosophila melanogaster* gene *transformer* (Pane *et al.*, 2002). The sex-specific splicing of *Cctra* is illustrated diagrammatically in Figure 16, which is adapted from (Pane *et al.*, 2002)*supra*. Figure 16 shows the genomic organisation of the medfly *tra* gene. The top line represents the genomic *Cctra* locus. Exons are shown as blocks; aug marks the shared start codon. The alternate splice junctions are marked i. Putative tra/tra-2 binding sites are marked with arrowheads. Transcript F1, the only one to encode functional Cctra protein, is specific to females. Transcripts M1 and M2 are found in both males and females.

Three main transcripts are produced: M1, M2 and F1. Transcript F1 is found only in females, and is the only one to encode full-length, functional Cctra protein. Transcripts M1 and M2 are found in both males and females, and include additional exonic sequence, which inserts one or more stop codons relative to transcript F1, leading to truncation of the open reading frame.

We inserted the *Cctra* intron into the open reading frame of tTAV, so that excision by splicing of the complete intron, in the manner of transcript F1, would reconstitute an intact tTAV coding region, but splicing in the manner of either M1 or M2 would result in a truncated protein incapable of acting as a transcriptional enhancer. The resulting plasmid, pLA1188 (Figure 17, SEQ ID NO. 22), was injected into medfly embryos. Surviving larvae were recovered, and extracts from these larvae were analysed by rt-PCR to determine the splicing pattern of the tTAV transcript.

Female larvae yielded PCR products corresponding to the expected sizes that would result from splicing in the pattern of the endogenous Cctra gene, in other words corresponding to splicing in the M1, M2 and F1 patterns. These data indicate that the Cctra intron can splice correctly in a heterologous context and, therefore, provides a suitable method for introducing sex-specificity into a positive feedback construct. Furthermore, since tra function is conserved across a wide phylogenetic range (Saccone et al., 2002), and other sex-specific introns are known, e.g. in the Drosophila melanogaster gene double-sex (dsx), which is also well conserved, this provides a general method for manipulating the expression of genes. It will be apparent to the person skilled in the art that such manipulations can alternatively, or additionally, be applied to other genes responsive to a transcriptional activator, so that sex-specific expression of a target gene can be achieved by combining non-sex-specific expression of a transcriptional activator with sex-specific expression, e.g. through splicing, of a functional RNA under the transcriptional control of the transcriptional activator. Furthermore, it will also be apparent that this provides a simple mechanism for differential expression of two, or more, different target genes, or gene products, such that one, or one group, is expressed in both sexes and the other, or other group, in only one sex. This is illustrated for medfly in Figure 18.

The primers used were:

Tra(tTAV)Seq+: 5'-CCTGCCAGGACTCGCCTTCC (SEQ ID NO. 12)

Tra(tTAV)Seq-: 5'-GTCATCAACTCCGCGTTGGAGC (SEQ ID NO. 13)

RT-PCR products of ~600 and ~200 bp were produced when cDNA derived from female medflies 1 and 2 was used as a template, representing "male" (M1 and M2) and female-specific (F1) spliced forms of mRNA respectively (data not shown). The ~200 bp product could have been produced due to contamination with tTAV DNA – the female spliced form completely removes the Cctra intron an so leads to a PCR product that is identical to that which would be obtained from any of several tTAV-containing plasmids or samples handled in the same laboratory. The ~600 bp band, in contrast, retains ~400bp of Cctra sequence and is diagnostic of correct splicing of the construct.

PCT/GB2004/003263

In another experiment (data not shown), expression of transcripts from LA1038 in response to tTAV from LA670 was analysed by gel chromatography (data not shown), using: A: rt-PCR for expression of CMV-tTA from LA1038 in extracts from LA1038/+, LA670/+ double heterozygotes;

B: rt-PCR for expression of hsp70-Cctra-nipper in extracts from LA1038/+, LA670/+ double heterozygotes; and

C: rt-PCR for expression of CMV-tTA from LA1038 in extracts from LA1038/+ heterozygotes without LA670.

All flies were raised in the absence of dietary tetracycline. In A and C, two bands were present between 200 bp and 400 bp and represent cDNA from spliced mRNA (lower molecular weight band) and genomic DNA or cDNA from unspliced message (higher molecular weight band) respectively. In B, a band at approximately 200 bp represents cDNA from mRNA spliced in the pattern of the Cctra female-specific F1 transcript, an upper band of approximately 1500bp representing genomic DNA or cDNA from unspliced message, and bands of intermediate size representing cDNA spliced in the pattern of the Cctra non-sex-specific M1 and M2 transcripts, or non-specific bands.

WO 2005/012534 PCT/GB2004/003263 44

Primer sequences used were:

hsp70-Cctra-nipper: NIP: 5'-CATCGATGCCCAGCATTGAGATG and

HSP: 5'-CAAGCAAAGTGAACACGTCGCTAAGCGAAAGCTA;

CMV-tTA: CMV: 5'- GCCATCCACGCTGTTTTGACCTCCATAG and

TTA: 5'-GCCAATACAATGTAGGCTGCTCTACAC

These data (not shown) demonstrate that the hsp-Cctra-nipper section of LA1038 is shown to be correctly spliced in the female form in 6/6 females, and in the male form in 6/6 males.

Reference sequences:

JY2004-tTA (SEQ ID NO. 14) - sequence of the tetO7-tTA region only

pP[Casper-Act5C-tTA] (SEQ ID NO. 15)

pLA513 (SEQ ID NO. 16)

pLA517 (SEQ ID NO. 17)

pLA656 (SEQ ID NO. 18)

pLA670 (SEQ ID NO. 23)

pLA710 (SEQ ID NO. 19)

pLA928 (SEQ ID NO. 20)

pLA1038 (SEQ ID NO. 24)

pLA1124 (SEQ ID NO. 21)

pLA1188 (SEQ ID NO. 22)

References

Alphey, L. (2002). Re-engineering the Sterile Insect Technique. Insect Biochem Mol Biol 32, 1243-1247.

Alphey, L., and Andreasen, M. H. (2002). Dominant lethality and insect population control. Mol Biochem Parasitol 121, 173-178.

Alphey, L., Beard, B., Billingsley, P., Coetzee, M., Crisanti, A., Curtis, C. F., Eggleston, P., Godfray, C., Hemingway, J., Jacobs-Lorena, M., et al. (2002). Malaria control with genetically modified vectors. Science 298, 119-121.

Baron, U., and Bujard, H. (2000). Tet repressor-based system for regulated gene expression in eukaryotic cells: principles and advances. Meth Enzymol 327.

Baron, U., Gossen, M., and Bujard, H. (1997). Tetracycline-controlled transcription in eukaryotes: novel transactivators with graded transactivation potential. Nucl Acids Res 25, 2723-2729.

Bello, B., Resendez-Perez, D., and Gehring, W. (1998). Spatial and temporal targeting of gene expression in Drosophila by means of a tetracycline-dependent transactivator system. Development 125, 2193-2202.

Benedict, M., and Robinson, A. (2003). The first releases of transgenic mosquitoes: an argument for the sterile insect technique. Trends Parasitol 19, 349-355.

Bennett, D., Szoor, B., Gross, S., Vereshchagina, N., and Alphey, L. (2003). Ectopic expression of inhibitors of Protein Phosphatase type 1 (PP1) can be used to analyse roles of PP1 in *Drosophila* development. Genetics 164, 235-245.

Berger, S. L., Cress, W. D., Cress, A., Triezenberg, S. J., and Guarente, L. (1990). Selective inhibition of activated but not basal transcription by the acidic activation domain of VP16: evidence for transcriptional adaptors. Cell *61*, 1199-1208.

Berghammer, A. J., Klingler, M., and Wimmer, E. A. (1999). A universal marker for transgenic insects. Nature 402, 370-371.

Brand, A., Manoukian, A., and Perrimon, N. (1994). Ectopic expression in Drosophila. Meth Cell Biol 44, 635-654.

Catteruccia, F., Nolan, T., Loukeris, T., Blass, C., Savakis, C., Kafatos, F., and Crisanti, A. (2000). Stable germline transformation of the malaria mosquito *Anopheles stephensi*. Nature 405, 959-962.

Coates, C., Jasinskiene, N., Miyashiro, L., and James, A. (1998). Mariner transposition and transformation of the yellow fever mosquito, *Aedes aegypti*. Proc Natl Acad Sci USA 95, 3748-3751.

Damke, H., Gossen, M., Freundlieb, S., Bujard, H., and Schmid, S. (1995). Tightly regulated and inducible expression of dominant interfering dynamin mutant in stably transformed HeLa cells. Meth Enz 257, 209-220.

Fussenegger, M. (2001). The impact of mammalian gene regulation concepts on functional genomic research, metabolic engineering, and advanced gene therapies. Biotechnol Prog 17, 1-51.

Fussenegger, M., Mazur, X., and Bailey, J. (1998a). pTRIDENT, a novel vector family for tricistronic expression in mammalian cells. Biotech Bioeng 57, 1-10.

Fussenegger, M., Moser, S., and Bailey, J. (1998b). pQuattro vectors allow one-step transfection and auto-selection of quattrocistronic artificial mammalian operons. Cytotechnology 28, 229-235.

Gebauer, F., Merendino, L., Hentze, M. W., and Valcarcel, J. (1998). The Drosophila splicing regulator sex-lethal directly inhibits translation of male-specific-lethal 2 mRNA. RNA 4, 142-150.

Gill, G., and Ptashne, M. (1988). Negative effect of the transcriptional activator GAL4. Nature 334, 721-724.

Gossen, M., Bonin, A., Freundlieb, S., and Bujard, H. (1994). Inducible gene expression systems for higher eukaryotic cells. Curr Opin Biotechnol 5, 516-520.

Gossen, M., and Bujard, H. (1992). Tight control of gene expression in mammalian cells by tetracycline- responsive promoters. Proc Natl Acad Sci U S A 89, 5547-5551.

Handler, A. (2002). Use of the *piggyBac* transposon for germ-line transformation of insects. Insect Biochem Mol Biol *32*, 1211-1220.

Handler, A., and James, A. (2000). Insect transgenesis: methods and applications (Boca Raton, CRC Press).

Heinrich, J., and Scott, M. (2000). A repressible female-specific lethal genetic system for making transgenic insect strains suitable for a sterile-release program. Proc Nat'l Acad Sci (USA) 97, 8229-8232.

Horn, C., Schmid, B., Pogoda, F., and Wimmer, E. (2002). Fluorescent transformation markers for insect transgenesis. Insect Biochem Mol Biol 32, 1221-1235.

Jasinskiene, N., Coates, C., Benedict, M., Cornel, A., Rafferty, C., James, A., and Collins, F. (1998). Stable transformation of the yellow fever mosquito, *Aedes aegypti*, with the Hermes element from the housefly. Proc Natl Acad Sci USA 95, 3743-3747.

Kelley, R. L., Solovyeva, I., Lyman, L. M., Richman, R., Solovyev, V., and Kuroda, M. I. (1995). Expression of msl-2 causes assembly of dosage compensation regulators on the X chromosomes and female lethality in Drosophila. Cell 81, 867-877.

Lobo, N., Hua-Van, A., Li, X., Nolen, B., and Fraser, M. (2002). Germ line transformation of the yellow fever mosquito, *Aedes aegypti*, mediated by transpositional insertion of a *piggyBac* vector. Insect Molecular Biology 11, 133-139.

Lozovsky, E., Nurminsky, D., Wimmer, E., and Hartl, D. (2002). Unexpected stability of *mariner* transgenes in *Drosophila*. Genetics 160, 527-535.

Matsuo, T., Takahashi, K., Kondo, S., Kaibuchi, K., and Yamamoto, D. (1997). Regulation of cone cell formation by Canoe and Ras in the developing *Drosophila* eye. Development 124, 2671-2680.

McCombs, S., and Saul, S. (1995). Translocation-based genetic sexing system for the oriental fruit-fly (Diptera, Tephritidae) based on pupal color dimorphism. Ann Ent Soc Am 88, 695-698. Moreira, L., Wang, J., Collins, F., and Jacobs-Lorena, M. (2004). Fitness of anopheline mosquitoes expressing transgenes that inhibit Plasmodium development. Genetics 166, 1337-1341.

Pane, A., Salvemini, M., Delli Bovi, P., Polito, C., and Saccone, G. (2002). The *transformer* gene in *Ceratitis capitata* provides a genetic basis for selecting and remembering the sexual fate. Development 129, 3715-3725.

Parker, L., Gross, S., Beullens, M., Bollen, M., Bennett, D., and Alphey, L. (2002). Functional interaction between NIPP1 and PP1 in Drosophila: lethality of over-expression of NIPP1 in flies and rescue by the over-expression of PP1. Biochem J 368, 789-797.

Peloquin, J. J., Thibault, S. T., Staten, R., and Miller, T. A. (2000). Germ-line transformation of pink bollworm (Lepidoptera: gelechiidae) mediated by the piggyBac transposable element. Insect Mol Biol 9, 323-333.

Perera, O., Harrell, R., and Handler, A. (2002). Germ-line transformation of the South American malaria vector, *Anopheles albimanus*, with a piggyBac-EGFP tranposon vector is routine and highly efficient. Insect Molecular Biology *11*, 291-297.

Pinkerton, A., Michel, K., O'Brochta, D., and Atkinson, P. (2000). Green fluorescent protein as a genetic marker in transgenic *Aedes aegypti*. Insect Molecular Biology 9, 1-10.

Reichhart, J., and Ferrandon, D. (1998). Green balancers. Drosophila Information Service 81, 201-202.

Rorth, P. (1998). Gal4 in the Drosophila female germline. Mech Dev 78, 113-118.

Saccone, G., Pane, A., and Polito, C. (2002). Sex determination in flies, fruitfles and butterflies. Genetica 116, 15-23.

Salghetti, S., Caudy, A., Chenoweth, J., and Tansey, W. (2001). Regulation of transcriptional activation domain function by ubiquitin. Science 293, 1651-1653.

Scott, M., Heinrich, J., and Li, X. (2004). Progress towards the development of a transgenic strain of the Australian sheep blowfly (*Lucilia cuprina*) suitable for a male-only sterile release program. Insect Biochem Mol Biol 34, 185-192.

Shockett, P., Difilippantonio, M., Hellman, N., and Schatz, D. (1995). A modified tetracycline-regulated system provides autoregulatory, inducible gene expression in cultured cells and transgenic mice. Proc Nat'l Acad Sci (USA) 92, 6522-6526.

Stebbins, M., and Yin, J. (2001). Adaptable doxycycline-regulated gene expression systems for *Drosophila*. Gene 270, 103-111.

Thomas, D., Donnelly, C., Wood, R., and Alphey, L. (2000). Insect population control using a dominant, repressible, lethal genetic system. Science 287, 2474-2476.

Varshavsky, A. (2000). Ubiquitin fusion technique and its descendants. Meth Enz 327.

49

Claims:

- 1. An insect gene expression system, comprising at least one gene to be expressed and at least one promoter therefor, wherein a product of a gene to be expressed serves as a positive transcriptional control factor for the at least one promoter, and whereby the product, or the expression of the product, is controllable.
- 2. A system according to claim 1, wherein an enhancer is associated with the promoter, the gene product serving to enhance activity of the promoter *via* the enhancer.
- 3. A system according to claim 2, wherein the control factor is the tTA gene product or an analogue thereof, and wherein one or more tetO operator units is operably linked with the promoter and is the enhancer, tTA or its analogue serving to enhance activity of the promoter *via* tetO.
- 4. A system according to claim 4, in which the gene encodes the tTAV or tTAF product.
- 5. A system according to any preceding claim, wherein the gene is modified to at least partially follow codon usage in a species in which the system is for use.
- 6. A system according to any preceding claim, wherein the promoter is substantially inactive in the absence of the positive transcriptional control factor.
- 7. A system according to any preceding claim, wherein the promoter is a minimal promoter.
- 8. A system according to claim 7, wherein the promoter is selected from: hsp70, a P minimal promoter, a CMV minimal promoter, an Act5C-based minimal promoter, a BmA3 promoter fragment, an Adh core promoter, and anAct5C minimal promoter, or combinations thereof.
- 9. A system according to any preceding claim, wherein the promoter is derived from, or is a fragment of, CMV or Hsp70.

- 10. A system according to any preceding claim which substantially reduces fitness when activated or de-repressed.
- 11. A system according to claim 10, comprising a lethal gene under the control of the a promoter of the system.
- 12. A system according to claim 11, wherein the lethal gene is a dominant lethal.
- 13. A system according to claim 11 or 12, wherein the lethal gene and the positive control are the same.
- 14. A system according to claim 13, wherein the gene is tTA or an analogue thereof.
- 15. A system according to claim 11 or 12, wherein the lethal gene and positive control gene are different.
- 16. A system according to claim 10, wherein the reduced fitness is a high mortality rate.
- 17. A system according to any preceding claim, wherein expression of the positive control gene is selective.
- 18. A system according to claim 17, wherein expression of the gene is determined by sex.
- 19. A system according to claim 18, comprising a *doublesex*, *transformer* or sex-specific lethal sequence.
- 20. A system according to any preceding claim, wherein an effector gene is operably linked with at least one said promoter.
- 21. A system according to claim 20, wherein the effector gene is a dominant lethal gene.
- 22. A system according to claim 20, wherein the effector gene encodes RNAi.

- 23. A system according to any of claims 20 to 22, wherein activation of a promoter to which the effector gene is operably linked leads to a selective effect *via* a transcription or translation product of DNA under the control of the promoter.
- 24. A system according to any of claims 17 to 23, wherein selection is species specific.
- 25. A system according to any of claims 17 to 24, wherein selection is developmental stage specific.
- 26. A system according to any preceding claim, which is at least one cistron.
- 27. A system according to claim 26, which is at least two cistrons, said cistrons being linked to an enhancer under the control of the positive control gene.
- A system according to any preceding claim, wherein expression of the positive control gene on removal of a suppressor for the gene has substantially no effect on the fitness of an adult from which the suppressor has been removed.
- 29. A system according to any preceding claim, bounded by insulator elements.
- 30. A system according to claim 29, wherein the insulators are non-identical insulators.
- 31. pLA513 as identified by SEQ ID NO. 16.
- 32. JY2004-tTA as identified by SEQ ID NO. 14.
- 33. A vector comprising the system of any of claims 1 to 30.
- 34. A vector according to claim 33, further comprising an expression marker.
- 35. A vector according to claim 34, wherein the expression marker is a fluorescent protein or resistance marker.

PCT/GB2004/003263

- 36. A vector according to any of claims 33 to 35, further comprising an expressible transposase gene.
- 37. An insect comprising, in its genome, a system according to any of claims 1 to 30.
- 38. An insect according to claim 37, which is substantially uncompromised by the system under permissive conditions where the positive control gene is not expressed.
- 39. An insect according to claim 37 or 38 which is from a pest species.

WO 2005/012534

- 40. An insect according to any of claims 37 to 39, which is selected from: mosquito, bollworm, medfly, and *Drosophila*.
- 41. An insect according to any of claims 37 to 40, wherein expression of the positive control gene is blockable or controllable by dietary supplements.
- 42. A method to establish compatibility of a promoter with a species, comprising transforming said species with a plasmid, or other vector, comprising a system according to any of claims 1 to 28 with the promoter to be tested, said promoter being operably associated with a gene to be assayed, said plasmid further comprising a marker, under the control of a promoter appropriate to said species, the method further comprising assaying putative transgenic individuals for expression of the marker, and wherein individuals expressing the marker are subsequently assayed for expression of the gene to be assayed.




Fig.1




Fig.2





Fig.3

3/16



Male-specific splice

Transactivator coding region:

A = DNA binding domain


B = Activation domain

C = Repression or neutral domain

Other control signals not marked, e.g. 5'UTR,

3'UTR, intron(s), polyA

Transactivator minimal binding site(s) promoter



A + C = transactivator
B = contains stop codon or frame shift
or
A = DNA binding domain
B = Repression domain
C = Activation domain
Other control signals not marked, e.g. 5'UTR,
3'UTR, intron(s), polyA

Transactivator coding region:

Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16





Fig.17



Potential PCR products generated:

- If intron is not excised → ~1550 bp
 If intron is spliced in male form (M1 or M2)→ ~600 bp
 If intron is spliced in female form → ~200 bp

Fig.18

1

SEQUENCE LISTING

```
<110> Oxitec Limited
<120> Pest Control
<130> WPP88353
<150> UK 0317656.7
<151> 2003-07-28
<160> 33
<170> PatentIn version 3.2
<210> 1
<211> 44
<212> DNA
<213> Drosophila sp.
<400> 1
cacagcgcat gatgagcaca ttaacaaaat gtagtaaaat agga
                                                                          44
<210> 2
<211> 44
<212> DNA
<213> Drosophila sp.
<400> 2
gtttcgataa atattgctat ttaaaatgct tattttcaat gcta
                                                                          44
<210> 3
<211> 44
<212> DNA
<213> Drosophila sp.
tttgttttct aacgttaaag ttaaagagag tccagccaca tttt
                                                                          44
<210> 4
<211> 21
<212> DNA
<213> Artificial
<220>
<223> PCR Primer
<400> 4
acgcgagagg tgaaattctt g
                                                                          21
<210> 5
<211> 23
<212> DNA
<213> Artificial
<220>
<223> PCR Primer
<400> 5
                                                                          23
gaaaacatct ttggcaaatg ctt
```

2

<210><211><212><213>	6 16 DNA Artificial	
<220> <223>	Nucleotide portion of TaqMan MGB probe	
<400> ccgtcg	6 taag actaac	16
<210><211><212><212><213>		
<220> <223>	PCR Primer	
<400> catgco	7 gacg cgctaga	17
<210><211><211><212><213>	26	
<220> <223>	PCR Primer	
<400> gtaaac	8 watct gctcaaactc gaagtc	26
<210><211><211><212><213>	18	
<220> <223>	Nucleotide portion of TaqMan MGB probe	
<400> tcgato	9 stgga catgttgg	18
<210><211><211><212><213>		
<220> <223>	PCR Primer	
<400> gccctc	10 gatg gtagacccgt aattg	25
<210><211><211><212><213>	27	
<220>		

3

<223>	PCR	Primer					
<400> gctaaad	11 caat	ctgcaggtac	cctggcg				27
<210><211><212><213>	12 20 DNA Art:	ificial					
<220> <223>	PCR	Primer					
<400> cctgcc	12 agga	ctcgccttcc					20
<210><211><212><213>	13 22 DNA Art	ificial					
<220> <223>	PCR	Primer					
<400> gtcatca	13 aact	ccgcgttgga	gc				22
<210><211><212><213>	14 255 DNA Art						
<220> <223>	JY2	004-tTA					
<400> gcggcc	14 gcat	agtegacatt	-tcgagtttac	_cactccctat	cagtgataga	gaaaagtgaa	60
agtcga	gttt	accactccct	atcagtgata	gagaaaagtg	aaagtcgagt	ttaccactcc	120
ctatca	gtga	tagagaaaag	tgaaagtcga	gtttaccact	ccctatcagt	gatagagaaa	180
agtgaa	agtc	gagtttacca	ctccctatca	gtgatagaga	aaagtgaaag	tcgagtttac	240
cactcc	ctat	cagtgataga	gaaaagtgaa	agtcgagttt	accactccct	atcagtgata	300
gagaaa	agtg	aaagtcgagc	teggtaceeg	ggtcgaggta	ggcgtgtacg	gtgggaggcc	360
tatata	agca	gagctcgttt	agtgaaccgt	cagatcgcct	ggagacgcca	tccacgctgt	420
tttgac	ctcc	atagaagaca	ccgggaccga	tccagcctcc	gcggccccga	attcgagctc	480
ggtacc	cggg	gatccccgct	cgagctgaat	agggaattgg	gaattggagc	agaggtgggt	540
tattag	catt	acactgttcg	ccacaatctt	gtttattcat	tegeettgea	ggttgccacc	600
atggaa	ttga	gattagataa	aagtaaagtg	attaacagcg	cattagagct	gcttaatgag	660
gtcgga	atcg	aaggtttaac	aacccgtaaa	ctcgcccaga	agctaggtgt	agagcagcct	720
acattg	tatt	ggcatgtaaa	aaataagcgg	getttgeteg	acgccttagc	cattgagatg	780
ttagat	aqqq	accatactca	cttttgccct	ttagaagggg	aaagctggca	agattttta	840

4

cgtaataacg	ctaaaagttt	tagatgtgct	ttactaagtc	atcgcgatgg	agcaaaagta	900
catttaggta	cacggcctac	agaaaaacag	tatgaaactc	tcgaaaatca	attagccttt	960
ttatgccaac	aaggtttttc	actagagaat	gcattatatg	cactcagcgc	tgtggggcat	1020
tttactttag	gttgcgtatt	ggaagatcaa	gagcatcaag	tcgctaaaga	agaaagggaa	1080
acacctacta	ctgatagtat	gccgccatta	ttacgacaag	ctatcgaatt	atttgatcac	1140
caaggtgcag	agccagcctt	cttattcggc	cttgaattga	tcatatgcgg	attagaaaaa	1200
caacttaaat	gtgaaagtgg	gtccgcgtac	ageegegege	gtacgaaaaa	caattacggg	1260
tctaccatcg	agggcctgct	cgatctcccg	gacgacgacg	cccccgaaga	ggeggggetg	1320
geggeteege	gcctgtcctt	tatacaagag	ggacacacgc	gcagactgtc	gacggccccc	1380
ccgaccgatg	tcagcctggg	ggacgagctc	cacttagacg	gcgaggacgt	ggcgatggcg	1440
catgccgacg	cgctagacga	tttcgatctg	gacatgttgg	gggacgggga	ttccccgggt	1500
ccgggattta	cccccacga	ctccgccccc	tacggcgctc	tggatatggc	cgacttcgag	1560
tttgagcaga	tgtttaccga	tgcccttgga	attgacgagt	acggtgggta	gtgaaacgcg	1620
tctagagctg	agaacttcag	ggtgagtttg	gggacccttg	attgttcttt	ctttttcgct	1680
attgtaaaat	tcatgttata	tggaggggc	aaagttttca	gggtgttgtt	tagaatggga	1740
agatgtccct	tgtatcacca	tggaccctca	tgataatttt	gtttctttca	ctttctactc	1800
tgttgacaac	cattgtctcc	tcttattttc	ttttcatttt	ctgtaacttt	ttcgttaaac	1860
tttagcttgc	atttgtaacg	aatttttaaa	ttcacttttg	tttatttgtc	agattgtaag	1920
tactttctct	aatcactttt	ttttcaaggc	aatcagggta	tattatattg	tacttcagca	1980
cagttttaga	gaacaattgt	tataattaaa	tgataaggta	gaatatttct	gcatataaat	2040
tctggctggc	gtggaaatat	tcttattggt	agaaacaact	acaccctggt	catcatcctg	2100
catttatatt	tatggttaca	atgatataca	ctgtttgaga	tgaggataaa	atactctgag	2160
tccaaaccgg	gcccctctgc	taaccatgtt	catgccttct	tctctttcct	acagctcctg	2220
ggcaacgtgc	tggttgttgt	gctgtctcat	cattttggca	aagaattcac	tcctcaggtg	2280
caggetgeet	atcagaaggt	ggtggctggt	gtggccaatg	ccctggctca	caaataccac	2340
tgagatcttt	ttccctctgc	caaaaattat	ggggacatca	tgaagcccct	tgagcatctg	2400
acttctggct	aataaaggaa	atttatttc	attgcaatag	tgtgttggaa	ttttttgtgt	2460
ctctcactcg	gaaggacata	tgggagggca	aatcatttaa	aacatcagaa	tgagtatttg	2520
gtttagagtt	tggcaacata	tgcccatagc	ggccgc			2556

<210> 15 <211> 12087 <212> DNA <213> Artificial

5

PCT/GB2004/003263

<223> pP[Casper-Act5C-tTA]

WO 2005/012534

<400> 15 gatccatgag caattagcat gaacgttctg aaaagcgcgt ttagctctcc actacttaca 60 catattctat gctgcaatat tgaaaatcta ataaacaaaa ctaatgtaca ttaattcttc 120 agttttgaat atccttctcc tgactttctt atttagaatt aatataatac tgcatacatt 180 aatactgtaa atatgataag tacctgcaaa acactgcagc tcaagtctta atgaggttct 240 gcgatagett agcataatta gtaacttatc gcgcagaatt ccctaatgtt cccgacctac 300 atgtacttct qataqttqcc qaqqtcaaat qttqttqtat ttqtattata cctcaatatt 360 ggtatattca atatctaata gtacccaatt caattgcaaa gatagtcatt aaaaaaacct 420 aaatcacttg caaattgact tttctgccgg aaaagcaacc ttgacacaca aagttaatta 480 gtttatctgg aagtcatgtg agaaatttgt aaataaaatt tttcgcagta atttaagtgg 540 gcctaatccc ttttaagcat cttggtttta cgatgacacc gcaataaggt acaactttat 600 attgtttttg caatcagctt gagtctttat taggcatcag tctttctctc taagtttctt 660 cqtqcaataa atqaqqttcc aaactccqta gatttttcct tctttgttga atccaqatcc 720 tgcaaagaaa aaagagcaaa cccctaggtc tgtccaggaa tgtattttcg tgtttgtcga 780 tcgaccatgg tctcgagagg ccttgcagcc aagctttgcg tactcgcaaa ttattaaaaa 840 taaaacttta aaaataattt cgtctaatta atattatgag ttaattcaaa ccccacggac 900 atgctaaggg ttaatcaaca atcatatcgc tgtctcactc agactcaata cgacactcag 960 aatactattc ctttcactcg cacttattgc aagcatacgt taagtggatg tctcttgccg 1020 acqqqaccac cttatqttat ttcatcatqg tctqqccatt ctcatcqtqa gcttccqgqt 1080 - getegcatat-ctggctctaa-gacttcgggc ccgacgcaag, gagtagccga catatatccg 1140 aaataactqc ttqttttttt ttttaccatt attaccatcg tgtttactgt ttattgcccc 1200 ctcaaaaagc taatgtaatt atatttgtgc caataaaaac aagatatgac ctatagaata 1260 caagtatttc cccttcgaac atccccacaa gtagactttg gatttgtctt ctaaccaaaa 1320 gacttacaca cctgcatacc ttacatcaaa aactcgttta tcgctacata aaacaccggg 1380 atatattttt tatatacata cttttcaaat cgcgcgccct cttcataatt cacctccacc 1440 acaccacqtt tcqtagttgc tctttcgctg tctcccaccc gctctccgca acacattcac 1500 cttttgttcg acgaccttgg agcgactgtc gttagttccg cgcgattcgg tgcggtattt 1560 cacaccgcat atggtgcact ctcagtacaa tctgctctga tgccgcatag ttaagccagc 1620 cccgacaccc gccaacaccc gctgacgcgc cctgacgggc ttgtctgctc ccggcatccg -1680 cttacagaca agetgtgace gtctccggga gctgcatgtg tcagaggttt tcaccgtcat 1740 caccgaaacg cgcgagacga aagggcctcg tgatacgcct atttttatag gttaatgtca 1800 tgataataat ggtttcttag acgtcaggtg gcacttttcg gggaaatgtg cgcggaaccc 1860 ctatttgttt atttttctaa atacattcaa atatgtatcc gctcatgaga caataaccct 1920

gataaatgct	tcaataatat	tgaaaaagga	agagtatgag	tattcaacat	ttccgtgtcg	1980
cccttattcc	cttttttgcg	gcattttgcc	ttcctgtttt	tgctcaccca	gaaacgctgg	2040
tgaaagtaaa	agatgctgaa	gatcagttgg	gtgcacgagt	gggttacatc	gaactggatc	2100
tcaacagcgg	taagatcctt	gagagttttc	gccccgaaga	acgttttcca	atgatgagca	2160
cttttaaagt	tctgctatgt	ggcgcggtat	tatcccgtat	tgacgccggg	caagagcaac	2220
tcggtcgccg	catacactat	tctcagaatg	acttggttga	gtactcacca	gtcacagaaa	2280
agcatcttac	ggatggcatg	acagtaagag	aattatgcag	tgctgccata	accatgagtg	2340
ataacactgc	ggccaactta	cttctgacaa	cgatcggagg	accgaaggag	ctaaccgctt	2400
ttttgcacaa	catgggggat	catgtaactc	gccttgatcg	ttgggaaccg	gagctgaatg	2460
aagccatacc	aaacgacgag	cgtgacacca	cgatgcctgt	agcaatggca	acaacgttgc	2520
gcaaactatt	aactggcgaa	ctacttactc	tagcttcccg	gcaacaatta	atagactgga	2580
tggaggcgga	taaagttgca	ggaccacttc	tgegetegge	ccttccggct	ggctggttta	2640
ttgctgataa	atctggagcc	ggtgagcgtg	ggtctcgcgg	tatcattgca	gcactggggc	2700
cagatggtaa	gccctcccgt	atcgtagtta	tctacacgac	ggggagtcag	gcaactatgg	2760
atgaacgaaa	tagacagatc	gctgagatag	gtgcctcact	gattaagcat	tggtaactgt	2820
cagaccaagt	ttactcatat	atactttaga	ttgatttaaa	acttcatttt	taatttaaaa	2880
ggatctaggt	gaagatcctt	tttgataatc	tcatgaccaa	aatcccttaa	cgtgagtttt	2940
cgttccactg	agcgtcagac	cccgtagaaa	agatcaaagg	atcttcttga	gatccttttt	3000
ttctgcgcgt	aatctgctgc	ttgcaaacaa	aaaaaccacc	gctaccagcg	gtggtttgtt	3060
tgeeggatea-	-agagctacca	actcttttc	_cgaaggtaac	tggcttcagc	agagcgcaga	3120
taccaaatac	tgtccttcta	gtgtagccgt	agttaggcca	ccacttcaag	aactctgtag	3180
caccgcctac	atacctcgct	ctgctaatcc	tgttaccagt	ggctgctgcc	agtggcgata	3240
agtcgtgtct	taccgggttg	gactcaagac	gatagttacc	ggataaggcg	cagcggtcgg	3300
gctgaacggg	gggttcgtgc	acacageeca	gcttggagcg	aacgacctac	accgaactga	3360
gatacctaca	gcgtgagcta	tgagaaagcg	ccacgettee	cgaagggaga	aaggcggaca	3420
ggtatccggt	aagcggcagg	gtcggaacag	gagagcgcac	gagggagctt	ccagggggaa	3480
acgcctggta	tctttatagt	cctgtcgggt	ttcgccacct	ctgacttgag	cgtcgatttt	3540
tgtgatgctc	gtcagggggg	cggagcctat	ggaaaaacgc	cttcttcttg	aactcgggct	3600
cggtgccagt	atacctcaaa	tggttgtcgt	acctctcatg	gttccgttac	gccaacgagg	3660
gtctgctgat	taaccaatgg	gcggacgtgg	agccgggcga	aattagctgc	acatcgtcga	3720
acaccacgtg	ccccagttcg	ggcaaggtca	tcctggagac	gcttaacttc	teegeegeeg	3780
atctgccgct	ggactacgtg	ggtctggccc	atgatgaaat	aacataaggt	ggtcccgtcg	3840
aaagccgaag	cttaccgaag	tatacactta	aattcagtgc	acgtttgctt	gttgagagga	3900

PCT/GB2004/003263

aaggttgtgt gcggacgaat ttttttttga aaacattaac ccttacgtgg aataaaaaaa 3960 aatgaaatat tgcaaatttt gctgcaaagc tgtgactgga gtaaaattaa ttcacgtgcc 4020 gaagtgtgct attaagagaa aattgtggga gcagagcctt gggtgcagcc ttggtgaaaa 4080 ctcccaaatt tgtgataccc actttaatga ttcgcagtgg aaggctgcac ctgcaaaagg 4140 tcagacattt aaaaggaggc gactcaacgc agatgccgta cctagtaaag tgatagagcc 4200 tgaaccagaa aagataaaag aaggctatac cagtgggagt acacaaacag agtaagtttg 4260 aatagtaaaa aaaatcattt atgtaaacaa taacgtgact gtgcgttagg tcctgttcat 4320 tgtttaatga aaataagagc ttgagggaaa aaattcgtac tttggagtac gaaatgcgtc 4380 gtttagagca gcagccgaat taattctagt tccagtgaaa tccaagcatt ttctaaatta 4440 aatgtattct tattattata gttgttattt ttgatatata taaacaacac tattatgccc 4500 accatttttt tgagatgcat ctacacaagg aacaaacact ggatgtcact ttcagttcaa 4560 attgtaacgc taatcactcc gaacaggtca caaaaaatta ccttaaaaag tcataatatt 4620 aaattagaat aaatatagct gtgagggaaa tatatacaaa tatattggag caaataaatt 4680 gtacatacaa atatttatta ctaatttcta ttgagacgaa atgaaccact cggaaccatt 4740 tgagcgaacc gaatcgcgcg gaactaacga cagtcgctcc aaggtcgtcg aacaaaaggt 4800 gaatgtgttg cggagagcgg gtgggagaca gcgaaagagc aactacgaaa cgtggtgtgg 4860 tggaggtgaa ttatgaagag ggcgcgcgat ttgaaaagta tgtatataaa aaatatatcc 4920 cggtgtttta tgtagcgata aacgagtttt tgatgtaagg tatgcaggtg tgtaagtctt 4980 ttggttagaa gacaaatcca aagtctactt gtggggatgt tcgaagggga aatacttgta 5040 -ttctataggt_catatcttgt_ttttattggc acaaatataa ttacattagc tttttgaggg 5100 ggcaataaac agtaaacacg atggtaataa tggtaaaaaa aaaaaacaag cagttatttc 5160 ggatatatgt cggctactcc ttgcgtcggg cccgaagtct tagagccaga tatgcgagca 5220 cccggaagct cacgatgaga atggccagac ccacgtagtc cagcggcaga tcggcggcgg 5280 agaagttaag cgtctccagg atgaccttgc ccgaactggg gcacgtggtg ttcgacgatg 5340 tgcagctaat ttcgcccggc tccacgtccg cccattggtt aatcagcaga ccctcgttgg 5400 cgtaacggaa ccatgagagg tacgacaacc atttgaggta tactggcacc gagcccgagt 5460 tcaagaagaa gccgccaaag agcaggaatg gtatgataac cggcggaccc acagacagcg 5520 5580 ccatcgaggt cgaggagctg gcgcaggata ttagatatcc gaaggacgtt gacacattgg ccaccagagt gaccagegee aggeagttga agaagtgeag caeteeggee egeagteega 5640 tcatcggata ggcaatcgcc gtgaagacca gtggcactgt gagaaaaagc ggcaattcgg 5700 caatcgtttt gcccagaaag tatgtgtcac agcgataaag tcgacttcgg gcctccctca 5760 taaaaactgg cagctctgag gtgaacacct aaatcgaatc gattcattag aaagttagta 5820 aattattgaa atgcaaatgt attctaaaca tgacttacat ttatcgtggc aaagacgttt 5880

PCT/GB2004/003263

tgaaaggtca	tgttggtcag	gaagaggaag	atggctccgt	tgatattcat	cacacccact	5940
tgcgtgagtt	gttggcccaa	aaagatgagg	ccaatcaaga	tggcaaccat	ctgcaaatta	6000
aaatgttact	cgcatctcat	taatattcgc	gagttaaatg	aaatttattt	atcttctgca	6060
aaactataaa	ctatacatct	cattgaaaaa	aactaagaag	ggtgtggaat	caggcaattc	6120
tatctaaaat	ctagcgaatt	tgtttccaag	aattgtaagc	gttatatcat	ttgtttccac	6180
tggaaccact	caccgttgtc	tgaataagtc	gcacttttac	gaggagtggt	tccttgagca	6240
ccgacagcca	ggatcgccac	aggaccgccc	ggaactgcat	gaaccaggtg	gccttgtagg	6300
tgtacccatt	ctccggctgc	tccagtggct	tctccagatt	tttggtggcc	aacaactgct	6360
ccatatcccg	ggctactttg	ctaatggcaa	aattgtcgcc	atatcttggc	gatccgatca	6420
cgggactcga	tatacagtaa	gggcacaacg	gccaacacct	gtacgtaaaa	gtccgccgga	6480
ttgtagttgg	taggacactg	ggcacccacg	ctggatagga	gttgagatgt	aatgtaatgc	6540
tagataccct	taataaacac	atcgaactca	ctaggaaaag	aagtcgacgg	cttcgctggg	6600
agtgcccaag	aaagctaccc	tgccctcggc	catcagaagg	atcttgtcaa	agagctcaaa	6660
cagctcggaa	gacggctgat	gaatggtcag	gatgacggtc	ttgcccttct	gcgacagctt	6720
cttcagcacc	tggacgacgc	tgtgggcggt	aaatgagtcc	agtccggagg	tgggctcatc	6780
gcagatcaga	agcggcggat	cggttagtgc	ctcggaggcg	aatgccagac	gcttcctttc	6840
tccgccggac	agacctttca	ccctgccggg	cacaccgatg	atcgtgtgct	gacatttgct	6900
gagcgaaagc	tcctggatca	cctgatccac	gcgggccact	cgctgccgat	aggtcagatg	6960
tcgtggcatc	cgcaccatgg	cttggaaaat	caggtgttcc	ctggccgtta	gggagccgat	7020
aaagaggtca	tectgetgga	cataggcgca	cctggcctgc	atctccttgg	cgtccacagg	7080
ttggccattg	agcagtcgca	tcccggatgg	cgatacttgg	atgccctgcg	gcgatcgaaa	7140
ggcaagggca	ttcagcaggg	tcgtctttcc	ggcaccggaa	ctgcccatca	cggccaaaag	7200
ttcgcccgga	taggccacgc	cgcaaactga	gtttcaaatt	ggtaattgga	ccctttatta	7260
agatttcaca	cagatcagcc	gactgcgaat	agaaactcac	cgttcttgag	caaatgtttc	7320
ctgggcgccg	gtatgtgtcg	ctcgttgcag	aatagtccgc	gtgtccggtt	gaccagctgc	7380
cgccatccgg	agcccggctg	attgaccgcc	ccaaagatgt	ccatattgtg	ccaggcatag	7440
gtgaggttct	cggctagttg	gccgctccct	gaaccggagt	cctccggcgg	actgggtggc	7500
aggagcgtgc	cgtagttttt	ggcctgcccg	aagccctggt	taatgcagct	ctgcgaagcg	7560
tccgctgtca	ccctgeaatg	-ataggggatc	tcaaatatca	actacaagcg	ttatgctcat	7620
ctaaccccga	acaaaacgaa	gtatcctacg	aagtaggttt	atacttttat	ttattttttg	7680
tgcatagctt	aaaatatctg	gttgttatat	tttttgtaaa	aaagaatgta	gtcgaaaatg	7740
aatgccttta	gatgtcttga	tcatgatatg	atcttaaaaa	ttgtcttata	tagcgagcac	7800
agctaccaga	ataatctgtt	tcgtgtcact	atttgtttgt	gcgattgcgg	tttgggattt	7860

9

PCT/GB2004/003263

ttgtgggtcg cagttctcac gccgcagaca atttgatgtt gcaatcgcag ttcctataga 7920 tcaagtgaac ttaagatgta tgcacatgta Ctactcacat tgttcagatg ctcggcagat 7980 gggtgtttgc tgcctccgcg aattaatagc tcctgatcct cttggcccat tgccgggatt 8040 tttcacactt tcccctgctt acccacccaa aaccaatcac caccccaatc actcaaaaaa 8100 caaacaaaaa taagaagcga gaggagtttt ggcacagcac tttgtgttta attgatggcg 8160 taaaccgctt ggagcttcgt cacgaaaccg ctgacaaagt gcaactgaag gcggacattg 8220 acgctaggta acgctacaaa cggtggcgaa agagatagcg gacgcagcgg cgaaagagac 8280 ggcgatattt ctgtggacag agaaggaggc aaacagcgct gactttgagt ggaatgtcat 8340 tttgagtgag aggtaatcga aagaacctgg tacatcaaat acccttggat cqaagtaaat 8400 8460 ttatctactt tccgcaaaaa tgggttttat taacttacat acatactaga attctaaaaa 8520 aaatcatgaa tggcatcaac tctgaatcaa atctttgcag atgcacctac ttctcatttc 8580 cactgtcaca tcatttttcc agatctcgct gcctgttatg tggcccacaa accaagacac 8640 gttttatggc cattaaagct ggctgatcgt cgccaaacac caaatacata tcaatatgta 8700 cattcgagaa agaagcgatc aaagaagcgt cttcgggcga gtaggagaat gcggaggaga 8760 aggagaacga gctgatctag tatctctcca caatccaatg ccaactgacc aactggccat 8820 attcggagca atttgaagcc aatttccatc gcctggcgat cgctccattc ttggctatat 8880 gtttttcacc gttcccgggg ccattttcaa agactcgtcg gtaagataag attgtgtcac 8940 tegetgtete tetteatitg tegaagaatg etgaggaatt tegegatgae gteggegagt 9000 attttgaaga atgagaataa tttgtattta tacgaaaatc agttagtgga attttctaca 9060 aaaacatgtt atctatagat aattttgttg caaaatatgt tgactatgac aaagattgta 9120 tgtatatacc tttaatgtat tctcattttc ttatgtattt ataatggcaa tgatgatact 9180 gatgatattt taagatgatg ccagaccaca ggctgatttc tgcgtctttt gccgaacgca 9240 gtgcatgtgc ggttgttgtt ttttggaata gtttcaattt tcggactgtc cgctttgatt 9300 tcagtttctt ggcttattca aaaagcaaag taaagccaaa aaagcgagat ggcaatacca 9360 aatgcggcaa aacggtagtg gaaggaaagg ggtgcggggc agcggaagga agggtggggc 9420 ggggcgtggc ggggtctgtg gctgggcgcg acgtcaccga cgttggagcc actcctttga 9480 ccatgtgtgc gtgtgtgtat tattcgtgtc tcgccactcg ccggttgttt ttttcttttt 9540 atctegetet etetagegee atetegtaeg catgeteaae geacegeatg ttgeegtgte 9600 ctttatgcgt cattttggct cgaaataggc aattatttaa acaaagatta qtcaacqaaa 9660 acgctaaaat aaataagtct acaatatggt tacttattgc catgtgtgtg cagccaacga 9720 tagcaacaaa agcaacaaca cagtggcttt ccctctttca ctttttgttt gcaagcqcgt 9780 gcgagcaaga cggcacgacc ggcaaacgca attacgctga caaagagcag acgaagtttt 9840

PCT/GB2004/003263

ggccgaaaaa catcaaggcg cctgatacga atgcatttgc aataacaatt gcgatattta 9900 9960 atattqttta tqaaqctqtt tgacttcaaa acacacaaaa aaaaaaataa aacaaattat 10020 ttgaaagaga attaggaatc ggacagctta tcgttacggg ctaacagcac accgagacga 10080 aatagettae etgaegteae ageetetgga agaaetgeeg eeaageagae gatgeagagg acgacacata gagtagcgga gtaggccagc gtagtacgca tgtgcttgtg tgtgaggcgt 10140 ctctctcttc gtctcctgtt tgcgcaaacg catagactgc actgagaaaa tcgattacct 10200 10260 attttttatg aatgaatatt tgcactatta ctattcaaaa ctattaagat agcaatcaca 10320 ttcaatagcc aaatactata ccacctgagc gatgcaacga aatgatcaat ttgagcaaaa atgctgcata tttaggacgg catcattata gaaatgcttc ttgctgtgta cttttctctc 10380 gtctggcagc tgtttcgccg ttattgttaa aaccggctta agttaggtgt gttttctacg 10440 actagtgatg cocctactag aagatgtgtg ttgcacaaat gtccctgaat aaccaatttg 10500 aagtgcagat agcagtaaac gtaagctaat atgaatatta tttaactgta atgttttaat 10560 atcgctggac attactaata aacccactat aaacacatgt acatatgtat gttttggcat 10620 acaatgagta gttggggaaa aaatgtgtaa aagcaccgtg accatcacag cataaagata 10680 accagetgaa gtategaata tgagtaacce ccaaattgaa teacatgeeg caactgatag 10740 gacccatgga agtacactct tcatggcgat atacaagaca cacacaagca cgaacaccca 10800 gttgcggagg aaattctccg taaatgaaaa cccaatcggc gaacaattca tacccatata 10860 tggtaaaagt tttgaacgcg acttgagagc ggagagcatt gcggctgata aggttttagc 10920 gctaagcggg ctttataaaa cgggctgcgg gaccagtttt catatcacta ccgtttgagt 10980 - tottgtgctg tgtggatact cctcccgaca caaagccgct ccatcagcca gcagtcgtct 11040 aatccagaga ccccggatct agaaccaaaa tggctagatt agataaaagt aaagtgatta 11100 acagcgcatt agagctgctt aatgaggtcg gaatcgaagg tttaacaacc cgtaaactcg 11160 cccagaagct aggtgtagag cagcctacat tgtattggca tgtaaaaaat aagcgggctt 11220 tgctcgacgc cttagccatt gagatgttag ataggcacca tactcacttt tgccctttag 11280 aaggggaaag ctggcaagat tttttacgta ataacgctaa aagttttaga tgtgctttac 11340 taagtcatcg cgatggagca aaagtacatt taggtacacg gcctacagaa aaacagtatg 11400 aaactctcga aaatcaatta gcctttttat gccaacaagg tttttcacta gagaatgcat 11460 tatatgcact cagcgctgtg gggcatttta ctttaggttg cgtattggaa gatcaagagc 11520 atcaagtcgc taaagaagaa agggaaacac ctactactga tagtatgccg ccattattac 11580 gacaagetat egaattattt gateaceaag ģtgeagagee ageettetta tteggeettg 11640 11700 aattgatcat atgcggatta gaaaaacaac ttaaatgtga aagtgggtcc gcgtacagcc gcgcgcgtac gaaaaacaat tacgggtcta ccatcgaggg cctgctcgat ctcccggacg 11760 acgacgcccc cgaagaggcg gggctggcgg ctccgcgcct gtcctttctc cccgcgggac 11820

acacgcgcag actgtcgacg gcccccccga ccgatgtcag cctgggggac gagctccact tagacggcga ggacgtggcg atggcgcatg ccgacgcgct agacgatttc gatctggaca 11940 tgttggggga cggggattcc ccgggtccgg gatttacccc ccacgactcc gcccctacg 12000 gcgctctgga tatggccgac ttcgagtttg agcagatgtt taccgatgcc cttggaattg 12060 12087 acgagtacgg tgggtagggg gcgcgag <210> 16 <211> 11920 <212> DNA <213> Artificial <220> <223> pLA513 <400> 16 gggccgatct gacaatgttc agtgcagaga ctcggctacg cctcgtggac tttgaagttg 60 accaacaatg tttattctta cctctaatag tcctctgtgg caaggtcaag attctgttag 120 aagccaatga agaacctggt tgttcaataa cattttgttc gtctaatatt tcactaccgc 180 ttgacgttgg ctgcacttca tgtacctcat ctataaacgc ttcttctgta tcgctctgga 240 cgtcatcttc acttacgtga tctgatattt cactgtcaga atcctcacca acaagctcgt 300 catcgctttg cagaagagca gagaggatat gctcatcgtc taaagaacta cccattttat 360 420 tatatattag tcacgatatc tataacaaga aaatatatat ataataagtt atcacgtaag tagaacatga aataacaata taattatcgt atgagttaaa tcttaaaagt cacgtaaaag 480 ataatcatgc gtcattttga ctcacgcggt cgttatagtt caaaatcagt gacacttacc 540 _gcattgacaa_gcacgcctca_cgggagctcc aagcggcgac tgagatgtcc taaatgcaca 600 gcgacggatt cgcgctattt agaaagagag agcaatattt caagaatgca tgcgtcaatt 660 ttacgcagac tatctttcta gggttaaaaa agatttgcgc tttactcgac ctaaacttta 720 780 aacacgtcat agaatcttcg tttgacaaaa accacattgt ggccaagctg tgtgacgcga cgcgcgctaa agaatggcaa accaagtcgc gcgagcgtcg acctgcaggc atgcaagctt 840 gcatgcctgc aggtcgaaat tcgtaatcat ggtcatagct gtttcctgtg tgaaattgtt 900 960 atccgctcac aattccacac aacatacgag ccggaagcat aaagtgtaaa gcctggggtg cctaatgagt gagctaactc acattaattg cgttgcgctc actgcccgct ttccagtcgg 1020 1080 gaaacctgtc gtgccagctg cattaatgaa tcggccaacg cgcggggaga ggcggtttgc gtattgggcg ctcttccgct tcctcgctca ctgactcgct gcgctcggtc gttcggctgc 1140 1200 ggcgagcggt atcagctcac tcaaaggcgg taatacggtt atccacagaa tcaggggata 1260 acqcaqqaaa gaacatgtga gcaaaaaggcc agcaaaaggc caggaaccgt aaaaaggccg cgttgctggc gtttttccat aggctccgcc cccctgacga gcatcacaaa aatcgacgct 1320

caagtcagag gtggcgaaac ccgacaggac tataaagata ccaggcgttt ccccctggaa

1380

12

PCT/GB2004/003263

getecetegt gegeteteet gtteegacee tgeegettae eggatacetg teegeettte 1440 tecetteggg aagegtggeg ettteteaat geteaegetg taggtatete agtteggtgt 1500 aggtcgttcg ctccaagctg ggctgtgtgc acgaaccccc cgttcagccc gaccgctgcg 1560 cettateegg taactategt ettgagteea acceggtaag acaegaetta tegecaetgg 1620 cagcagccac tggtaacagg attagcagag cgaggtatgt aggcggtgct acagagttct 1680 tgaagtggtg gcctaactac ggctacacta gaaggacagt atttggtatc tgcgctctgc 1740 tgaagccagt taccttcgga aaaagagttg gtagctcttg atccggcaaa caaaccaccg 1800 ctggtagcgg tggtttttt gtttgcaagc agcagattac gcgcagaaaa aaaggatctc 1860 aagaagatcc tttgatcttt tctacggggt ctgacgctca gtggaacgaa aactcacgtt 1920 1980 aatgaagttt taaatcaatc taaagtatat atgagtaaac ttggtctgac agttaccaat 2040 gcttaatcag tgaggcacct atctcagcga tctgtctatt tcgttcatcc atagttgcct 2100 gacteccegt egtgtagata actaegatae gggagggett accatetgge eccagtgetg 2160 caatgatacc gegagaccca egetcacegg etceagattt atcagcaata aaccagecag 2220 ccggaagggc cgagcgcaga agtggtcctg caactttatc cgcctccatc cagtctatta 2280 attgttgccg ggaagetaga gtaagtagtt cgccagttaa tagtttgcgc aacgttgttg 2340 ccattgctac aggcatcgtg gtgtcacgct cgtcgtttgg tatggcttca ttcagctccg 2400 gttcccaacg atcaaggcga gttacatgat cccccatgtt gtgcaaaaaa gcggttagct 2460 ccttcggtcc tccgatcgtt gtcagaagta agttggccgc agtgttatca ctcatggtta 2520 tggcagcact gcataattct _cttactgtca _tgccatccgt aagatgcttt tctgtgactg 2580 gtgagtactc aaccaagtca ttctgagaat agtgtatgcg gcgaccgagt tgctcttgcc 2640 cggcgtcaat acgggataat accgcgccac atagcagaac tttaaaagtg ctcatcattg 2700 2760 gaaaacgttc ttcggggcga aaactctcaa ggatcttacc gctgttgaga tccagttcga tgtaacccac tcgtgcaccc aactgatctt cagcatcttt tactttcacc agcgtttctg 2820 ggtgagcaaa aacaggaagg caaaatgccg caaaaaaaggg aataagggcg acacggaaat 2880 gttgaatact catactcttc ctttttcaat attattgaag catttatcag ggttattgtc 2940 tcatgagegg atacatattt gaatgtattt agaaaaataa acaaataggg gtteegegea 3000 catttccccg aaaagtgcca cctgacgtct aagaaaccat tattatcatg acattaacct 3060 ataaaaatag gegtateaeg aggeeettte gtetegegeg ttteggtgat gaeggtgaaa 3120 acctetgaca catgeagete eeggagaegg teacagettg tetgtaageg gatgeeggga 3180 gcagacaagc ccgtcagggc gcgtcagcgg gtgttggcgg gtgtcggggc tggcttaact 3240 atgeggeate agageagatt gtaetgagag tgeaceatat geggtgtgaa ataeegeaca 3300 gatgcgtaag gagaaaatac cgcatcaggc gccattcgcc attcaggctg cgcaactgtt 3360

gggaagggcg	atcggtgcgg	gcctcttcgc	tattacgcca	gctggcgaaa	gggggatgtg	3420
ctgcaaggcg	attaagttgg	gtaacgccag	ggttttccca	gtcacgacgt	tgtaaaacga	3480
cggccagtgc	caagctttgt	ttaaaatata	acaaaattgt	gatcccacaa	aatgaagtgg	3540
ggcaaaatca	aataattaat	agtgtccgta	aacttgttgg	tcttcaactt	tttgaggaac	3600
acgttggacg	gcaaatccgt	gactataaca	caagttgatt	taataatttt	agccaacacg	3660
tegggetgeg	tgttttttgc	cgacgcgtct	gtgtacacgt	tgattaactg	gtcgattaaa	3720
ctgttgaaat	aatttaattt	ttggttcttc	tttaaatctg	tgatgaaatt	ttttaaaata	3780
actttaaatt	cttcattggt	aaaaaatgcc	acgttttgca	acttgtgagg	gtctaatatg	3840
aggtcaaact	cagtaggagt	tttatccaaa	aaagaaaaca	tgattacgtc	tgtacacgaa	3900
cgcgtattaa	cgcagagtgc	aaagtataag	agggttaaaa	aatatatttt	acgcaccata	3960
tacgcatcgg	gttgatatcg	ttaatatgga	tcaatttgaa	cagttgatta	acgtgtctct	4020
gctcaagtct	ttgatcaaaa	cgcaaatcga	cgaaaatgtg	tcggacaata	tcaagtcgat	4080
gagcgaaaaa	ctaaaaaggc	tagaatacga	caatctcaca	gacagcgttg	agatatacgg	4140
tattcacgac	agcaggctga	ataataaaaa	aattagaaac	tattatttaa	ccctagaaag	4200
ataatcatat	tgtgacgtac	gttaaagata	atcatgcgta	aaattgacgc	atgtgtttta	4260
tcggtctgta	tatcgaggtt	tatttattaa	tttgaataga	tattaagttt	tattatattt	4320
acacttacat	actaataata	aattcaacaa	acaatttatt	tatgtttatt	tatttattaa	4380
aaaaaacaa	aaactcaaaa	tttcttctat	aaagtaacaa	aacttttaaa	cattctctct	4440
tttacaaaaa	taaacttatt	ttgtacttta	aaaacagtca	tgttgtatta	taaaataagt	4500
-aattagctta-	-acttatacat.	-aatagaaaca	_aattatactt	attagtcagt	cagaaacaac	4560
tttggcacat	atcaatatta	tgctctcgac	aaataacttt	tttgcatttt	ttgcacgatg	4620
catttgcctt	tcgccttatt	ttagaggggc	agtaagtaca	gtaagtacgt	tttttcatta	4680
ctggctcttc	agtactgtca	tctgatgtac	caggcacttc	atttggcaaa	atattagaga	4740
tattatcgcg	caaatatctc	ttcaaagtag	gagcttctaa	acgcttacgc	ataaacgatg	4800
acgtcaggct	catgtaaagg	tttctcataa	attttttgcg	actttggacc	ttttctccct	4860
tgctactgac	attatggctg	tatataataa	aagaatttat	gcaggcaatg	tttatcattc	4920
cgtacaataa	tgccataggc	cacctattcg	tcttcctact	gcaggtcatc	acagaacaca	4980
tttggtctag	cgtgtccact	ccgcctttag	tttgattata	atacataacc	atttgcggtt	5040
taccggtact	ttcgttgata	gaagcatcct	catcacaaga	tgataataag	tataccatct	5100
tagctggctt	cggtttatat	gagacgagag	taaggggtcc	gtcaaaacaa	aacatcgatg	5160
ttcccactgg	cctggagcga	ctgtttttca	gtacttccgg	tatctcgcgt	ttgtttgatc	5220
gcacggttcc	cacaatggtt	gcggccggcc	agatttaaat	gagcggccgc	agatatccag	5280
tocaotaaaa	aaaaaaaatq	tttttttat	ctactttccq	caaaaatooo	ttttattaac	5340

ttacatacat actagaattc tatattctaa aaacacaaat gatacttcta aaaaaaatca 5400 tgaatggcat caactctgaa tcaaatcttt gcagatgcac ctacttctca tttccactgt 5460 cacatcattt ttccagatct cgctgcctgt tatgtggccc acaaaccaag acacgtttta 5520 tggccattaa agctggctga tcgtcgccaa acaccaaata catatcaata tgtacattcg 5580 agaaagaagc gatcaaagaa gcgtcttcgg gcgagtagga gaatgcggag gagaaggaga 5640 acgagetgat ctagtatete tecacaatee aatgecaaet gaccaaetgg ccatattegg 5700 agcaatttga agccaatttc catcgcctgg cgatcgctcc attcttggct atatgttttt 5760 caccgttccc qqqqccattt tcaaaqactc gtcggtaaga taaqattgtg tcactcgctg 5820 tctctcttca tttqtcqaag aatgctqagg aatttcgcga tqacgtcggc gagtattttg 5880 aagaatgaga ataatttgta tttatacgaa aatcagttag tggaattttc tacaaaaaca 5940 tgttatctat agataatttt gttgcaaaat atgttgacta tgacaaagat tgtatgtata 6000 tacctttaat gtattctcat tttcttatgt atttataatg gcaatgatga tactgatgat 6060 attttaagat gatgccagac cacaggctga tttctgcgtc ttttgccgaa cgcagtgcat 6120 gtgcggttgt tgttttttgg aatagtttca attttcggac tgtccgcttt gatttcagtt 6180 tcttggctta ttcaaaaagc aaagtaaagc caaaaaagcg agatggcaat accaaatgcg 6240 6300 tggcggggtc tgtggctggg cgcgacgtca ccgacgttgg agccactcct ttgaccatgt 6360 gtgcgtgtgt gtattattcg tgtctcgcca ctcgccggtt gtttttttct ttttatctcg 6420 ctctctctag cgccatctcg tacgcatgct caacgcaccg catgttgccg tgtcctttat 6480 <u>gcgtcatttt ggctcga</u>aat <u>agg</u>caattat t<u>ta</u>aacaaag attagtcaac gaaaacgcta 6540 aaataaataa gtctacaata tggttactta ttgccatgtg tgtgcagcca acgatagcaa 6600 caaaagcaac aacacagtgg ctttccctct ttcacttttt gtttgcaagc gcgtgcgagc 6660 aaqacqqcac qaccqqcaaa cqcaattacg ctgacaaaga gcagacgaag ttttggccga 6720 aaaacatcaa ggcgcctgat acgaatgcat ttgcaataac aattgcgata tttaatattg 6780 6840 gagaattagg aatcggacag cttatcgtta cgggctaaca gcacaccgag acgaaatagc 6900 ttacctgacg tcacagcctc tggaagaact gccgccaagc agacgatgca gaggacgaca 6960 catagagtag cggagtaggc cagcgtagta cgcatgtgct tgtgtgtgag gcgtctctct 7020 . cttcgtctcc tgtttgcgca aacgcataga ctgcactgag aaaatcgatt-acctattttt .7080tatgaatgaa tatttgcact attactattc aaaactatta agatagcaat cacattcaat 7140 agccaaatac tataccacct gagcgatgca acgaaatgat caatttgagc aaaaatgctg 7200 catatttagg acggcatcat tatagaaatg cttcttgctg tgtacttttc tctcgtctgg 7260 cagctgtttc gccgttattg ttaaaaccgg cttaagttag gtgtgttttc tacgactagt 7320

7380 gatgccccta ctagaagatg tgtgttgcac aaatgtccct gaataaccaa tttgaagtgc agatagcagt aaacgtaagc taatatgaat attatttaac tgtaatgttt taatatcgct 7440 ggacattact aataaaccca ctataaacac atgtacatat gtatgttttg gcatacaatg 7500 aqtaqttggg gaaaaaatgt gtaaaagcac cgtgaccatc acagcataaa gataaccagc 7560 tgaagtatcg aatatgagta acccccaaat tgaatcacat gccgcaactg ataggaccca 7620 7680 tggaagtaca ctcttcatgg cgatatacaa gacacacaca agcacgaaca cccagttgcg gaggaaattc tccgtaaatg aaaacccaat cggcgaacaa ttcataccca tatatggtaa 7740 aagttttgaa cgcgacttga gagcggagag cattgcggct gataaggttt tagcgctaag 7800 cgggctttat aaaacgggct gcgggaccag ttttcatatc actaccgttt gagttcttgt 7860 gctgtgtgga tactcctccc gacacaaagc cgctccatca gccagcagtc gtctaatcca 7920 7980 gagacccgg atctagaacc aaaatggcta gaatggcctc ctccgagaac gtcatcaccg 8040 agttcatgcg cttcaaggtg cgcatggagg gcaccgtgaa cggccacgag ttcgagatcg agggcgaggg cgagggccgc ccctacgagg gccacaacac cgtgaagctg aaggtgacca 8100 agggcggccc cctgcccttc gcctgggaca tcctgtcccc ccagttccag tacggctcca 8160 aggtgtacgt gaagcacccc geegacatec eegactacaa gaagetgtee tteecegagg 8220 gcttcaagtg ggagcgcgtg atgaacttcg aggacggcgg cgtggcgacc gtgacccagg 8280 actcctccct gcaggacggc tgcttcatct acaaggtgaa gttcatcggc gtgaacttcc 8340 8400 cctccgacgg ccccgtgatg cagaagaaga ccatgggctg ggaggcctcc accgagcgcc tqtacccccg cgacggcgtg ctgaagggcg agacccacaa ggccctgaag ctgaaggacg 8460 gcggccacta_cctggtggag_ttcaagtcca_tctacatggc_caagaagccc_gtgcagctgc 8520 ccggctacta ctacgtggac gccaagctgg acatcacctc ccacaacgag gactacacca 8580 tcgtggagca gtacgagcgc accgagggcc gccaccacct gttcctgtga gatccatgag 8640 8700 caattaqcat gaacgttctg aaaagcgcgt ttagctctcc actacttaca catattctat 8760 gctgcaatat tgaaaatcta ataaacaaaa ctaatgtaca ttaattcttc agttttgaat atcettetee tgaetttett atttagaatt aatataatae tgeataeatt aataetgtaa 8820 atatgataag tacctgcaaa acactgcagc tcaagtctta atgaggttct gcgatagctt 8880 agcataatta gtaacttatc gcgcagaatt ccctaatgtt cccgacctac atgtacttct 8940 qataqttqcc qaqqtcaaat gttgttgtat ttgtattata cctcaatatt ggtatattca 9000 atatctaata gtacccaatt caattgcaaa gatagtcatt aaaaaaacct aaatcacttg 9060 caaattgact tttctgccgg aaaagcaacc ttgacacaca aagttaatta gtttatctgg 9120 9180 aaqtcatqtg agaaatttgt aaataaaatt tttcgcagta atttaagtgg gcctaatccc ttttaagcat cttggtttta cgatgacacc gcaataaggt acaactttat attgtttttg 9240 9300 caatcagett gagtetttat taggeateag tetttetete taagtttett egtgeaataa

PCT/GB2004/003263

atgaggttcc aaactccgta gatttttcct tctttgttga atccagatcc tgcaaagaaa 9360 aaagagcaaa cccctaggtc tgtccaggaa tgtattttcg tgtttgtcga tcgaccatgg 9420 tctcgagggg gggccttaat taagaggcgc gccaggtttc gactttcact tttctctatc 9480 actgataggg agtggtaaac tcgactttca cttttctcta tcactgatag ggagtggtaa 9540 actcgacttt cacttttctc tatcactgat agggagtggt aaactcgact ttcacttttc 9600 totatoactg atagggagtg gtaaactoga otttoacttt tototatoac tgatagggag 9660 9720 tggtaaactc gactttcact tttctctatc actgataggg agtggtaaac tcgactttca cttttctcta tcactgatag ggagtggtaa actcgaaaac gagcgccgga gtataaatag 9780 aggcgcttcg tctacggagc gacaattcaa ttcaaacaag caaagtgaac acgtcgctaa 9840 gcgaaagcta agcaaataaa caagcgcagc tgaacaagct aaacaatctg cggtaccctg 9900 9960 qcqqtaaqtt qatcaaagga aacgcaaagt tttcaagaaa aaacaaaact aatttgattt ataacacctt tagaaaccac catgggcagc cgcctggata agtccaaagt catcaactcc 10020 10080 qcqttqqaqc tqttqaacga agttggcatt gagggactga cgacccgcaa gttggcgcag aagctgggcg tggagcagcc caccctctac tggcacgtga agaataagcg ggcgctgctg 10140 gatgccctgg ccatcgagat gctcgaccgc caccacacgc atttttgccc gttggaaggc 10200 gagteetgge aggaetteet eegeaataac gecaagtegt teegetgege tetgetgtee 10260 caccgagacg gtgccaaagt ccatctcggc acgcgcccga ccgaaaagca atacgagaca 10320 ctggagaacc agctcgcgtt cctgtgccag caaggcttca gcctggaaaa tgctctctac 10380 gctctgagcg ccgtcggtca ctttaccctg ggctgcgtgc tggaggacca agagcatcaa 10440 gtcgcaaaag aggagcgcga gaccccaaca accgattcga tgcccccact gctgcgtcag 10500 gcaatcgagc tgttcgatca tcaaggagcc gagccggcat tcctgttcgg cttggagctg 10560 10620 attatctgcg gattggaaaa gcaactgaaa tgcgagtcgg gctcgggccc cgcgtacagc cgcgcgcgta cgaaaaacaa ttacgggtct accatcgagg gcctgctcga tctcccggac 10680 gacgacgece ecgaagagge ggggetggeg geteegegee tgteetttet eecegeggga 10740 10800 cacacgegea gaetgtegae ggeeeeeeeg acegatgtea geetggggga egageteeae ttagacggcg aggacgtggc gatggcgcat gccgacgcgc tagacgattt cgatctggac 10860 atgttggggg acggggattc cccgggtccg ggatttaccc cccacgactc cgccccctac 10920 ggcgctctgg atatggccga cttcgagttt gagcagatgt ttaccgatgc ccttggaatt 10980 gacgagtacg gtgggtagtt ctagagtcga cetcgaaegt taacgttaac gtaacgttaa 11040 ctcgaggagc ttgataacat tatacctaaa cccatggtca agagtaaaca tttctgcctt 11100 tgaagttgag aacacaatta agcatcccct ggttaaacct gacattcata cttgttaata 11160 gcgccataaa catagcacca atttcgaaga aatcagttaa aagcaattag caattagcaa 11220 ttagcaataa ctctgctgac ttcaaaacga gaagagttgc aagtatttgt aaggcacagt 11280

17

ttatagacca ccgacggctc attagggctc gtcatgtaac taagcgcggt gaaacccaat 11340
tgaacatata gtggaattat tattatcaat ggggaagatt taaccctcag gtagcaaagt 11400
aatttaattg caaatagaga gtcctaagac taaataatat atttaaaaat ctggcccttt 11460
gaccttgctt gtcaggtgca tttgggttca atcgtaagtt gcttctatat aaacactttc 11520
cccatccccg caataatgaa gaataccgca gaataaagag agatttgcaa caaaaaataa 11580
aggcattgcg aaaacttttt atgggggatc attacactcg ggcctacggt tacaattccc 11640
agccacttaa gcgacaagtt tggccaacaa tccatctaat agctaatagc gcaatcactg 11700
gtaatcgcaa gagtatatag gcaatagaac ccatggattt gaccaaaggt aaccgagaca 11760
atggagaagc aagaggattt caaactgaac acccacagta ctgtgtacta ccactggccc 11820
gtttgggagc tccaagcggc gactgagatg tcctaaatgc acagcgacgg attcgcgcta 11880
tttagaaaga gagagcaata tttcaagaaa aacggcgccc 11920

<210> 17 <211> 11570 <212> DNA

<213> Artificial

<220>

<223> pLA517

<400> 17 ggccgctcat ttaaatctgg ccggccgcaa ccattgtggg aaccgtgcga tcaaacaaac 60 gcgagatacc ggaagtactg aaaaacagtc gctccaggcc agtgggaaca tcgatgtttt 120 gttttgacgg acccettact ctcgtctcat ataaaccgaa gccagctaag atggtatact 180 __tattatcatc_ttgtgatgag_gatgcttcta_tcaacgaaag_taccggtaaa ccgcaaatgg 240 ttatqtatta taatcaaact aaaggcggag tggacacgct agaccaaatg tgttctgtga 300 tgacctgcag taggaagacg aataggtggc ctatggcatt attgtacgga atgataaaca 360 ttgcctgcat aaattctttt attatataca gccataatgt cagtagcaag ggagaaaagg 420 tccaaagtcg caaaaaattt atgagaaacc tttacatgag cctgacgtca tcgtttatgc 480 540 gtaagcgttt agaagctcct actttgaaga gatatttgcg cgataatatc tctaatattt tgccaaatga agtgcctggt acatcagatg acagtactga agagccagta atgaaaaaac 600 gtacttactg tacttactgc ccctctaaaa taaggcgaaa ggcaaatgca tcgtgcaaaa 660 720 aatgcaaaaa agttatttgt cgagagcata atattgatat gtgccaaagt tgtttctgac tqactaataa qtataatttg tttctattat gtataagtta agctaattac ttattttata 780 840 atacaacatq actgttttta aagtacaaaa taagtttatt tttgtaaaag agagaatgtt 900 taaacataaa taaattgttt gttgaattta ttattagtat gtaagtgtaa atataataaa 960 acttaatatc tattcaaatt aataaataaa cctcgatata cagaccgata aaacacatgc 1020

18

PCT/GB2004/003263

gtcaatttta cgcatgatta tetttaacgt acgtcacaat atgattatet ttctagggtt 1080 aaataatagt ttctaatttt tttattattc agcctgctgt cgtgaatacc gtatatctca 1140 acgetgtetg tgagattgte gtattetage etttttagtt tttegeteat egaettgata 1200 ttgtccgaca cattttcgtc gatttgcgtt ttgatcaaag acttgagcag agacacgtta 1260 atcaactgtt caaattgatc catattaacg atatcaaccc gatgcgtata tggtgcgtaa 1320 1380 aatatatttt ttaaccctct tatactttgc actctgcgtt aatacgcgtt cgtgtacaga cqtaatcatq ttttcttttt tqqataaaac tcctactgag tttgacctca tattagaccc 1440 tcacaagttg caaaacgtgg cattttttac caatgaagaa tttaaagtta ttttaaaaaa 1500 tttcatcaca qatttaaaqa agaaccaaaa attaaattat ttcaacagtt taatcgacca 1560 gttaatcaac qtqtacacag acgcgtcggc aaaaaacacg cagcccgacg tgttggctaa 1620 aattattaaa tcaacttgtg ttatagtcac ggatttgccg tccaacgtgt tcctcaaaaa 1680 1740 gttgaagacc aacaagttta cggacactat taattatttg attttgcccc acttcatttt qtqqqatcac aattttgtta tattttaaac aaagcttggc actggccgtc gttttacaac 1800 gtcgtgactg ggaaaaccct ggcgttaccc aacttaatcg ccttgcagca catccccctt 1860 tegecagetg gegtaatage gaagaggeee geacegateg ceetteecaa cagttgegea 1920 gcctgaatgg cgaatggcgc ctgatgcggt attttctcct tacgcatctg tgcggtattt 1980 cacaccgcat atggtgcact ctcagtacaa tctgctctga tgccgcatag ttaagccagc 2040 cccgacaccc gccaacaccc gctgacgcgc cctgacgggc ttgtctgctc ccggcatccg 2100 cttacaqaca aqctqtqacc gtctccggga gctgcatgtg tcagaggttt tcaccgtcat 2160 __caccgaaacg_cgcgagacga_aagggcctcg tgatacgcct atttttatag gttaatgtca 2220 tgataataat ggtttcttag acgtcaggtg gcacttttcg gggaaatgtg cgcggaaccc 2280 ctatttgttt atttttctaa atacattcaa atatgtatcc gctcatgaga caataaccct 2340 2400 qataaatqct tcaataatat tgaaaaagga agagtatgag tattcaacat ttccgtgtcg cccttattcc cttttttgcg gcattttgcc ttcctgtttt tgctcaccca gaaacgctgg 2460 tqaaaqtaaa agatgctgaa gatcagttgg gtgcacgagt gggttacatc gaactggatc 2520 2580 tcaacagcqg taagatcctt gagagttttc gccccgaaga acgttttcca atgatgagca cttttaaagt tctgctatgt ggcgcggtat tatcccgtat tgacgccggg caagagcaac 2640 teggtegeeg catacactat teteagaatg aettggttga gtaeteacea gteacagaaa 2700 agcatcttac ggatggcatg acagtaagag aattatgcag tgctgccata accatgagtg 2760 ataacactgc ggccaactta cttctgacaa cgatcggagg accgaaggag ctaaccgctt 2820 ttttgcacaa catgggggat catgtaactc gccttgatcg ttggggaaccg gagctgaatg 2880 aagccatacc aaacgacgag cgtgacacca cgatgcctgt agcaatggca acaacgttgc 2940 gcaaactatt aactggcgaa ctacttactc tagcttcccg gcaacaatta atagactgga 3000

tggaggcgga taaagttgca ggaccacttc tgcgctcggc ccttccggct ggctggttta 3060 ttgctgataa atctggagcc ggtgagcgtg ggtctcgcgg,tatcattgca gcactggggc 3120 cagatggtaa gccctcccgt atcgtagtta tctacacgac ggggagtcag gcaactatgg 3180 atgaacgaaa tagacagatc gctgagatag gtgcctcact gattaagcat tggtaactgt 3240 cagaccaagt ttactcatat atactttaga ttgatttaaa acttcatttt taatttaaaa 3300 ggatctaggt gaagatcctt tttgataatc tcatgaccaa aatcccttaa cgtgagtttt 3360 cgttccactg agcgtcagac cccgtagaaa agatcaaagg atcttcttga gatccttttt 3420 ttctgcgcgt aatctgctgc ttgcaaacaa aaaaaccacc gctaccagcg gtggtttgtt 3480 tgccggatca agagctacca actctttttc cgaaggtaac tggcttcagc agagcgcaga 3540 taccaaatac tgtccttcta gtgtagccgt agttaggcca ccacttcaag aactctgtag 3600 caccgectac atacctcgct ctgctaatcc tgttaccagt ggctgctgcc agtggcgata 3660 agtcgtgtct taccgggttg gactcaagac gatagttacc ggataaggcg cagcggtcgg 3720 gctgaacggg gggttcgtgc acacagccca gcttggagcg aacgacctac accgaactga 3780 gatacctaca gegtgagcat tgagaaagcg ccaegettee egaagggaga aaggeggaca 3840 ggtatccggt aagcggcagg gtcggaacag gagagcgcac gaggggagctt ccagggggaa 3900 acgcctggta tctttatagt cctgtcgggt ttcgccacct ctgacttgag cgtcgatttt 3960 4020 tgtgatgctc gtcagggggg cggagcctat ggaaaaacgc cagcaacgcg gcctttttac 4080 ggtteetgge ettttgetgg eettttgete acatgttett teetgegtta teecetgatt ctgtggataa ccgtattacc gcctttgagt gagctgatac cgctcgccgc agccgaacga 4140 .ccgagcgcag_cgagtcagtg_agcgaggaag_cggaagagcg cccaatacgc aaaccgcctc 4200 tccccgcgcg ttggccgatt cattaatgca gctggcacga caggtttccc gactggaaag 4260 cgggcagtga gcgcaacgca attaatgtga gttagctcac tcattaggca ccccaggctt 4320 tacactttat gcttccggct cgtatgttgt gtggaattgt gagcggataa caatttcaca 4380 caggaaacag ctatgaccat gattacgaat ttcgacctgc aggcatgcaa gcttgcatgc 4440 ctgcaggtcg acgctcgcgc gacttggttt gccattcttt agcgcgcgtc gcgtcacaca 4500 gcttggccac aatgtggttt ttgtcaaacg aagattctat gacgtgttta aagtttaggt 4560 cgagtaaagc gcaaatcttt tttaacccta gaaagatagt ctgcgtaaaa ttgacgcatg 4620 cattettgaa atattgetet etetttetaa atagegegaa teegtegetg tgeatttagg 4680 acatotoagt ogcogottgg agotocogtg aggogtgott gtoaatgogg taagtgtoac 4740 tgattttgaa ctataacgac cgcgtgagtc aaaatgacgc atgattatct tttacgtgac 4800 ttttaagatt taactcatac gataattata ttgttatttc atgttctact tacgtgataa 4860 cttattatat atatattttc ttgttataga tatcgtgact aatatataat aaaatgggta 4920 gttctttaga cgatgagcat atcctctctg ctcttctgca aagcgatgac gagcttgttg 4980

gtgaggattc tgacagtgaa atatcagatc acgtaagtga agatgacgtc cagagcgata 5040 cagaagaagc gtttatagat gaggtacatg aagtgcagcc aacgtcaagc ggtagtgaaa 5100 tattagacga acaaaatgtt attgaacaac caggttcttc attggcttct aacagaatct 5160 tgaccttgcc acagaggact attagaggta agaataaaca ttgttggtca acttcaaagt 5220 ccacgaggcg tagccgagtc tctgcactga acattgtcag atcggcccgg gcgccgtttc 5280 ccaaacgcgc cagtggtagt acacagtact gtgggtgttc agtttgaaat cctcttgctt 5340 ctccattgtc teggttacct ttggtcaaat ccatgggttc tattgcctat atactcttgc 5400 gattaccagt gattgcgcta ttagctatta gatggattgt tggccaaact tgtcgcttaa 5460 gtggctggga attgtaaccg taggcccgag tgtaatgatc ccccataaaa agttttcgca 5520 atgeetttat tttttgttge aaatetetet ttattetgeg gtattettea ttattgeggg 5580 gatggggaaa gtgtttatat agaagcaact tacgattgaa cccaaatgca cctgacaagc 5640 aaggtcaaag ggccagattt ttaaatatat tatttagtct taggactctc tatttgcaat 5700 taaattactt tgctacctga gggttaaatc ttccccattg ataataataa ttccactata 5760 tgttcaattg ggtttcaccg cgcttagtta catgacgagc cctaatgagc cgtcggtggt 5820 ctataaactq tqccttacaa atacttqcaa ctcttctcgt tttgaagtca gcagagttat 5880 tgctaattgc taattgctaa ttgcttttaa ctgatttctt cgaaattggt gctatgttta 5940 tggcgctatt aacaagtatg aatgtcaggt ttaaccaggg gatgcttaat tgtgttctca 6000 acttcaaagg cagaaatgtt tactcttgac catgggttta ggtataatgt tatcaagctc 6060 ctcgagttaa cgttacgtta acgttaacgt tcgaggtcga ctctagatta ttacagcatg 6120 tegagateaa agtegteeaa ageateageg ggeaacatat eeaagteaaa ateategaga 6180 gcgtccgccg gcagcatatc caggtcgaag tcatccaggg catcggcggg gcccgagccc 6240 gactegeatt teagttgett ttecaateeg cagataatea getecaagee gaacaggaat 6300 qeeqqetegg etecttgatg ategaacage tegattgeet gaegeageag tgggggeate 6360 gaatcggttg ttggggtctc gcgctcctct tttgcgactt gatgctcttg gtcctccagc 6420 acgcagccca gggtaaagtg accgacggcg ctcagagcgt agagagcatt ttccaggctg 6480 aagcettget ggcacaggaa cgcgagetgg ttetecagtg tetegtattg etttteggte 6540 gggcgcgtgc cgagatggac tttggcaccg tctcggtggg acagcagagc gcagcggaac 6600 gacttggcgt tattgcggag gaagtcctgc caggactcgc cttccaacgg gcaaaaatgc 6660 gtgtggtggc ggtcgagcat ctcgatggcc-agggcatcca gcagcgcccg cttattcttc 6720 acgtgccagt agagggtggg ctgctccacg cccagcttct gcgccaactt gcgggtcgtc 6780 agtocotcaa tgocaactto gttoaacago tocaacgogg agttgatgac tttggactta 6840 tccaggcggc tgcccatggt ggtttctaaa ggtgttataa atcaaattag ttttgttttt 6900 tettgaaaac tttgegttte etttgateaa ettaeegeea gggtaeegea gattgtttag 6960

PCT/GB2004/003263

7020 cttgttcagc tgcgcttgtt tatttgctta gctttcgctt agcgacgtgt tcactttgct tgtttgaatt gaattgtcgc tccgtagacg aagcgcctct atttatactc cggcgctcgt 7080 tttcgagttt accactccct atcagtgata gagaaaagtg aaagtcgagt ttaccactcc 7140 ctatcagtga tagagaaaag tgaaagtcga gtttaccact ccctatcagt gatagagaaa 7200 7260 aqtqaaaqtc qaqtttacca ctccctatca gtgatagaga aaagtgaaag tcgagtttac 7320 cactccctat cagtgataga gaaaagtgaa agtcgagttt accactccct atcagtgata gagaaaagtg aaagtcgagt ttaccactcc ctatcagtga tagagaaaag tgaaagtcga 7380 aacctggcgc gcctcttaat taaggccccc cctcgagacc atggtcgatc gacaaacacg 7440 aaaatacatt cctggacaga cctaggggtt tgctcttttt tctttgcagg atctggattc 7500 aacaaagaag gaaaaatcta cggagtttgg aacctcattt attgcacgaa gaaacttaga 7560 qaqaaaqact qatgcctaat aaagactcaa gctgattgca aaaacaatat aaagttgtac 7620 7680 cttattgcgg tgtcatcgta aaaccaagat gcttaaaagg gattaggccc acttaaatta ctgcqaaaaa ttttatttac aaatttctca catgacttcc agataaacta attaactttg 7740 tgtgtcaagg ttgcttttcc ggcagaaaag tcaatttgca agtgatttag gtttttttaa 7800 tgactatctt tgcaattgaa ttgggtacta ttagatattg aatataccaa tattgaggta 7860 7920 taatacaaat acaacaacat ttgacctcgg caactatcag aagtacatgt aggtcgggaa cattagggaa ttctgcgcga taagttacta attatgctaa gctatcgcag aacctcatta 7980 agacttgagc tgcagtgttt tgcaggtact tatcatattt acagtattaa tgtatgcagt 8040 attatattaa ttotaaataa qaaagtcagg agaaggatat tcaaaactga agaattaatg 8100 tacattagtt_ttgtttatta_gattttcaat_attgcagcat agaatatgtg taagtagtgg 8160 agagctaaac gcgcttttca gaacgttcat gctaattgct catggatctc acaggaacag 8220 qtqqtqqcqq ccctcqqtqc gctcqtactq ctccacqatq gtgtagtcct cgttgtggga 8280 ggtgatgtcc agcttggcgt ccacgtagta gtagccgggc agctgcacgg gcttcttggc 8340 8400 catgtagatg gacttgaact ccaccaggta gtggccgccg tccttcagct tcagggcctt gtgggtctcg cccttcagca cgccgtcgcg ggggtacagg cgctcggtgg aggcctccca 8460 gcccatggtc ttcttctgca tcacggggcc gtcggagggg aagttcacgc cgatgaactt 8520 caccttgtag atgaagcagc cgtcctgcag ggaggagtcc tgggtcacgg tcgccacgcc 8580 geegteeteg aagtteatea egegeteeca ettgaageee teggggaagg acagettett 8640 gtagtcgggg atgtcggcgg ggtgcttcac gtacaccttg gagccgtact ggaactgggg 8700 8760 ggacaggatg teccaggega agggeagggg geegeeettg gteacettea getteaeggt 8820 gttgtggccc tcgtagggcc ggccctcgcc ctcgccctcg atctcgaact cgtggccgtt cacggtgccc tccatgcgca ccttgaagcg catgaactcg gtgatgacgt tctcggagga 8880 8940 ggccattcta gccattttgg ttctagatcc ggggtctctg gattagacga ctgctggctg

atggagcggc tttgtgtcgg gaggagtatc cacacagcac aagaactcaa acggtagtga 9000 tatgaaaact ggtcccgcag cccgttttat aaagcccgct tagcgctaaa accttatcag 9060 ccgcaatgct ctccgctctc aagtcgcgtt caaaactttt accatatatg ggtatgaatt 9120 gttcgccgat tgggttttca tttacggaga atttcctccg caactgggtg ttcqtqcttq 9180 tgtgtgtctt gtatatcgcc atgaagagtg tacttccatg ggtcctatca gttgcggcat 9240 gtgattcaat ttgggggtta ctcatattcg atacttcagc tggttatctt tatgctgtga 9300 tggtcacggt gcttttacac attttttccc caactactca ttgtatqcca aaacatacat 9360 atgtacatgt gtttatagtg ggtttattag taatgtccag cgatattaaa acattacagt 9420 taaataatat tcatattagc ttacgtttac tgctatctgc acttcaaatt ggttattcag 9480 ggacatttgt gcaacacaca tcttctagta ggggcatcac tagtcgtaga aaacacacct 9540 aacttaagcc ggttttaaca ataacggcga aacagctgcc agacgagaga aaagtacaca 9600 gcaagaagca tttctataat gatgccgtcc taaatatgca gcatttttgc tcaaattgat 9660 catttegttg categeteag gtggtatagt atttggetat tgaatgtgat tgetatetta 9720 atagttttga atagtaatag tgcaaatatt cattcataaa aaataggtaa tcgattttct 9780 cagtgcagtc tatgcgtttg cgcaaacagg agacgaagag agagacgcct cacacacaag 9840 cacatgogta ctacgotggc ctactoogct actotatgtg togtoctotg categories 9900 ttggcggcag ttcttccaga ggctgtgacg tcaggtaagc tatttcgtct cggtgtgctg 9960 ttagcccgta acgataagct gtccgattcc taattctctt tcaaataatt tgttttattt 10020 ttttttttgt gtgttttgaa gtcaaacagc ttcataaaca atattaaata tcgcaattgt 10080 tattgcaaat gcattcgtat caggcgcctt gatgtttttc ggccaaaact tcgtctgctc 10140 tttgtcagcg taattgcgtt tgccggtcgt gccgtcttgc tcgcacgcgc ttgcaaacaa 10200 aaagtgaaag agggaaagcc actgtgttgt tgcttttgtt gctatcgttg gctgcacaca 10260 catggcaata agtaaccata ttgtagactt atttatttta gcgttttcgt tgactaatct 10320 ttgtttaaat aattgcctat ttcgagccaa aatgacgcat aaaggacacg gcaacatgcg 10380 gtgcgttgag catgcgtacg agatggcgct agagagagcg agataaaaag aaaaaaacaa 10440 ceggegagtg gegagacaeg aataatacae acaegeacae atggteaaag gagtggetee 10500 aacgtcggtg acgtcgcgcc cagccacaga ccccgccacg ccccgccca cccttccttc 10560 cgctgccccg cacccctttc cttccactac cgttttgccg catttggtat tgccatctcg 10620 cttttttggc tttactttgc tttttgaata agccaagaaa ctgaaatcaa agcggacagt ~10680~ ccgaaaattg aaactattcc aaaaaacaac aaccgcacat gcactgcgtt cggcaaaaga 10740 cgcagaaatc agcctgtggt ctggcatcat cttaaaatat catcagtatc atcattgcca 10800 ttataaatac ataagaaaat gagaatacat taaaggtata tacatacaat ctttgtcata 10860 gtcaacatat tttgcaacaa aattatctat agataacatg tttttgtaga aaattccact 10920

23

PCT/GB2004/003263

aactgatttt cgtataaata caaattattc tcattcttca aaatactcgc cgacgtcatc 10980 gcgaaattcc tcagcattct tcgacaaatg aagagagaca gcgagtgaca caatcttatc 11040 ttaccgacga gtctttgaaa atggccccgg gaacggtgaa aaacatatag ccaagaatgg 11100 agcgatcgcc aggcgatcga aattggcttc aaattgctcc gaatatggcc agttggtcag 11160 ttggcattgg attgtggaga gatactagat cagctcgttc tccttctcct ccgcattctc 11220 ctactcgccc gaagacgctt ctttgatcgc ttctttctcg aatgtacata ttgatatgta 11280 tttggtgttt ggcgacgatc agccagcttt aatggccata aaacgtgtct tggtttgtgg 11340 gccacataac aggcagcgag atctggaaaa atgatgtgac agtggaaatg agaagtaggt 11400 qcatctqcaa aqatttqatt caqaqttqat gccattcatg atttttttta gaagtatcat 11460 ttgtgttttt agaatataga attctagtat gtatgtaagt taataaaacc catttttgcg 11520 11570 gaaagtagat aaaaaaaaca ttttttttt ttactgcact ggatatctgc

<210> 18

WO 2005/012534

<211> 11251

<212> DNA

<213> Artificial

<220>

<223> pLA656

<400> 18

cgccaggcga tggaaattgg cttcaaattg ctccgaatat ggccagttgg tcagttggca 60 ttggattgtg gagagatact agatcagctc gttctccttc tcctccgcat tctcctactc 120 gcccgaagac gcttctttga tcgcttcttt ctcgaatgta catattgata tgtatttggt 180 _gtttggcgac_gatcagccag_ctttaatggc_cataaaacgt gtcttggttt gtgggccaca 240 taacaggcag cgagatctgg aaaaatgatg tgacagtgga aatgagaagt aggtgcatct 300 gcaaagattt gattcagagt tgatgccatt catgattttt tttagaagta tcatttgtgt 360 ttttaqaata taqaattcta qtatgtatgt aagttaataa aacccatttt tgcggaaagt 420 agataaaaaa aacatttttt ttttttactg cactggatat ctgcggccgc tcatttaaat 480 ctggccggcc gcaaccattg tgggaaccgt gcgatcaaac aaacgcgaga taccggaagt 540 600 tactctcgtc tcatataaac cgaagccagc taagatggta tacttattat catcttgtga 660 tgaggatgct tctatcaacg aaagtaccgg taaaccgcaa atggttatgt attataatca 720 aactaaaggc ggagtggaca cgctagacca aatgtgttct gtgatgacct gcagtaggaa 780 gacgaatagg tggcctatgg cattattgta cggaatgata aacattgcct gcataaattc 840 ttttattata tacagccata atgtcagtag caagggagaa aaggtccaaa gtcgcaaaaa 900 atttatqaga aacctttaca tgagcctgac gtcatcgttt atgcgtaagc gtttagaagc 960 tcctactttg aagagatatt tgcgcgataa tatctctaat attttgccaa atgaagtgcc 1020

tggtacatca gatgacagta ctgaagagcc agtaatgaaa aaacgtactt actgtactta 1080 1140 ctgcccctct aaaataaggc gaaaggcaaa tgcatcgtgc aaaaaatgca aaaaagttat ttgtcgagag cataatattg atatgtgcca aagttgtttc tgactgacta ataagtataa 1200 tttgtttcta ttatgtataa gttaagctaa ttacttattt tataatacaa catgactgtt 1260 tttaaagtac aaaataagtt tatttttgta aaagagagaa tgtttaaaag ttttgttact 1320 1380 gtttgttgaa tttattatta gtatgtaagt gtaaatataa taaaacttaa tatctattca 1440 1500 aattaataaa taaacctcga tatacagacc gataaaacac atgcgtcaat tttacgcatg attatettta aegtaegtea caatatgatt atetttetag ggttaaataa tagtttetaa 1560 tttttttatt attcagcctg ctgtcgtgaa taccgtatat ctcaacgctg tctgtgagat 1620 tgtcgtattc tagccttttt agtttttcgc tcatcgactt gatattgtcc gacacatttt 1680 cgtcgatttg cgttttgatc aaagacttga gcagagacac gttaatcaac tgttcaaatt 1740 gatccatatt aacgatatca acccgatgcg tatatggtgc gtaaaatata ttttttaacc 1800 ctcttatact ttgcactctg cgttaatacg cgttcgtgta cagacgtaat catgttttct 1860 tttttggata aaactectac tgagtttgac ctcatattag accctcacaa gttgcaaaac 1920 gtggcatttt ttaccaatga agaatttaaa gttattttaa aaaatttcat cacagattta 1980 aagaagaacc aaaaattaaa ttatttcaac agtttaatcg accagttaat caacgtgtac 2040 acagacgcgt cggcaaaaaa cacgcagccc gacgtgttgg ctaaaattat taaatcaact 2100 tgtgttatag tcacggattt gccgtccaac gtgttcctca aaaagttgaa gaccaacaag 2160 _tttacggaca_ctattaatta tttgattttg ccccacttca ttttgtggga tcacaatttt 2220 gttatatttt aaacaaaget tggcactgge cgtcgtttta caacgtcgtg actgggaaaa 2280 ccctggcgtt acccaactta atcgccttgc agcacatccc cctttcgcca gctggcgtaa 2340 tagegaagag geeegeaceg ategeeette ceaacagttg egeageetga atggegaatg 2400 gegeetgatg eggtatttte teettaegea tetgtgeggt attteacace geatatggtg 2460 cacteteagt acaatetget etgatgeege atagttaage cageeeegae accegeeaac 2520 accegetgae gegeeetgae gggettgtet geteeeggea teegettaea gaeaagetgt 2580 gaccgtctcc gggagctgca tgtgtcagag gttttcaccg tcatcaccga aacgcgcgag 2640 acgaaagggc ctcgtgatac gcctattttt ataggttaat gtcatgataa taatggtttc 2700 ttagacgtca ggtggcactt ttcggggaaa tgtgcgcgga acccctattt gtttattttt 2760 ctaaatacat tcaaatatgt atccgctcat gagacaataa ccctgataaa tgcttcaata 2820 atattgaaaa aggaagagta tgagtattca acatttccgt gtcgccctta ttcccttttt 2880 tgcggcattt tgccttcctg tttttgctca cccagaaacg ctggtgaaag taaaagatgc 2940 tgaagatcag ttgggtgcac gagtgggtta catcgaactg gatctcaaca gcggtaagat 3000

25

cettgagagt tttcgccccg aagaacgttt tccaatgatg agcactttta aagttctgct 3060 atgtggcgcg gtattatccc gtattgacgc cgggcaagag caactcggtc gccgcataca 3120 ctattctcag aatgacttgg ttgagtactc accagtcaca gaaaagcatc ttacggatgg 3180 3240 catgacagta agagaattat gcagtgctgc cataaccatg agtgataaca ctgcggccaa cttacttctg acaacgatcg gaggaccgaa ggagctaacc gcttttttgc acaacatggg 3300 ggatcatgta actogcottg atogttggga accggagotg aatgaagcca taccaaacga 3360 cgagcgtgac accacgatgc ctgtagcaat ggcaacaacg ttgcgcaaac tattaactgg 3420 cgaactactt actctagctt cccggcaaca attaatagac tggatggagg cggataaagt 3480 tgcaggacca cttctgcgct cggcccttcc ggctggctgg tttattgctg ataaatctgg 3540 3600 agceggtgag egtgggtete geggtateat tgeageactg gggeeagatg gtaageeete 3660 ccgtatcgta gttatctaca cgacggggag tcaggcaact atggatgaac gaaatagaca 3720 gatcgctgag ataggtgcct cactgattaa gcattggtaa ctgtcagacc aagtttactc atatatactt tagattgatt taaaacttca tttttaattt aaaaggatct aggtgaagat 3780 cctttttgat aatctcatga ccaaaatccc ttaacgtgag ttttcgttcc actgagcgtc 3840 agaccccgta gaaaagatca aaggatcttc ttgagatcct ttttttctgc gcgtaatctg 3900 ctgcttgcaa acaaaaaac caccgctacc agcggtggtt tgtttgccgg atcaagagct 3960 accaactett tttccgaagg taactggett cagcagageg cagataccaa atactgteet 4020 4080 tctagtgtag ccgtagttag gccaccactt caagaactct gtagcaccgc ctacatacct cgctctgcta atcctgttac cagtggctgc tgccagtggc gataagtcgt gtcttaccgg 4140 _gttggactca_agacgatagt_taccggataa ggcgcagcgg tcgggctgaa cggggggttc 4200 gtgcacacag cccagcttgg agcgaacgac ctacaccgaa ctgagatacc tacagcgtga 4260 gcattgagaa agegecaege tteeegaagg gagaaaggeg gacaggtate eggtaagegg 4320 cagggtcgga acaggagagc gcacgaggga gcttccaggg ggaaacgcct ggtatcttta 4380 tagtcctgtc gggtttcgcc acctctgact tgagcgtcga tttttgtgat gctcgtcagg 4440 ggggcggagc ctatggaaaa acgccagcaa cgcggccttt ttacggttcc tggccttttg 4500 ctggcctttt gctcacatgt tctttcctgc gttatcccct gattctgtgg ataaccgtat 4560 taccgccttt gagtgagctg ataccgctcg ccgcagccga acgaccgagc gcagcgagtc 4620 agtgagcgag gaagcggaag agcgcccaat acgcaaaccg cctctccccg cgcgttggcc 4680 qattcattaa tgcagctggc acgacaggtt tcccgactgg aaagcgggca gtgagcgcaa-4740 4800 cgcaattaat gtgagttagc tcactcatta ggcaccccag gctttacact ttatgcttcc ggctcgtatg ttgtgtggaa ttgtgagcgg ataacaattt cacacaggaa acagctatga 4860 ccatqattac qaatttcgac ctgcaggcat gcaagcttgc atgcctgcag gtcgacgctc 4920 gcgcgacttg gtttgccatt ctttagcgcg cgtcgcgtca cacagcttgg ccacaatgtg 4980

gtttttgtca aacgaagatt ctatgacgtg tttaaagttt aggtcgagta aagcgcaaat 5040 cttttttaac cctagaaaga tagtctgcgt aaaattgacg catgcattct tgaaatattg 5100 ctctctcttt ctaaatagcg cgaatccgtc gctgtgcatt taggacatct cagtcgccgc 5160 ttggagetee egtgaggegt gettgteaat geggtaagtg teaetgattt tgaactataa 5220 cgaccgcgtg agtcaaaatg acgcatgatt atcttttacg tgacttttaa gatttaactc 5280 atacgataat tatattgtta tttcatgttc tacttacgtg ataacttatt atatatata 5340 tticttqtta tagatatcgt gactaatata taataaaatg ggtagttctt tagacgatga 5400 gcatatcctc tctgctcttc tgcaaagcga tgacgagctt gttggtgagg attctgacag 5460 tgaaatatca gatcacgtaa gtgaagatga cgtccagagc gatacagaag aagcgtttat 5520 agatgaggta catgaagtgc agccaacgtc aagcggtagt gaaatattag acgaacaaaa 5580 tqttattqaa caaccaqqtt cttcattggc ttctaacaga atcttgacct tgccacagag 5640 gactattaga ggtaagaata aacattgttg gtcaacttca aagtccacga ggcgtagccg 5700 agtetetgea etgaacattg teagategge eegggegeeg titttettga aatattgete 5760 tctctttcta aatagcgcga atccgtcgct gtgcatttag gacatctcag tcgccgcttg 5820 gageteceaa acgegeeagt ggtagtacae agtaetgtgg gtgtteagtt tgaaateete 5880 5940 ttgcttctcc attgtctcgg ttacctttgg tcaaatccat gggttctatt gcctatatac tcttgcgatt accagtgatt gcgctattag ctattagatg gattgttggc caaacttgtc 6000 6060 gcttaagtgg ctgggaattg taaccgtagg cccgagtgta atgatccccc ataaaaagtt 6120 ttcgcaatgc ctttattttt tgttgcaaat ctctctttat tctgcggtat tcttcattat <u>tgcggggatg_gggaaagtgt_ttatatagaa gcaacttacg attgaaccca aatgcacctg</u> 6180 acaagcaagg tcaaagggcc agatttttaa atatattatt tagtcttagg actctctatt 6240 tgcaattaaa ttactttgct acctgagggt taaatcttcc ccattgataa taataattcc 6300 actatatqtt caattqqqtt tcaccgcgct tagttacatg acgagcccta atgagccgtc 6360 6420 ggtggtctat aaactgtgcc ttacaaatac ttgcaactct tctcgttttg aagtcagcag 6480 agttattgct aattgctaat tgctaattgc ttttaactga tttcttcgaa attggtgcta tgtttatggc gctattaaca agtatgaatg tcaggtttaa ccaggggatg cttaattgtg 6540 ttctcaactt caaaggcaga aatgtttact cttgaccatg ggtttaggta taatgttatc 6600 aageteeteg agttaaegtt aegttaaegt taaegttega ggtegaetet agaaetaeee 6660 accetacteg teaatteeaa gegeateget aaacatetee teaaaetega agteegeeat 6720· atccagageg cegtaggggg eggagtegtg gggggtaaat eeeggaeeeg gggaateeee 6780 gtccccaac atgtccagat cgaaatcgtc tagcgcgtcg gcatgcgcca tcgccacgtc 6840 ctcgccgtct aagtggagct cgtcccccag gctgacateg gtcggggggg ccgtcgacag 6900 tetgegegtg tgteeegegg ggagaaagga caggegegga geegeeagee eegeetette 6960

PCT/GB2004/003263

gggggcgtcg	tcgtccggga	gatcgagcag	gccctcgatg	gtagacccgt	aattgtttt	7020
cgtacgcgcg	cggctgtacg	cggggcccga	gcccgactcg	catttcagtt	gcttttccaa	7080
tccgcagata	atcagctcca	agccgaacag	gaatgccggc	teggeteett	gatgatcgaa	7140
cagctcgatt	gcctgacgca	gcagtggggg	catcgaatcg	gttgttgggg	tctcgcgctc	7200
ctcttttgcg	acttgatgct	cttggtcctc	cagcacgcag	cccagggtaa	agtgaccgac	7260
ggcgctcaga	gcgtagagag	cattttccag	gctgaagcct	tgctggcaca	ggaacgcgag	7320
ctggttctcc	agtgtctcgt	attgcttttc	ggtcgggcgc	gtgccgagat	ggactttggc	7380
accgtctcgg	tgggacagca	gagcgcagcg	gaacgacttg	gcgttattgc	ggaggaagtc	7440
ctgccaggac	tegeetteea	acgggcaaaa	atgcgtgtgg	tggcggtcga	gcatctcgat	7500
ggccagggca	tccagcagcg	cccgcttatt	cttcacgtgc	cagtagaggg	tgggctgctc	7560
cacgcccagc	ttctgcgcca	acttgcgggt	cgtcagtccc	tcaatgccaa	cttcgttcaa	7620
cagctccaac	gcggagttga	tgactttgga	cttatccagg	cggctgccca	tggtggtttc	7680
taaaggtgtt	ataaatcaaa	ttagttttgt	tttttcttga	aaactttgcg	tttcctttga	7740
tcaacttacc	gccagggtac	cgcagattgt	ttagcttgtt	cagctgcgct	tgtttatttg	7800
cttagctttc	gcttagcgac	gtgttcactt	tgcttgtttg	aattgaattg	tegeteegta	7860
gacgaagcgc	ctctatttat	actccggcgc	tcgttttcga	gtttaccact	ccctatcagt	7920
gatagagaaa	agtgaaagtc	gagtttacca	ctccctatca	gtgatagaga	aaagtgaaag	7980
tcgagtttac	cactccctat	cagtgataga	gaaaagtgaa	agtcgagttt	accactccct	8040
atcagtgata	gagaaaagtg	aaagtcgagt	ttaccactcc	ctatcagtga	tagagaaaag	8100
tgaaagtcga	gtttaccact	ccctatcagt	gatagagaaa	agtgaaagtc	gagtttacca	8160
ctccctatca	gtgatagaga	aaagtgaaag	tcgaaacctg	gcgcgcctct	taattaactc	8220
gcgttaagat	acattgatga	gtttggacaa	accacaacta	gaatgcagtg	aaaaaaatgc	8280
tttatttgtg	aaatttgtga	tgctattgct	ttatttgtaa	ccattataag	ctgcaataaa	8340
caagttaaca	acaacaattg	cattcatttt	atgtttcagg	ttcaggggga	ggtgtgggag	8400
gttttttaaa	gcaagtaaaa	cctctacaaa	tgtggtatgg	ctgattatga	tcagttatct	8460
agatccggtg	gatcttacgg	gtcctccacc	ttccgctttt	tcttgggtcg	agatctcagg	8520
aacaggtggt	ggcggccctc	ggtgcgctcg	tactgctcca	cgatggtgta	gtcctcgttg	8580
tgggaggtga	tgtccagctt	ggcgtccacg	tagtagtagc	cgggcagctg	cacgggcttc	8640
ttggccatgt	agatggactt	gaactccacc	aggtagtggc	egccgtcctt	cagcttcagg	8700
gccttgtggg	tctcgccctt	cagcacgccg	tcgcgggggt	acaggcgctc	ggtggaggcc	8760
tcccagccca	tggtcttctt	ctgcatcacg	gggccgtcgg	aggggaagtt	cacgccgatg	8820
aacttcacct	tgtagatgaa	gcagccgtcc	tgcagggagg	agtcctgggt	cacggtcgcc	8880
acgccgccgt	cctcgaagtt	catcacgcgc	tcccacttga	agccctcggg	gaaggacagc	8940

ttottgtagt cggggatgtc ggcggggtgc ttcacgtaca ccttggagcc gtactggaac 9000 tggggggaca ggatgtccca ggcgaagggc agggggccgc ccttggtcac cttcagcttc 9060 acggtgttgt ggccctcgta ggggcggccc tcgccctcgc cctcgatctc gaactcgtgg 9120 ccgttcacgg tgccctccat gcgcaccttg aagcgcatga actcggtgat gacgttctcg 9180 9240 tgcattttgg attattctgc gggtcaaaat agagatgtgg aaaattagta cgaaatcaaa 9300 tgagtttcgt tgaaattaca aaactattga aactaacttc ctggctgggg aataaaaatg 9360 ggaaacttat ttatcgacgc caactttgtt gagaaacccc tattaaccct ctacgaatat 9420 tggaacaaag gaaagcgaag aaacaggaac aaaggtagtt gagaaacctg ttccgttgct 9480 cgtcatcgtt ttcataatgc gagtgtgtgc atgtatatat acacagctga aacgcatgca 9540 tacacattat tttgtgtgta tatggtgacg tcacaactac taagcaataa gaaattttcc 9600 agacgtggct ttcgtttcaa gcaacctact ctatttcagc taaaaataag tggatttcgt 9660 tggtaaaata cttcaattaa gcaaagaact aactaactaa taacatgcac acaaatgctc 9720 gagtgcgttc gtgatttctc gaattttcaa atgcgtcact gcgaatttca caatttgcca 9780 ataaatcttq qcqaaaatca acacqcaaqt tttatttata qatttqtttq cqttttqatq 9840 ccaattgatt gggaaaacaa gatgcgtggc tgccaatttc ttattttgta attacgtaga 9900 gcgttgaata aaaaaaaat ggccgaacaa agaccttgaa atgcagtttt tcttgaaatt 9960 actcaacgtc ttgttgctct tattactaat tggtaacage gagttaaaaa cttacgtttc 10020 10080 ttgtgacttt cgagaatgtt cttttaattg tactttaatc accaacaatt aagtataaat _ttttcgctga_ttgcgcttta ctttctgctt gtacttgctg ctgcaaatgt caattggttt 10140 tqaaqqcqac cqttcqcqaa cqctqtttat ataccttcqq tqtccqttqa aaatcactaa 10200 aaaataccgt agtgttcgta acactttagt acagagaaaa aaaattgtgc cgaaatgttt 10260 ttgatacgta cgaatacctt gtattaaaat tttttatgat ttctgtgtat cacttttttt 10320 ttgtgttttt cgtttaaact caccacagta caaaacaata aaatattttt aagacaattt 10380 caaattgaga cetttetegt actgaettga ceggetgaat gaggatttet acetagaega 10440 cctacttctt accatgacat tgaatgcaat gccacctttg atctaaactt acaaaagtcc 10500 aaggettgtt aggattggtg tttatttagt ttgettttga aatageactg tettetetae 10560 cggctataat tttgaaactc gcagcttgac tggaaattta aaaagtaatt ctgtgtaggt 10620 aaagggtgtt ttaaaagtgt gatgtgttga gcgttgcggc aacgactgct atttatgtat 10680 atattttcaa aacttattgt ttttgaagtg ttttaaatgg agctatctgg caacgctgcg 10740 cataatctta cacaagcttt tcttaatcca tttttaagtg aaatttgttt ttactctttc 10800 ggcaaataat tgttaaatcg ctttaagtgg gcttacatct ggataagtaa tgaaaacctg 10860 catattataa tattaaaaca tataatccac tgtgctttcc ccgtgtgtgg ccatatacct 10920

aaaaaagttt attttegeag ageecegeac ggteacacts	cggttcggcg attttcgatt	10980
ttggacagta ctgattgcaa gcgcaccgaa agcaaaatgg	agctggagat tttgaacgcg	11040
aagaacagca agccgtacgg caaggtgaag gtgccctccg	gegeeaegee categgegat	11100
ctgcgcgccc taattcacaa gaccctgaag cagaccccac	acgcgaatcg ccagtcgctt	11160
cgtctggaac tgaagggcaa aagcctgaaa gatacggaca	a cattggaatc tctgtcgctg	11220
cgttccggcg acaagatcgg ggtaccgcga t		11251
<210> 19 <211> 9468 <212> DNA <213> Artificial <220> <223> pLA710		
<400> 19 ggccgctcat ttaaatctgg ccggccgcaa ccattgtggg	, aaccotocoa tcaaacaaac	60
		120
gcgagatacc ggaagtactg aaaaacagtc gctccaggcc		180
gttttgacgg accccttact ctcgtctcat ataaaccgaa		
tattatcatc ttgtgatgag gatgcttcta tcaacgaaag		240
ttatgtatta taatcaaact aaaggcggag tggacacgct		300
tgacctgcag taggaagacg aataggtggc ctatggcatt		360
ttgcctgcat aaattctttt attatataca gccataatgt		420
tccaaagtcg caaaaaattt atgagaaacc tttacatgag		480
_gtaagcgttt_agaagctcct_actttgaaga_gatatttgcg	g cgataatatc tctaatattt	540
tgccaaatga agtgcctggt acatcagatg acagtactga	agagccagta atgaaaaaac	600
gtacttactg tacttactgc ccctctaaaa taaggcgaaa	a ggcaaatgca tcgtgcaaaa	660
aatgcaaaaa agttatttgt cgagagcata atattgatat	gtgccaaagt tgtttctgac	720
tgactaataa gtataatttg tttctattat gtataagtta	a agctaattac ttattttata	780
atacaacatg actgttttta aagtacaaaa taagtttatt	: tttgtaaaag agagaatgtt	840
taaaagtttt gttactttat agaagaaatt ttgagttttt	gtttttttt aataaataaa	900
taaacataaa taaattgttt gttgaattta ttattagtat	gtaagtgtaa atataataaa	960
acttaatatc tattcaaatt aataaataaa cctcgatata	a cagaccgata aaacacatgc	1020
gtcaatttta cgcatgatta tctttaacgt acgtcacaat	: atgattatct ttctagggtt	1080
aaataatagt ttctaatttt tttattattc agcctgctgt	cgtgaatacc gtatatctca	1140
acgetgtetg tgagattgte gtattetage etttttagtt	: tttcgctcat cgacttgata	1200
ttgtccgaca cattttcgtc gatttgcgtt ttgatcaaag	acttgagcag agacacgtta	1260
atcaactgtt caaattgatc catattaacg atatcaaccc	gatgcgtata tggtgcgtaa	1320

aatatatttt ttaaccetet tataetttge aetetgegtt aataegegtt egtgtacaga 1380 cgtaatcatg ttttcttttt tggataaaac tcctactgag tttgacctca tattagaccc 1440 tcacaagttg caaaacgtgg cattttttac caatgaagaa tttaaagtta ttttaaaaaa 1500 tttcatcaca gatttaaaga agaaccaaaa attaaattat ttcaacagtt taatcgacca 1560 gttaatcaac gtgtacacag acgcgtcggc aaaaaaacacg cagcccgacg tgttggctaa 1620 aattattaaa tcaacttgtg ttatagtcac ggatttgccg tccaacgtgt tcctcaaaaa 1680 gttgaagacc aacaagttta cggacactat taattatttg attttgcccc acttcatttt 1740 gtgggatcac aattttgtta tattttaaac aaagcttggc actggccgtc gttttacaac 1800 gtcgtgactg ggaaaaccct ggcgttaccc aacttaatcg ccttgcagca catccccctt 1860 tegecagetg gegtaatage gaagaggeee geacegateg eeetteeeaa cagttgegea 1920 gcctgaatgg cgaatggcgc ctgatgcggt attttctcct tacgcatctg tgcggtattt 1980 cacaccgcat atggtgcact ctcagtacaa tctgctctga tgccgcatag ttaagccagc 2040 cccgacaccc gccaacaccc gctgacgcgc cctgacgggc ttgtctgctc ccggcatccg 2100 cttacagaca agctgtgacc gtctccggga gctgcatgtg tcagaggttt tcaccgtcat 2160 caccgaaacg cgcgagacga aagggcctcg tgatacgcct atttttatag gttaatgtca 2220 tgataataat ggtttcttag acgtcaggtg gcacttttcg gggaaatgtg cgcggaaccc 2280 ctatttqttt atttttctaa atacattcaa atatgtatcc gctcatgaga caataaccct 2340 gataaatgct tcaataatat tgaaaaagga agagtatgag tattcaacat ttccgtgtcg 2400 cccttattcc cttttttgcg gcattttgcc ttcctgtttt tgctcaccca gaaacgctgg 2460 tgaaagtaaa_agatgctgaa gatcagttgg gtgcacgagt gggttacatc gaactggatc 2520 tcaacaqcqq taagatcctt gagagttttc gccccgaaga acgttttcca atgatgagca 2580 cttttaaagt tctgctatgt ggcgcggtat tatcccgtat tgacgccggg caagagcaac 2640 teggtegeeg catacactat teteagaatg acttggttga gtacteacea gteacagaaa 2700 agcatcttac ggatggcatg acagtaagag aattatgcag tgctgccata accatgagtg 2760 ataacactgc ggccaactta cttctgacaa cgatcggagg accgaaggag ctaaccgctt 2820 ttttgcacaa catgggggat catgtaactc gccttgatcg ttgggaaccg gagctgaatg 2880 aagccatacc aaacgacgag cgtgacacca cgatgcctgt agcaatggca acaacgttgc 2940 3000 gcaaactatt aactggcgaa ctacttactc tagcttcccg gcaacaatta atagactgga tggaggegga taaagttgea ggaceaette tgegetegge cetteegget ggetggttta ----3060ttgctgataa atctggagcc ggtgagcgtg ggtctcgcgg tatcattgca gcactggggc 3120 cagatggtaa gccctcccgt atcgtagtta tctacacgac ggggagtcag gcaactatgg 3180 atgaacgaaa tagacagatc gctgagatag gtgcctcact gattaagcat tggtaactgt 3240 cagaccaagt ttactcatat atactttaga ttgatttaaa acttcatttt taatttaaaa 3300

PCT/GB2004/003263

ggatctaggt gaagatcctt tttgataatc tcatgaccaa aatcccttaa cgtgagtttt 3360 cqttccactq aqcqtcagac cccqtagaaa agatcaaagg atcttcttga gatccttttt 3420 ttctgcqcgt aatctgctgc ttgcaaacaa aaaaaccacc gctaccagcg gtggtttgtt 3480 tgccqqatca agagctacca actctttttc cgaaggtaac tggcttcagc agagcgcaga 3540 taccaaatac tgtccttcta gtgtagccgt agttaggcca ccacttcaag aactctgtag 3600 caccgcctac atacctcgct etgctaatcc tgttaccagt ggctgctgcc agtggcgata 3660 agtcgtgtct taccgggttg gactcaagac gatagttacc ggataaggcg cagcggtcgg 3720 gctgaacggg gggttcgtgc acacagccca gcttggagcg aacgacctac accgaactga 3780 gatacctaca gcgtgagcat tgagaaagcg ccacgcttcc cgaagggaga aaggcggaca 3840 ggtatccggt aagcggcagg gtcggaacag gagagcgcac gagggagctt ccagggggaa 3900 acgcctggta tctttatagt cctgtcgggt ttcgccacct ctgacttgag cgtcgatttt 3960 tgtgatgctc gtcagggggg cggagcctat ggaaaaacgc cagcaacgcg gcctttttac 4020 ggtteetgge ettttgetgg eettttgete acatgttett teetgegtta teecetgatt 4080 ctgtggataa ccgtattacc gcctttgagt gagctgatac cgctcgccgc agccgaacga 4140 ccqaqcqcaq cqaqtcagtq aqcqaggaag cggaagagcg cccaatacgc aaaccgcctc 4200 tccccgcgcg ttggccgatt cattaatgca gctggcacga caggtttccc gactggaaag 4260 cgggcagtga gcgcaacgca attaatgtga gttagctcac tcattaggca ccccaggctt 4320 tacactttat gcttccggct cgtatgttgt gtggaattgt gagcggataa caatttcaca 4380 caggaaacag ctatgaccat gattacgaat ttcgacctgc aggcatgcaa gcttgcatgc 4440 _ctgcaggtcg_acgctcgcgc gacttggttt gccattcttt agcgcgcgtc gcgtcacaca 4500 qcttqqccac aatqtqqttt ttqtcaaacg aagattctat gacgtgttta aagtttaggt 4560 cgagtaaagc gcaaatcttt tttaacccta gaaagatagt ctgcgtaaaa ttgacgcatg 4620 cattettgaa atattgetet etetttetaa atagegegaa teegtegetg tgeatttagg 4680 acateteagt egeegettgg ageteeegtg aggegtgett gteaatgegg taagtgteae 4740 tgattttgaa ctataacgac cgcgtgagtc aaaatgacgc atgattatct tttacgtgac 4800 ttttaagatt taactcatac gataattata ttgttatttc atgttctact tacgtgataa 4860 cttattatat atatatttc ttqttataga tatcgtgact aatatataat aaaatgggta 4920 gttctttaga cgatgagcat atcctctctg ctcttctgca aagcgatgac gagcttgttg 4980 gtgaggattc tgacaqtgaa atatcagatc acgtaagtga agatgacgtc-cagagcgata 5040 cagaagaagc gtttatagat gaggtacatg aagtgcagcc aacgtcaagc ggtagtgaaa 5100 tattagacga acaaaatgtt attgaacaac caggttcttc attggcttct aacagaatct 5160 tgaccttgcc acagaggact attagaggta agaataaaca ttgttggtca acttcaaagt 5220 ccacgaggeg tagccgagtc tctgcactga acattgtcag atcggcccgg gcgccgtttt 5280

PCT/GB2004/003263

tettgaaata ttgetetete tttetaaata gegegaatee gtegetgtge atttaggaca 5340 teteagtege egettggage teceaaaege geeagtggta gtacacagta etgtgggtgt 5400 tcagtttgaa atcctcttgc ttctccattg tctcggttac ctttggtcaa atccatgggt 5460 tctattgcct atatactctt gcgattacca gtgattgcgc tattagctat tagatggatt 5520 5580 gttggccaaa cttgtcgctt aagtggctgg gaattgtaac cgtaggcccg agtgtaatga tcccccataa aaagttttcg caatgccttt attttttgtt gcaaatctct ctttattctg 5640 5700 cggtattctt cattattgcg gggatgggga aagtgtttat atagaagcaa cttacgattg 5760 aacccaaatq cacctgacaa gcaaggtcaa agggccagat ttttaaatat attatttagt cttaggactc tctatttgca attaaattac tttgctacct gagggttaaa tcttccccat 5820 tgataataat aattccacta tatgttcaat tgggtttcac cgcgcttagt tacatgacga 5880 gccctaatga gccgtcggtg gtctataaac tgtgccttac aaatacttgc aactcttctc 5940 gttttgaagt cagcagagtt attgctaatt gctaattgct aattgctttt aactgatttc 6000 ttcgaaattg gtgctatgtt tatggcgcta ttaacaagta tgaatgtcag gtttaaccag 6060 gggatgctta attgtgttct caacttcaaa ggcagaaatg tttactcttg accatgggtt 6120 6180 taggtataat gttatcaagc tcctcgagtt aacgttacgt taacgttaac gttcgaggtc gactctagaa ctacccaccg tactcgtcaa ttccaagggc atcggtaaac atctgctcaa 6240 6300 actogaaqto qqccatatoo aqaqqqcqt aqggggggga gtcgtggggg gtaaatcccg gaccegggga ateccegtee eccaacatgt ecagategaa ategtetage gegteggeat 6360 gcgccatcgc cacgtcctcg ccgtctaagt ggagctcgtc ccccaggctg acatcggtcg 6420 _ggggggccgt_cgacagtctg cgcgtgtgtc ccgcggggag aaaggacagg cgcggagccg 6480 ccagccccgc ctcttcgggg gcgtcgtcgt ccgggagatc gagcaggccc tcgatggtag 6540 acccgtaatt gtttttcgta cgcgcgcggc tgtacgcggg gcccgagccc gactcgcatt 6600 6660 tcaqttqctt ttccaatccq caqataatca gctccaagcc gaacaggaat gccggctcgg 6720 ctccttgatg atcgaacagc tcgattgcct gacgcagcag tgggggcatc gaatcggttg ttggggtctc gcgctcctct tttgcgactt gatgctcttg gtcctccagc acgcagccca 6780 6840 gggtaaagtg accgacggcg ctcagagcgt agagagcatt ttccaggctg aagccttgct ggcacaggaa cgcgagctgg ttctccagtg tctcgtattg cttttcggtc gggcgcgtgc 6900 6960 cgagatggac tttggcaccg tctcggtggg acagcagagc gcagcggaac gacttggcgt tattgeggag gaagteetge caggaetege ettecaaegg geaaaaatge gtgtggtgge 7020 ggtcgagcat ctcgatggcc agggcatcca gcagcgcccg cttattcttc acgtgccagt 7080 agagggtggg ctgctccacg cccagcttct gcgccaactt gcgggtcgtc agtccctcaa 7140 tgccaacttc gttcaacagc tccaacgcgg agttgatgac tttggactta tccaggcggc 7200 tgcccatggt ggtttctaaa ggtgttataa atcaaattag ttttgttttt tcttgaaaac 7260

PCT/GB2004/003263

7320 tttgcgtttc ctttgatcaa cttaccgcca gggtaccgca gattgtttag cttgttcagc tgcgcttgtt tatttgctta gctttcgctt agcgacgtgt tcactttgct tgtttgaatt 7380 gaattgtcgc tccgtagacg aagcgcctct atttatactc cggcgctcgt tttcgagttt 7440 accactccct atcagtgata gagaaaagtg aaagtcgagt ttaccactcc ctatcagtga 7500 tagagaaaag tgaaagtcga gtttaccact ccctatcagt gatagagaaa agtgaaagtc 7560 gagtttacca ctccctatca gtgatagaga aaagtgaaag tcgagtttac cactccctat 7620 caqtqataqa qaaaaqtgaa aqtcqaqttt accactccct atcagtgata gagaaaagtg 7680 aaagtcgagt ttaccactcc ctatcagtga tagagaaaag tgaaagtcga aacctggcgc 7740 qcctcttaat taactcqcqt taaqatacat tgatgagttt ggacaaacca caactagaat 7800 gcagtgaaaa aaatgcttta tttgtgaaat ttgtgatgct attgctttat ttgtaaccat 7860 tataagctgc aataaacaag ttaacaacaa caattgcatt cattttatgt ttcaggttca 7920 7980 gggggaggtg tgggaggttt tttaaagcaa gtaaaacctc tacaaatgtg gtatggctga ttatqatcaq ttatctaqat ccqqtggatc ttacgggtcc tccaccttcc gctttttctt 8040 gggtcgagat ctcaggaaca ggtggtggcg gccctcggtg cgctcgtact gctccacgat 8100 qqtqtaqtcc tcqttqtqqq aqqtqatqtc caqcttqqcq tccacqtaqt agtaqccqqq 8160 cagetgeacg ggettettgg ceatgtagat ggaettgaac tecaceaggt agtggeegee 8220 gtccttcagc ttcagggcct tgtgggtctc gcccttcagc acgccgtcgc gggggtacag 8280 gcgctcggtg gaggcctccc agcccatggt cttcttctgc atcacggggc cgtcggaggg 8340 gaagttcacg ccgatgaact tcaccttgta gatgaagcag ccgtcctgca gggaggagtc 8400 -ctgggtcacg-gtcgccacgc cgccgtcctc gaagttcatc acgcgctccc acttgaagcc 8460 ctcggggaag gacagettet tgtagtcggg gatgtcggcg gggtgettea cgtacacett 8520 8580 ggagccgtac tggaactggg gggacaggat gtcccaggcg aagggcaggg ggccgccett ggtcaccttc agcttcacgg tgttgtggcc ctcgtagggg cggccctcgc cctcgccctc 8640 gatetegaae tegtggeegt teaeggtgee etecatgege acettgaage geatgaacte 8700 ggtgatgacg ttctcggagg aggccatggt ggcgaccggt ttgcgcttct tcttgggtgg 8760 ggtgggatcc tcgtcgcaca tcttgaatta gtctgcaaga aaagaaaaaa aacaattcaa 8820 actacattct cattccatac attatactaa gtaaacgaca aatttatttg cgtccatcta 8880 tttaqtqacq ttaaaqaaaa ctgtataaga ttcataattc actgttccca atttctgttt 8940 ccgaattgat-cgatgcgagt-ggacactttg aaatgtgcgt ccaataaact tatttcttat 9000 ttagtagtgt ttattaacat ctgcagtaca ctaaattccg aaaaatgttt tttttataa 9060 9120 aaaatttcac ttcactagtt atgcaacaat tatgtaacgt aacacgttat cattagcgta ttattaaaaa aaaaaaacac tcaaacatat gtaatactta aaggtaaagg gacggagaac 9180 cttcgaaatt caaattttac aaataaataa atatgttttt ttttctttcg caattttaaa 9240

34

9300 attaaaactt acatagtatt attaaataag tgacaagtac gtagatgcga atgcgcactg ttcgagcaca ccttagtaaa tgagaaccga ctcgtgagga taaactatat aaaagagccg 9360 ttatcacaat ttacacagta tcggctccag tttgtttttc caccaatcgc gggctgactc 9420 agtttttgtc accatatatg gtaacgcgca cgctatcagg taccatgc 9468 <210> 20 <211> 10140 <212> DNA <213> Artificial <220> <223> pLA928 <400> 20 ggccgctcat ttaaatctgg ccggccgcaa ccattgtggg aaccgtgcga tcaaacaaac 60 gcgagatacc ggaagtactg aaaaacagtc gctccaggcc agtgggaaca tcgatgtttt 120 1.80 gttttgacgg accccttact ctcgtctcat ataaaccgaa gccagctaag atggtatact tattatcatc ttgtgatgag gatgcttcta tcaacgaaag taccggtaaa ccgcaaatgg 240 ttatgtatta taatcaaact aaaggcggag tggacacgct agaccaaatg tgttctgtga 300 tgacctgcag taggaagacg aataggtggc ctatggcatt attgtacgga atgataaaca 360 ttgcctgcat aaattctttt attatataca gccataatgt cagtagcaag ggagaaaagg 420 tccaaagtcg caaaaaattt atgagaaacc tttacatgag cctgacgtca tcgtttatgc 480 gtaagcgttt agaagctcct actttgaaga gatatttgcg cgataatatc tctaatattt 540 tgccaaatga agtgcctggt acatcagatg acagtactga agagccagta atgaaaaaac 600 --gtacttactg_tacttactgc_ccctctaaaa taaggcgaaa ggcaaatgca tcgtgcaaaa 660 aatgcaaaaa agttatttgt cgagagcata atattgatat gtgccaaagt tgtttctgac 720 tgactaataa gtataatttg tttctattat gtataagtta agctaattac ttattttata 780 atacaacatg actgttttta aagtacaaaa taagtttatt tttgtaaaag agagaatgtt 840 900 taaacataaa taaattgttt gttgaattta ttattagtat gtaagtgtaa atataataaa 960 acttaatatc tattcaaatt aataaataaa cctcgatata cagaccgata aaacacatgc 1020 gtcaatttta cgcatgatta tctttaacgt acgtcacaat atgattatct ttctagggtt 1080 aaataatagt ttctaatttt tttattattc agcctgctgt cgtgaatacc gtatatctca 1140 acgetgtctg tgagattgtc gtattctagc ctttttagtt tttcgctcat cgacttgata --- 1200 1260 ttqtccqaca cattttcqtc gatttgcgtt ttgatcaaag acttgagcag agacacgtta atcaactgtt caaattgatc catattaacg atatcaaccc gatgcgtata tggtgcgtaa 1320 aatatatttt ttaaccctct tatactttgc actctgcgtt aatacgcgtt cgtgtacaga 1380 1440 cgtaatcatg ttttcttttt tggataaaac tcctactgag tttgacctca tattagaccc

35

tcacaagttg caaaacgtgg cattttttac caatgaagaa tttaaagtta ttttaaaaaa 1500 tttcatcaca gatttaaaga agaaccaaaa attaaattat ttcaacagtt taatcgacca 1560 gttaatcaac gtgtacacag acgcgtcggc aaaaaacacg cagcccgacg tgttggctaa 1620 aattattaaa tcaacttgtg ttatagtcac ggatttgccg tccaacgtgt tcctcaaaaa 1680 gttgaagacc aacaagttta cggacactat taattatttg attttgcccc acttcatttt 1740 gtgggatcac aattttgtta tattttaaac aaagcttggc actggccgtc gttttacaac 1800 gtcgtgactg ggaaaaccct ggcgttaccc aacttaatcg ccttgcagca catccccctt 1860 tegecagetg gegtaatage gaagaggeee geacegateg ecetteecaa eagttgegea 1920 gcctgaatgg cgaatggcgc ctgatgcggt attttctcct tacgcatctg tgcggtattt 1980 cacaccgcat atggtgcact ctcagtacaa tctgctctga tgccgcatag ttaagccagc 2040 2100 cccgacaccc gccaacaccc gctgacgcgc cctgacgggc ttgtctgctc ccggcatccg cttacagaca agctgtgacc gtctccggga gctgcatgtg tcagaggttt tcaccgtcat 2160 2220 caccgaaacg cgcgagacga aagggcctcg tgatacgcct atttttatag gttaatgtca tgataataat ggtttcttag acgtcaggtg gcacttttcg gggaaatgtg cgcggaaccc 2280 ctatttgttt atttttctaa atacattcaa atatgtatcc gctcatgaga caataaccct 2340 gataaatget teaataatat tgaaaaagga agagtatgag tatteaacat tteegtgteg 2400 cccttattcc cttttttgcg gcattttgcc ttcctgtttt tgctcaccca gaaacgctgg 2460 tgaaagtaaa agatgctgaa gatcagttgg gtgcacgagt gggttacatc gaactggatc 2520 2580 tcaacagegg taagateett gagagtttte geeeegaaga aegtttteca atgatgagea cttttaaagt_tctgctatgt_ggcgcggtat_tatcccgtat tgacgccggg caagagcaac 2640 teggtegeeg catacactat teteagaatg acttggttga gtactcacca gteacagaaa 2700 agcatcttac ggatggcatg acagtaagag aattatgcag tgctgccata accatgagtg 2760 ataacactgc ggccaactta cttctgacaa cgatcggagg accgaaggag ctaaccgctt 2820 ttttgcacaa catgggggat catgtaactc gccttgatcg ttgggaaccg gagctgaatg 2880 aagccatacc aaacgacgag cgtgacacca cgatgcctgt agcaatggca acaacgttgc 2940 gcaaactatt aactggcgaa ctacttactc tagcttcccg gcaacaatta atagactgga 3000 tggaggcgga taaagttgca ggaccacttc tgcgctcggc ccttccggct ggctggttta 3060 ttgctgataa atctggagcc ggtgagcgtg ggtctcgcgg tatcattgca gcactggggc 3120 cagatggtaa gccctcccgt atcgtagtta tctacacgac ggggagtcag gcaactatgg-3180 atgaacgaaa tagacagatc gctgagatag gtgcctcact gattaagcat tggtaactgt 3240 cagaccaagt ttactcatat atactttaga ttgatttaaa acttcatttt taatttaaaa 3300 ggatctaggt gaagatcctt tttgataatc tcatgaccaa aatcccttaa cgtgagtttt 3360 cgttccactg agcgtcagac cccgtagaaa agatcaaagg atcttcttga gatccttttt 3420

PCT/GB2004/003263

ttetgegegt aatetgetge ttgeaaacaa aaaaaccace getaccageg gtggtttgtt 3480 tgccggatca agagctacca actcttttc cgaaggtaac tggcttcagc agagcgcaga 3540 taccaaatac tgtccttcta gtgtagccgt agttaggcca ccacttcaag aactctgtag 3600 caccgcctac atacctcgct ctgctaatcc tgttaccagt ggctgctgcc agtggcgata 3660 agtcgtgtct taccgggttg gactcaagac gatagttacc ggataaggcg cagcggtcgg 3720 gctgaacggg gggttcgtgc acacagccca gcttggagcg aacgacctac accgaactga 3780 gatacctaca gcgtgagcat tgagaaagcg ccacgcttcc cgaagggaga aaggcggaca 3840 ggtatccggt aagcggcagg gtcggaacag gagagcgcac gagggagctt ccagggggaa 3900 acgcetggta tetttatagt cetgtegggt ttegecacet etgaettgag egtegatttt 3960 tgtgatgctc gtcagggggg cggagcctat ggaaaaacgc cagcaacgcg gcctttttac 4020 ggttcctggc cttttgctgg ccttttgctc acatgttctt tcctgcgtta tcccctgatt 4080 ctgtggataa ccgtattacc gcctttgagt gagctgatac cgctcgccgc agccgaacga 4140 ccgagcgcag cgagtcagtg agcgaggaag cggaagagcg cccaatacgc aaaccgcctc 4200 teccegegeg ttggeegatt cattaatgea getggeacga caggtttece gactggaaag 4260 cgggcagtga gcgcaacgca attaatgtga gttagctcac tcattaggca ccccaggctt 4320 tacactttat gcttccggct cgtatgttgt gtggaattgt gagcggataa caatttcaca 4380 caggaaacaq ctatgaccat gattacgaat ttcgacctgc aggcatgcaa gcttgcatgc 4440 ctgcaggtcg acgctcgcgc gacttggttt gccattcttt agcgcgcgtc gcgtcacaca 4500 gcttggccac aatgtggttt ttgtcaaacg aagattctat gacgtgttta aagtttaggt 4560 cgagtaaagc gcaaatcttt tttaacccta gaaagatagt ctgcgtaaaa ttgacgcatg 4620 cattettqaa atattqetet etetttetaa atagegegaa teegtegetg tgeatttagg 4680 acateteagt egeegettgg ageteeegtg aggegtgett gteaatgegg taagtgteae 4740 tgattttgaa ctataacqac cgcgtgaqtc aaaatgacgc atgattatct tttacgtgac 4800 4860 ttttaagatt taactcatac gataattata ttgttatttc atgttctact tacgtgataa cttattatat atatattttc ttgttataga tatcgtgact aatatataat aaaatgggta 4920 gttctttaga cgatgagcat atcctctctg ctcttctgca aagcgatgac gagcttgttg 4980 gtgaggattc tgacagtgaa atatcagatc acgtaagtga agatgacgtc cagagcgata 5040 cagaagaagc gtttatagat gaggtacatg aagtgcagcc aacgtcaagc ggtagtgaaa 5100 tattagacga acaaaatgtt attgaacaac caggttottc attggcttot aacagaatct 5160 5220 tgaccttgcc acagaggact attagaggta agaataaaca ttgttggtca acttcaaagt ccacgaggcg tagccgagtc tctgcactga acattgtcag atcggcccgg gcgccgtttt 5280 5340 tettqaaata ttgetetete tttetaaata gegegaatee gtegetgtge atttaggaca totcagtogo ogottggago toccaaacgo gocagtggta gtacacagta ctgtgggtgt 5400

PCT/GB2004/003263

tcagtttgaa atcctcttgc ttctccattg tctcggttac ctttggtcaa atccatgggt 5460 tctattgcct atatactctt gcgattacca gtgattgcgc tattagctat tagatggatt 5520 gttggccaaa cttgtcgctt aagtggctgg gaattgtaac cgtaggcccg agtgtaatga 5580 tececeataa aaagtttteg caatgeettt attttttgtt geaaatetet etttattetg 5640 5700 cggtattctt cattattgcg gggatgggga aagtgtttat atagaagcaa cttacgattg aacccaaatg cacctgacaa gcaaggtcaa agggccagat ttttaaaatat attatttagt 5760 cttaggactc tctatttgca attaaattac tttgctacct gagggttaaa tcttccccat 5820 tgataataat aattocacta tatgttoaat tgggtttoac cgcgcttagt tacatgacga 5880 gccctaatga gccgtcggtg gtctataaac tgtgccttac aaatacttgc aactcttctc 5940 gttttgaagt cagcagagtt attgctaatt gctaattgct aattgctttt aactgatttc 6000 ttcgaaattg gtgctatgtt tatggcgcta ttaacaagta tgaatgtcag gtttaaccag 6060 gggatgetta attgtgttet caactteaaa ggeagaaatg tttactettg accatgggtt 6120 taggtataat gttatcaagc tcctcgagtt aacgttacgt taacgttaac gttcgaggtc 6180 gactetagaa etacceaceg tactegteaa ttecaaggge ateggtaaac atetgeteaa 6240 6300 actegaagte ggccatatee agagegeegt agggggegga gtegtggggg gtaaateeeg gaccegggga atccccgtcc cccaacatgt ccagatcgaa atcgtctagc gcgtcggcat 6360 geoceatege cacqueeteg cegtetaagt ggagetegte ecceaggetg acateggteg 6420 ggggggccgt cgacagtctg cgcgtgtgtc ccgcggggag aaaggacagg cgcggagccg 6480 ccagccccgc ctcttcgggg gcgtcgtcgt ccgggagatc gagcaggccc tcgatggtag 6540 _acceptaatt_gtttttegta_egegegege tgtacgeggg gecegagece gactegeatt 6600 6660 tcagttgctt ttccaatccg cagataatca gctccaagcc gaacaggaat gccggctcgg 6720 ctccttgatg atcgaacagc tcgattgcct gacgcagcag tgggggcatc gaatcggttg 6780 ttggggtete gegeteetet tttgegaett gatgetettg gteeteeage aegeageeea 6840 gggtaaagtg accgacggcg ctcagagcgt agagagcatt ttccaggctg aagccttgct 6900 ggcacaggaa cgcgagctgg ttctccagtg tctcgtattg cttttcggtc gggcgcgtgc 6960 cgagatggac tttggcaccg tctcggtggg acagcagagc gcagcggaac gacttggcgt 7020 tattgcggag gaagtcctgc caggactcgc cttccaacgg gcaaaaatgc gtgtggtggc ggtcgagcat ctcgatggcc agggcatcca gcagcgcccg cttattcttc acgtgccagt 7080 agagggtggg ctgctccacg cccagcttct-gcgccaactt gcgggtcgtc agtccctcaa 7140 tgccaacttc gttcaacagc tccaacgcgg agttgatgac tttggactta tccaggcggc 7200 tgcccatggt ggtttctaaa ggtgttataa atcaaattag ttttgttttt tcttgaaaac 7260 tttgcgtttc ctttgatcaa cttaccgcca gggtaccgca gattgtttag cttgttcagc 7320 tgcgcttgtt tatttgctta gctttcgctt agcgacgtgt tcactttgct tgtttgaatt 7380

PCT/GB2004/003263

gaattgtcgc tccgtagacg aagcgcctct atttatactc cggcgctcgt tttcgagttt 7440 accactccct atcagtgata gagaaaagtg aaagtcgagt ttaccactcc ctatcagtga 7500 tagagaaaag tgaaagtcga gtttaccact ccctatcagt gatagagaaa agtgaaagtc 7560 gagtttacca ctccctatca gtgatagaga aaagtgaaag tcgagtttac cactccctat 7620 cagtgataga gaaaagtgaa agtcgagttt accactccct atcagtgata gagaaaagtg 7680 aaagtcgagt ttaccactcc ctatcagtga tagagaaaag tgaaagtcga aacctggcgc 7740 gcctcttaat taactcgcgt taagatacat tgatgagttt ggacaaacca caactagaat 7800 gcagtgaaaa aaatgcttta tttgtgaaat ttgtgatgct attgctttat ttgtaaccat 7860 tataagetge aataaacaag ttaacaacaa caattgeatt cattttatgt tteaggttea 7920 gggggaggtg tgggaggttt tttaaagcaa gtaaaacctc tacaaatgtg gtatggctga 7980 ttatgatcag ttatctagat ccggtggatc ttacgggtcc tccaccttcc gctttttctt 8040 gggtcgagat ctcaggaaca ggtggtggcg gccctcggtg cgctcgtact gctccacgat 8100 ggtgtagtcc tcgttgtggg aggtgatgtc cagcttggcg tccacgtagt agtagccggg 8160 cagctgcacg ggcttcttgg ccatgtagat ggacttgaac tccaccaggt agtggccgcc 8220 gtccttcagc ttcagggcct tgtgggtctc gcccttcagc acgccgtcgc gggggtacag 8280 gegeteggtg gaggeetece ageceatggt ettettetge ateaegggge egteggaggg 8340 gaagttcacg ccgatgaact tcaccttgta gatgaagcag ccgtcctgca gggaggagtc 8400 ctgggtcacg gtcgccacgc cgccgtcctc gaagttcatc acgcgctccc acttgaagcc 8460 cteggggaag gacagettet tgtagteggg gatgteggeg gggtgettea egtacacett 8520 _ggagccgtac_tggaactggg.gggacaggat gtcccaggcg aagggcaggg ggccgccctt 8580 ggtcaccttc agcttcacgg tgttgtggcc ctcgtagggg cggccctcgc cctcgccctc 8640 gatctcgaac tegtggccgt tcacggtgcc ctccatgcgc accttgaagc gcatgaactc 8700 ggtgatgacg ttctcggagg aggccatggt ggcgaccggt ttgcgcttct tcttgggtgg 8760 ggtgggatct cccatggtgg cctgaatctc aacttgcacc tgaaggtagt gcagcaagga 8820 8880 tgagcaaaag ggaagaaccc agaaaagaac gggaaaactt accccaatta gaattgcttg tegeegeeag tgteaacttg caactgaaac aatatecaac atgaaegtea atttataetg 8940 ccctaatggc gaacacgata acaatatttc ttttattatg ccctctaaaa ccaacgcggt 9000 tatcgtttat ttattcaaat tagatataga acatccgccg acatacaatg ttaatgcaaa 9060 aacgcgtttg-gtgagcggat acgaaaacag tcggccgata aacattaatc tgaggtcgat 9120 aacaccgtcc ttgaacggaa cacgaggagc gtacgtgatc agctgcattc gcgcgccgcg 9180 cctttatcga gatttatttg catacaacaa gtacactgcg ccgttgggat ttgtggtaac 9240 gcgcacacat gcagagctgc aagtgtggca cattttgtct gtgcgcaaaa cctttgaagc 9300 caaaagtacg aggtccgtta cgggcatgct agcgcacacg gacaatggac ccgacaaatt 9360

39

PCT/GB2004/003263

ctacgccaag gatttaatga taatgtcggg caacgtatcc gttcatttta tcaataacct 9420 acaaaaatgt cgcgcgcatc acaaagacat cgatatattt aaacatttat gtcccgaact 9480 gcaaatcgat aatagtgttg tgcaacctcg agcgtccgtt tgatttaacg tatagcttgc 9540 aaatgaatta tttaattatc aatcatgttt tacgcgtaga attctacccg taaagcgagt 9600 ttagttatga gccatgtgca aaacatgaca tcagctttta tttttataac aaatgacatc 9660 atttettgat tgtgttttae acgtagaatt etactegtaa agegagttea gttttgaaaa 9720 acaaatgaca tcatcttttt gattgtgctt tacaagtaga attctacccg taaatcaagt 9780 tcggttttga aaaacaaatg agtcatattg tatgatatca tattgcaaaa caaatgactc 9840 atcaatcgat cgtgcgttac acgtagaatt ctactcgtaa agcgagttta tgagccgtgt 9900 gcaaaacatg acatcatctc gatttgaaaa acaaatgaca tcatccactg atcgtgcatt 9960 acaagtagaa ttctactcgt aaagccagtt cggttatgag ccgtgtacaa aacatgacat 10020 cagattatga ctcatacttg attgtgtttt acgcgtagaa ttctactcgt aaagccagtt 10080 caattttaaa aacaaatgac atcatccaaa ttaataaatg acaagcaatg ggtaccatgc 10140

<210> 21

WO 2005/012534

<211> 10522 <212> DNA <213> Artificial

<220>

<223> pLA1124

gtggtttttg tcaaacgaag attctatgac gtgtttaaag tttaggtcga gtaaagcgca 60 - - aatctttttt .aaccctagaa.agatagtctg cgtaaaattg acgcatgcat tcttgaaata 120 ttgctctctc tttctaaata gcgcgaatcc gtcgctgtgc atttaggaca tctcagtcgc 180 cgcttggagc tcccgtgagg cgtgcttgtc aatgcggtaa gtgtcactga ttttgaacta 240 taacgaccgc gtgagtcaaa atgacgcatg attatctttt acgtgacttt taagatttaa 300 ctcatacgat aattatattg ttatttcatg ttctacttac gtgataactt attatatat 360 tattttcttg ttatagatat cgtgactaat atataataaa atgggtagtt ctttagacga 420 tgagcatate etetetgete ttetgeaaag egatgaegag ettgttggtg aggattetga 480 cagtgaaata tcagatcacg taagtgaaga tgacgtccag agcgatacag aagaagcgtt 540 tatagatgag gtacatgaag tgcagccaac gtcaagcggt agtgaaatat tagacgaaca 600 aaatgttatt gaacaaccag gttcttcatt ggcttctaac agaatcttga -ccttgccaca -660 · gaggactatt agaggtaaga ataaacattg ttggtcaact tcaaagtcca cgaggcgtag 720 ccgagtctct gcactgaaca ttgtcagatc ggcccgggcg ccgtttttct tgaaatattg 780 ctctctcttt ctaaatagcg cgaatccgtc gctgtgcatt taggacatct cagtcgccqc 840 ttggagctcc caaacgcgcc agtggtagta cacagtactg tgggtgttca gtttgaaatc 900

PCT/GB2004/003263

ctcttgcttc tccattgtct cggttacctt tggtcaaatc catgggttct attgcctata 960 tactcttgcg attaccagtg attgcgctat tagctattag atggattgtt ggccaaactt 1020 gtcgcttaag tggctgggaa ttgtaaccgt aggcccgagt gtaatgatcc cccataaaaa 1080 gttttcgcaa tgcctttatt ttttgttgca aatctctctt tattctgcgg tattcttcat 1140 tattgcgggg atggggaaag tgtttatata gaagcaactt acgattgaac ccaaatgcac 1200 ctgacaagca aggtcaaagg gccagatttt taaatatatt atttagtctt aggactctct 1260 atttgcaatt aaattacttt gctacctgag ggttaaatct tccccattga taataataat 1320 tccactatat gttcaattgg gtttcaccgc gcttagttac atgacgagcc ctaatgagcc 1380 gtcggtggtc tataaactgt gccttacaaa tacttgcaac tcttctcgtt ttgaagtcag 1440 cagagttatt gctaattgct aattgctaat tgcttttaac tgatttcttc gaaattggtg 1500 ctatgtttat ggcgctatta acaagtatga atgtcaggtt taaccagggg atgcttaatt 1560 gtgttctcaa cttcaaaggc agaaatgttt actcttgacc atgggtttag gtataatgtt 1620 atcaagctcc tcgagttaac gttacgttaa cgttaacgtt cgaggtcgac tctagaacta 1680 cccaccgtac tcgtcaattc caagggcatc ggtaaacatc tgctcaaact cgaagtcggc 1740 catatecaga gegeegtagg gggeggagte gtggggggta aateceggae eeggggaate 1800 cccgtccccc aacatgtcca gatcgaaatc gtctagcgcg tcggcatgcg ccatcgccac 1860 1920 gtcctcgccg tctaagtgga gctcgtcccc caggctgaca tcggtcgggg gggccgtcga cagtetgege gtgtgteeeg eggggagaaa ggaeaggege ggageegeea geeeegeete 1980 ttcgggggcg tcgtcgtccg ggagatcgag caggcctcg atggtagacc cgtaattgtt 2040 -tttcgtacgc-gegeggetgt acgeggggec egagecegae tegeatttca gttgetttte 2100 2160 gaacageteg attgeetgae geageagtgg gggeategaa teggttgttg gggtetegeg. 2220 ctcctctttt gcgacttgat gctcttggtc ctccagcacg cagcccaggg taaagtgacc 2280 gacggcgctc agagcgtaga gagcattttc caggctgaag ccttgctggc acaggaacgc 2340 gagetggtte tecagtgtet egtattgett tteggteggg egegtgeega gatggaettt 2400 ggcaccgtct cggtgggaca gcagagcgca gcggaacgac ttggcgttat tgcggaggaa 2460 gtcctgccag gactcgcctt ccaacgggca aaaatgcgtg tggtggcggt cgagcatctc 2520 gatggccagg gcatccagca gcgcccgctt attcttcacg tgccagtaga gggtgggctg 2580 ctccacgcc agettetgcg ccaacttgcg ggtcgtcagt ccctcaatgc-caacttcgtt 2640 caacagetee aacgeggagt tgatgacttt ggacttatee aggeggetge ceatggtggt 2700 ttctaaaggt gttataaatc aaattagttt tgttttttct tgaaaacttt gcgtttcctt 2760 tgatcaactt accgccaggg taccgcagat tgtttagctt gttcagctgc gcttgtttat 2820 2880

PCT/GB2004/003263

gtagacgaag cgcctctatt tatactccgg cgctcgtttt cgagtttacc actccctatc 2940 agtgatagag aaaagtgaaa gtcgagttta ccactcccta tcagtgatag agaaaagtga 3000 aagtcgagtt taccactccc tatcagtgat agagaaaagt gaaagtcgag tttaccactc 3060 cctatcagtg atagagaaaa gtgaaagtcg agtttaccac tccctatcag tgatagagaa 3120 aagtgaaagt cgagtttacc actccctatc agtgatagag aaaagtgaaa gtcgagttta 3180 ccactcccta tcagtgatag agaaaagtga aagtcgaaac ctggcgcgcc ccggccatcg 3240 3300 agagaacata ctccctatca gtgatagaga agtccctatc agtgatagag atgtccctat 3360 cagtgataga gagttcccta tcagtgatag agacgtccct atcagtgata gagaagtccc 3420 tatcagtgat agagagatcc ctatcagtga tagagatttc cctatcagtg atagagaggt 3480 ccctatcagt gatagagact tccctatcag tgatagagaa atccctatca gtgatagaga 3540 catccctatc agtgatagag aactccctat cagtgataga gacctcccta tcagtgatag 3600 agatcgatgc ggccgcatgg tacccattgc ttgtcattta ttaatttgga tgatgtcatt 3660 tgtttttaaa attgaactgg ctttacgagt agaattctac gcgtaaaaca caatcaagta 3720 tgagtcataa tctgatgtca tgttttgtac acggctcata accgaactgg ctttacgagt 3780 agaattetae tigtaaigea egateagigg aigaigteat tigittitea aaicgagaig 3840 atgtcatgtt ttqcacacgg ctcataaact cgctttacga gtagaattct acgtqtaacg 3900 cacgatcgat tgatgagtca tttgttttgc aatatgatat catacaatat gactcatttg 3960 tttttcaaaa ccgaacttga tttacgggta gaattctact tgtaaagcac aatcaaaaag 4020 atgatgtcat_ttgtttttca_aaactgaact_cgctttacga_gtagaattct acgtgtaaaa 4080 cacaatcaag aaatgatgtc atttgttata aaaataaaag ctgatgtcat gttttgcaca 4140 tggctcataa ctaaactcgc tttacgggta gaattctacg cgtaaaacat gattgataat 4200 taaataattc atttgcaagc tatacgttaa atcaaacgga cgctcgaggt tgcacaacac 4260 tattatcgat ttgcagttcg ggacataaat gtttaaatat atcgatgtct ttgtgatgcg 4320 cgcgacattt ttgtaggtta ttgataaaat gaacggatac gttgcccgac attatcatta 4380 aatccttggc gtagaatttg tegggtecat tgteegtgtg egetageatg eeegtaacgg 4440 acctcgtact tttggcttca aaggttttgc gcacagacaa aatgtgccac acttgcagct 4500 ctgcatgtgt gcgcgttacc acaaatccca acggcgcagt gtacttgttg tatgcaaata 4560 aatctcgata aaggcgcggc gcgcgaatgc agetgatcac gtacgctcct cgtgttccgt 4620 tcaaggacgg tgttatcgac ctcagattaa tgtttatcgg ccgactgttt tcgtatccgc 4680 tcaccaaacg cgtttttgca ttaacattgt atgtcggcgg atgttctata tctaatttga 4740 ataaataaac gataaccgcg ttggttttag agggcataat aaaagaaata ttgttatcgt 4800 gttcgccatt agggcagtat aaattgacgt tcatgttgga tattgtttca gttgcaagtt 4860

PCT/GB2004/003263

gacactggcg gcgacaagca attctaattg gggtaagttt tcccgttctt ttctgggttc 4920 ttcccttttg ctcatccttg ctgcactacc ttcaggtgca agttgagatt caggccacca 4980 tgggagatec caccecacc aagaagaage gcaaaccggt cgccaccatg gcctcctccg 5040 agaacgtcat caccgagttc atgcgcttca aggtgcgcat ggagggcacc gtgaacggcc 5100 acgagttcga gatcgagggc gagggcgagg gccgcccta cgagggccac aacaccgtga 5160 agetgaaggt gaccaaggge ggeceettge cettegeetg ggacateetg teceeceagt 5220 tccagtacgg ctccaaggtg tacgtgaagc accccgccga catccccgac tacaagaagc 5280 tgtccttccc cgagggcttc aagtgggagc gcgtgatgaa cttcgaggac ggcggcgtgg 5340 cgaccgtgac ccaggactcc tccctgcagg acggctgctt catctacaag gtgaagttca 5400 teggegtgaa etteceetee gaeggeeeeg tgatgeagaa gaagaeeatg ggetgggagg 5460 cctccaccga gcgcctgtac ccccgcgacg gcgtgctgaa gggcgagacc cacaaggccc 5520 tgaagctgaa ggacggcggc cactacctgg tggagttcaa gtccatctac atggccaaga 5580 agecegtgea getgeeegge tactactaeg tggaegeeaa getggaeate aceteceaea 5640 acgaggacta caccatcgtg gagcagtacg agcgcaccga gggccgccac cacctgttcc 5700 tgagateteg acceaagaaa aageggaagg tggaggacee gtaagateea eeggatetag 5760 ataactgatc ataatcagcc ataccacatt tgtagaggtt ttacttgctt taaaaaacct 5820 cccacacctc cccctqaacc tqaaacataa aatqaatqca attqttqttq ttaacttqtt 5880 tattgcagct tataatggtt acaaataaag caatagcatc acaaatttca caaataaagc 5940 atttttttca ctgcattcta gttgtggttt gtccaaactc atcaatgtat cttaacgcga 6000 _gttaattaag_gccgctcatt_taaatctggc_cggcaac cattgtggga accgtgcgat 6060 caaacaaacg cgagataccg gaagtactga aaaacagtcg ctccaggcca gtgggaacat 6120 cgatgttttg ttttgacgga ccccttactc tcgtctcata taaaccgaag ccagctaaga 6180 tggtatactt attatcatct tgtgatgagg atgcttctat caacgaaagt accggtaaac 6240 cgcaaatggt tatgtattat aatcaaacta aaggcggagt ggacacgcta gaccaaatgt 6300 gttctgtgat gacctgcagt aggaagacga ataggtggcc tatggcatta ttgtacggaa 6360 tgataaacat tgcctgcata aattctttta ttatatacag ccataatgtc agtagcaagg 6420 gagaaaaggt ccaaagtcgc aaaaaattta tgagaaacct ttacatgagc ctgacgtcat 6480 cgtttatgcg taagcgttta gaagctccta ctttgaagag atatttgcgc gataatatct 6540 ctaatatttt gccaaatgaa gtgcctggta catcagatga cagtactgaa gagccagtaa 6600 tgaaaaaacg tacttactgt acttactgcc cctctaaaat aaggcgaaag gcaaatgcat 6660 cgtgcaaaaa atgcaaaaaa gttatttgtc gagagcataa tattgatatg tgccaaagtt 6720 gtttctgact gactaataag tataatttgt ttctattatg tataaqttaa gctaattact 6780 tattttataa tacaacatga ctgtttttaa agtacaaaat aagtttattt ttgtaaaaga 6840

PCT/GB2004/003263

gagaatgttt aaaagttttg ttactttata gaagaaattt tgagtttttg tttttttta 6900 ataaataaat aaacataaat aaattgtttg ttgaatttat tattagtatg taaqtgtaaa 6960 7020 aacacatgcg tcaattttac gcatgattat ctttaacgta cgtcacaata tgattatctt 7080 tctagggtta aataatagtt tctaattttt ttattattca gcctgctgtc gtgaataccg 7140 tatatctcaa cgctgtctgt gagattgtcg tattctagcc tttttagttt ttcgctcatc 7200 gacttgatat tgtccqacac attttcgtcg atttgcgttt tgatcaaaga cttgaqcaga 7260 gacacgttaa tcaactgttc aaattgatcc atattaacga tatcaacccg atgcgtatat 7320 ggtgcgtaaa atatattttt taaccetett ataetttgca etetgcgtta atacgegtte 7380 gtgtacagac gtaatcatgt tttctttttt ggataaaact cctactgagt ttgacctcat 7440 attagaccct cacaagttgc aaaacgtggc attttttacc aatgaagaat ttaaagttat 7500 tttaaaaaat ttcatcacag atttaaagaa gaaccaaaaa ttaaattatt tcaacagttt 7560 aatcgaccag ttaatcaacg tgtacacaga cgcgtcggca aaaaacacgc agcccgacgt 7620 gttggctaaa attattaaat caacttgtgt tatagtcacg gatttgccgt ccaacgtgtt 7680 cctcaaaaag ttgaagacca acaagtttac ggacactatt aattatttga ttttgcccca 7740 cttcattttg tgggatcaca attttgttat attttaaaca aagcttggca ctggccgtcg 7800 ttttacaacg tcgtgactgg gaaaaccctg gcgttaccca acttaatcgc cttgcagcac 7860 atcccccttt cgccagctgg cgtaatagcg aagaggcccg caccgatcgc ccttcccaac 7920 agttgcgcag cctgaatggc gaatggcgcc tgatgcggta ttttctcctt acgcatctgt 7980 ...geggtatttc_acacegcata_tggtgcactc tcagtacaat ctgctctgat gccgcatagt 8040 taagccagcc ccgacacccg ccaacacccg ctgacgcgcc ctgacgggct tgtctgctcc 8100 cggcatccgc ttacagacaa gctgtgaccg tctccgggag ctgcatgtgt cagaggtttt 8160 caccytcatc accyaaacyc gcyagacyaa agygcctcyt gatacyccta tttttatagy 8220 ttaatgtcat gataataatg gtttcttaga cgtcaggtgg cacttttcgg ggaaatgtgc 8280 geggaaceee tatttgttta tttttctaaa tacattcaaa tatgtateeg etcatgagae 8340 aataaccctg ataaatgctt caataatatt gaaaaaggaa gagtatgagt attcaacatt 8400 teegtgtege eettatteee ttttttgegg cattttgeet teetgttttt geteaceeag 8460 aaacgctggt gaaagtaaaa gatgctgaag atcagttggg tgcacgagtg ggttacatcg 8520 _aactggatct caacagcggt aagatccttg agagttttcg ccccgaagaa cgttttccaa 8580tgatgagcac ttttaaagtt ctgctatgtg gcgcggtatt atcccgtatt gacgccgggc 8640 aagagcaact cggtcgccqc atacactatt ctcagaatga cttggttgag tactcaccaq 8700 tcacagaaaa gcatcttacg gatggcatga cagtaagaga attatgcagt gctgccataa 8760 ccatgagtga taacactgcg gccaacttac ttctgacaac gatcggagga ccgaaggagc 8820

taaccgcttt	tttgcacaac	atgggggatc	atgtaactcg	ccttgatcgt	tgggaaccgg	0888	
agctgaatga	agccatacca	aacgacgagc	gtgacaccac	gatgcctgta	gcaatggcaa	8940	
caacgttgcg	caaactatta	actggcgaac	tacttactct	agcttcccgg	caacaattaa	9000	
tagactggat	ggaggcggat	aaagttgcag	gaccacttct	gcgctcggcc	cttccggctg	9060	
gctggtttat	tgctgataaa	tctggagccg	gtgagcgtgg	gtctcgcggt	atcattgcag	9120	
cactggggcc	agatggtaag	ccctcccgta	tcgtagttat	ctacacgacg	gggagtcagg	9180	
caactatgga	tgaacgaaat	agacagatcg	ctgagatagg	tgcctcactg	attaagcatt	9240	
ggtaactgtc	agaccaagtt	tactcatata	tactttagat	tgatttaaaa	cttcattttt	9300	
aatttaaaag	gatctaggtg	aagatccttt	ttgataatct	catgaccaaa	atcccttaac	9360	
gtgagttttc	gttccactga	gcgtcagacc	ccgtagaaaa	gatcaaagga	tcttcttgag	9420	
atccttttt	tctgcgcgta	atctgctgct	tgcaaacaaa	aaaaccaccg	ctaccagcgg	9480	
tggtttgttt	gccggatcaa	gagctaccaa	ctctttttcc	gaaggtaact	ggcttcagca	9540	
gagcgcagat	accaaatact	gtccttctag	tgtagccgta	gttaggccac	cacttcaaga	9600	
actctgtagc	accgcctaca	tacctcgctc	tgctaatcct	gttaccagtg	gctgctgcca	9660	
gtggcgataa	gtcgtgtctt	accgggttgg	actcaagacg	atagttaccg	gataaggcgc	9720	
agcggtcggg	ctgaacgggg	ggttcgtgca	cacagcccag	cttggagcga	acgacctaca	9780	
ccgaactgag	atacctacag	cgtgagcatt	gagaaagcgc	cacgetteee	gaagggagaa	9840	
aggcggacag	gtatccggta	agcggcaggg	tcggaacagg	agagcgcacg	agggagcttc	9900	
cagggggaaa	cgcctggtat	ctttatagtc	ctgtcgggtt	tegecacete	tgacttgagc	9960	
gtcgatttt	-gtgatgctcg	-teaggggggc-	ggagcctatg	gaaaaacgcc	agcaacgcgg	10020	
cctttttacg	gttcctggcc	ttttgctggc	cttttgctca	catgttcttt	cctgcgttat	10080	
cccctgattc	tgtggataac	cgtattaccg	cctttgagtg	agctgatacc	getegeegea	10140	
gccgaacgac	cgagcgcagc	gagtcagtga	gcgaggaagc	ggaagagcgc	ccaatacgca	10200	
aaccgcctct	ccccgcgcgt	tggccgattc	attaatgcag	ctggcacgac	aggtttcccg	10260	
actggaaagc	gggcagtgag	cgcaacgcaa	ttaatgtgag	ttagctcact	cattaggcac	10320	
cccaggcttt	acactttatg	cttccggctc	gtatgttgtg	tggaattgtg	agcggataac	10380	
aatttcacac	aggaaacagc	tatgaccatg	attacgaatt	tcgacctgca	ggcatgcaag	10440	
cttgcatgcc	tgcaggtcga	cgctcgcgcg	acttggtttg	ccattcttta	gegegegteg	10500	
cgtcacacag	cttggccaca	at				10522	

<210> 22 <211> 11867 <212> DNA <213> Artificial

45

PCT/GB2004/003263

<223> pLA1188

WO 2005/012534

<400> 22 gtggtttttg tcaaacgaag attctatgac gtgtttaaag tttaggtcga gtaaagcgca 60 aatctttttt aaccctagaa agatagtctg cgtaaaattg acgcatgcat tcttgaaata 120 ttgctctctc tttctaaata gcgcgaatcc gtcgctgtgc atttaggaca tctcagtcgc 180 cgcttggagc teccgtgagg cgtgcttgtc aatgcggtaa gtgtcactga ttttgaacta 240 taacgaccgc gtgagtcaaa atgacgcatg attatctttt acgtgacttt taagatttaa 300 ctcatacgat aattatattg ttatttcatg ttctacttac gtgataactt attatatata 360 tattttcttg ttatagatat cgtgactaat atataataaa atgggtagtt ctttagacga 420 tgagcatatc ctctctgctc ttctgcaaag cgatgacgag cttgttggtg aggattctga 480 cagtgaaata tcagatcacg taagtgaaga tgacgtccag agcgatacag aagaagcgtt 540 tatagatgag gtacatgaag tgcagccaac gtcaagcggt agtgaaatat tagacgaaca 600 aaatgttatt gaacaaccag gttcttcatt ggcttctaac agaatcttga ccttgccaca 660 gaggactatt agaggtaaga ataaacattg ttggtcaact tcaaagtcca cgaggcgtag 720 ccgagtctct gcactgaaca ttgtcagatc ggcccgggcg ccgtttttct tgaaatattg 780 ctctctcttt ctaaatagcg cgaatccgtc gctgtgcatt taggacatct cagtcgccgc 840 ttggagetee caaacgegee agtggtagta cacagtactg tgggtgttea gtttgaaate 900 ctcttgcttc tccattgtct cggttacctt tggtcaaatc catgggttct attgcctata 960 tactcttgcg attaccagtg attgcgctat tagctattag atggattgtt ggccaaactt 1020 gtcgcttaag tggctgggaa ttgtaaccgt aggcccgagt gtaatgatcc cccataaaaa 1080 --gttttcgcaa-tgcctttatt_ttttgttgca aatctctctt tattctgcgg tattcttcat 1140 tattgcgggg atggggaaag tgtttatata gaagcaactt acgattgaac ccaaatgcac 1200 ctgacaagca aggtcaaagg gccagatttt taaatatatt atttagtctt aggactctct 1260 atttgcaatt aaattacttt gctacctgag ggttaaatct tccccattga taataataat 1320 tccactatat gttcaattgg gtttcaccgc gcttagttac atgacgagcc ctaatgagcc 1380 gtcggtggtc tataaactgt gccttacaaa tacttgcaac tcttctcgtt ttgaagtcag 1440 cagagttatt gctaattgct aattgctaat tgcttttaac tgatttcttc gaaattggtg 1500 ctatgtttat ggcgctatta acaagtatga atgtcaggtt taaccagggg atgcttaatt 1560 gtgttctcaa cttcaaaggc agaaatgttt actcttgacc atgggtttag gtataatgtt 1620 atcaagetee tegagttaae gttaegttaa egttaaegtt egaggtegae tetagaaeta 1680 cccaccgtac tcgtcaattc caagggcatc ggtaaacatc tgctcaaact cgaagtcqqc 1740 catatccaga gcgccgtagg gggcggagtc gtggggggta aatcccggac ccgggqaatc 1800 cccgtccccc aacatgtcca gategaaatc gtctagcgcg tcggcatgcg ccatcgccac 1860 gtectegeeg tetaagtgga getegteece caggetgaea teggtegggg gggeegtega 1920

PCT/GB2004/003263

cagtetgege gtgtgteeeg eggggagaaa ggacaggege ggageegeea geeeegeete 1980 ttcqqqqqcq tcqtcqtccq qgagatcgag caggccctcq atggtagacc cgtaattgtt 2040 tttcgtacgc gcgcggctgt acgcggggcc cgagcccgac tcgcatttca gttgcttttc 2100 2160 gaacageteg attgeetgae geageagtgg gggeategaa teggttgttg gggtetegeg 2220 ctcctctttt gcgacttgat gctcttggtc ctccagcacg cagcccaggg taaagtgacc 2280 2340 gacggcgctc agagcgtaga gagcattttc caggctgaag ccttgctggc acaggaacgc gagetggttc tecagtgtct egtattgctt tteggteggg egegtgeega gatggaettt 2400 ggcaccgtct cggtgggaca gcagagcgca gcggaacgac ttggcgttat tgcggaggaa 2460 2520 gtectgecag gaetegeett ecaaegggea aaaatgegtg tggtggeggt egageatete gatggccagg gcatccagca gcgcccgctt attcttcacc tatagatacc atagatgtat 2580 2640 ggattagtat catatacata caaaggctat ttttgggaca tattaatatt aacaatttcc gtgatagttt tcaccatttt tgttgaatgt tacgttgaaa atttaaattt gttttaaatt 2700 aattttacca gtcatgtgtt cttaaaagtt tttatgattg aaacggcata aagtggttca 2760 aaaatttatc aaqaaaqqct ttcctttttt aaatcttatc tttttctctt aaaaatcact 2820 agtcaattca ttattaattt gttaacttga atttggaatg tctatttact ttcagataaa 2880 ttaaaqcaaq aaacttaata ttcqaaaaaa attgattcta aatggaattt cacttgatct 2940 tcatgtatgc atatcaattt ttatttacat tgtataataa gtttcgagtt gattgttgta 3000 atccacaggt gtcccagaga attaaattcc aaattaccca agtttattga atgttgattg 3060 tagtttcagt tgctttgttg ctgcaacaat ggcttgttga ttgtagatat tttccctttc 3120 cttggtttac ttattacata gactgaaaaa gaggtttact tttttgatac ttatgaaaaa 3180 tttctattag tgattactaa ccaatcgcta tatgtttact agaaaacaaa taaactcttt 3240 acattaacat tcaataatgt ttgctctgta accgacaatt gaaggcgtta cagcaacagt 3300 aatataacta gettettaae eeteatetat taaceeeate gtttaaaaca etatgttaaa 3360 tggtctaaca aatctagata ctaatagatg tcttattact tagcagccac agctgcaaca 3420 tccaagacaa tttttgaaac ttcttattga gctcttggca gcagaaatgt tggtattttt 3480 cacagettte tgaaagaceg geacetteet eeggtteeeg tttetgaatt caagaggatt 3540 3600 tccgaccccc aattaatccc gaaacaaata aggtatattc aaaatgatgg aaaagtcatg gctgctgacc ttatttttat tcctattgat agaatattat tcccctttta aatacactgt 3660 actaagaggt ccggctataa ttttactcac ttgtcgatta tcccatagaa tgttgattgt 3720 agttggttgc ttttccaggt gagagttgat caagtcacaa aagttagcgt gtgttgattg 3780 tagatttgaa ggtaaaataa tttttgcacc cattcatcgg gtaaaacgtt ctccatagaa 3840 tacatttcca tcgataattg ataacttatg aatttcaaag aaaaaaatat gcttttaaaa 3900

ttacgtgcca gtagagggtg ggctgctcca cgcccagctt ctgcgccaac ttgcgggtcg 3960 tcagtccctc aatgccaact tcgttcaaca gctccaacgc ggagttgatg actttggact 4020 tatccaggcg gctgcccatg gtggtttcta aaggtgttat aaatcaaatt agttttgttt 4080 tttcttgaaa actttgcgtt tcctttgatc aacttaccgc cagggtaccg cagattgttt 4140 agettgttca getgegettg tttatttget tagetttege ttagegaegt gttcaetttg 4200 cttgtttgaa ttgaattgtc gctccgtaga cgaagcgcct ctatttatac tccggcgctc 4260 gttttcgagt ttaccactcc ctatcagtga tagagaaaag tgaaagtcga gtttaccact 4320 ccctatcagt gatagagaaa agtgaaagtc gagtttacca ctccctatca gtgatagaga 4380 aaagtgaaag tegagtttac cactecetat cagtgataga gaaaagtgaa agtegagttt 4440 4500 accactccct atcagtgata gagaaaagtg aaagtcgagt ttaccactcc ctatcagtga tagagaaaag tgaaagtcga gtttaccact ccctatcagt gatagagaaa agtgaaagtc 4560 4620 gagaaagaga gagagaagag aagagagaga acatactccc tatcagtgat agagaagtcc 4680 ctatcagtga tagagatgtc cctatcagtg atagagagtt ccctatcagt gatagagacg 4740 4800 tecetateag tgatagagaa gteeetatea gtgatagaga gateeetate agtgatagag atttccctat cagtgataga gaggtcccta tcagtgatag agacttccct atcagtgata 4860 gagaaatccc tatcagtgat agagacatcc ctatcagtga tagagaactc cctatcagtg 4920 atagagacct ccctatcagt gatagagatc gatgcggccg catggtaccc attgcttgtc 4980 atttattaat ttggatgatg tcatttgttt ttaaaattga actggcttta cgagtagaat 5040 _tctacgcgta aaacacaatc aagtatgagt cataatctga tgtcatgttt tgtacacggc 5100 tcataaccga actggcttta cgagtagaat tctacttgta atgcacgatc agtggatgat 5160 gtcatttgtt tttcaaatcg agatgatgtc atgttttgca cacggctcat aaactcgctt 5220 tacgagtaga attctacgtg taacgcacga tcgattgatg agtcatttgt tttgcaatat 5280 gatatcatac aatatgactc atttgttttt caaaaccgaa cttgatttac gggtagaatt 5340 ctacttgtaa agcacaatca aaaagatgat gtcatttgtt tttcaaaact gaactcgctt 5400 tacgagtaga attctacgtg taaaacacaa tcaagaaatg atgtcatttg ttataaaaaat 5460 aaaagctgat gtcatgtttt gcacatggct cataactaaa ctcgctttac gggtagaatt 5520 ctacgcgtaa aacatgattg ataattaaat aattcatttg caagctatac gttaaatcaa 5580 acggacgotc gaggttgcac aacactatta tcgatttgca gttcgggaca taaatgttta 5640 aatatatcga tgtctttgtg atgcgcgcga catttttgta ggttattgat aaaatgaacg 5700 gatacgttgc ccgacattat cattaaatcc ttggcgtaga atttgtcggg tccattgtcc 5760 gtgtgcgcta gcatgcccgt aacggacctc gtacttttgg cttcaaaggt tttgcgcaca 5820 gacaaaatgt gccacacttg cagetetgca tgtgtgegeg ttaccacaaa teccaaegge 5880

48

PCT/GB2004/003263

gcagtgtact tgttgtatgc aaataaatct cgataaaggc gcggcgcgcg aatgcagctg 5940 atcacgtacg ctcctcgtgt tccgttcaag gacggtgtta tcgacctcag attaatgttt 6000 ateggeegae tgttttegta teegeteaee aaaegegttt ttgcattaae attgtatgte 6060 ggcggatgtt ctatatctaa tttgaataaa taaacgataa ccgcgttggt tttagagggc 6120 ataataaaag aaatattgtt atcgtgttcg ccattagggc agtataaatt gacgttcatg 6180 ttggatattg tttcagttgc aagttgacac tggcggcgac aagcaattct aattggggta 6240 agttttcccg ttcttttctg ggttcttccc ttttgctcat ccttgctgca ctaccttcag 6300 gtgcaagttg agattcaggc caccatggga gatcccaccc cacccaagaa gaagcgcaaa 6360 ccggtcgcca ccatggcctc ctccgagaac gtcatcaccg agttcatgcg cttcaaggtg 6420 cgcatggagg gcaccgtgaa cggccacgag ttcgagatcg agggcgaggg cgagggccgc 6480 ccctacgagg gccacaacac cgtgaagctg aaggtgacca agggcggccc cctgcccttc 6540 gcctgggaca tcctgtcccc ccagttccag tacggctcca aggtgtacgt gaagcacccc 6600 gccgacatcc ccgactacaa gaagctgtcc ttccccgagg gcttcaagtg ggagcgcgtg 6660 atgaacttcg aggacggcgg cgtggcgacc gtgacccagg actcctccct gcaggacggc 6720 tgcttcatct acaaggtgaa gttcatcggc gtgaacttcc cctccgacgg ccccgtgatg 6780 cagaagaaga ccatgggctg ggaggcctcc accgagcgcc tgtacccccg cgacggcgtg 6840 ctgaagggcg agacccacaa ggccctgaag ctgaaggacg gcggccacta cctggtggag 6900 ttcaagtcca tctacatggc caagaagccc gtgcagctgc ccggctacta ctacgtggac 6960 7020 gccaagctgg acatcacctc ccacaacgag gactacacca tcgtggagca gtacgagcgc ___accgagggcq_gccaccacct gttcctgaga tctcgaccca agaaaaagcg gaaggtggag 7080 qacccqtaaq atccaccqqa tctaqataac tgatcataat cagccatacc acatttgtag 7140 aggttttact tgctttaaaa aacctcccac acctcccct gaacctgaaa cataaaatga 7200 7260 atgcaattgt tgttgttaac ttgtttattg cagcttataa tggttacaaa taaagcaata 7320 gcatcacaaa tttcacaaat aaagcatttt tttcactgca ttctagttgt ggtttgtcca 7380 aactcatcaa tgtatcttaa cgcgagttaa ttaaggccgc tcatttaaat ctggccggcc gcaaccattg tgggaaccgt gcgatcaaac aaacgcgaga taccggaagt actgaaaaac 7440 agtogotoca ggocagtggg aacatogatg ttttgttttg acggaccoot tactotogto 7500 tcatataaac cgaagccagc taagatggta tacttattat catcttgtga tgaggatgct 7560 tctatcaacg aaagtaccgg taaaccgcaa atggttatgt attataatca aactaaaggc --7620 ggagtggaca cgctagacca aatgtgttct gtgatgacct gcagtaggaa gacgaatagg 7680 tggcctatgg cattattgta cggaatgata aacattgcct gcataaattc ttttattata 7740 tacagccata atgtcagtag caagggagaa aaggtccaaa gtcgcaaaaa atttatgaga 7800 aacctttaca tgagcctgac gtcatcgttt atgcgtaagc gtttagaagc tcctactttg 7860

aagagatatt tgcgcgataa tatctctaat attttgccaa atgaagtgcc tggtacatca 7920 gatgacagta ctgaagagcc agtaatgaaa aaacgtactt actgtactta ctgcccctct 7980 aaaataaggc gaaaggcaaa tgcatcgtgc aaaaaatgca aaaaagttat ttgtcgagag 8040 cataatattg atatgtgcca aagttgtttc tgactgacta ataagtataa tttgtttcta 8100 ttatgtataa gttaagctaa ttacttattt tataatacaa catgactgtt tttaaagtac 8160 aaaataaqtt tatttttgta aaaqagagaa tgtttaaaaag ttttgttact ttatagaaga 8220 8280 tttattatta gtatgtaagt gtaaatataa taaaacttaa tatctattca aattaataaa 8340 taaacctcga tatacagacc gataaaacac atgcgtcaat tttacgcatg attatcttta 8400 acgtacgtca caatatgatt atctttctag ggttaaataa tagtttctaa tttttttatt 8460 attcagcctg ctgtcgtgaa taccgtatat ctcaacgctg tctgtgagat tgtcgtattc 8520 tagccttttt agtttttcgc tcatcgactt gatattgtcc gacacatttt cgtcgatttg 8580 cgttttgatc aaagacttga gcagagacac gttaatcaac tgttcaaatt gatccatatt 8640 aacgatatca accegatgeg tatatggtge gtaaaatata ttttttaace etettataet 8700 ttgcactctg cqttaatacq cqttcqtqta caqacqtaat catqttttct tttttqqata 8760 aaactcctac tgagtttgac ctcatattag accctcacaa gttgcaaaac gtggcatttt 8820 ttaccaatga agaatttaaa gttattttaa aaaatttcat cacagattta aagaagaacc 8880 aaaaattaaa ttatttcaac agtttaatcg accagttaat caacgtgtac acagacgcgt 8940 cggcaaaaaa cacgcagccc gacgtgttgg ctaaaattat taaatcaact tgtgttatag 9000 _tcacggattt_gccgtccaac_gtgttcctca aaaagttgaa gaccaacaag tttacggaca 9060 · ctattaatta tttgattttg ccccacttca ttttgtggga tcacaatttt gttatatttt 9120 aaacaaagct tggcactggc cgtcgtttta caacgtcgtg actgggaaaa ccctggcgtt 9180 acccaactta atcgccttgc agcacatccc cctttcgcca gctggcgtaa tagcgaagag 9240 geoegeaceg ategeoctte ccaacagttg egeageotga atggegaatg gegeotgatg 9300 eggtatttte teettaegea tetgtgeggt attteacaee geatatggtg eacteteagt 9360 acaatctgct ctgatgccgc atagttaagc cagccccgac acccgccaac acccgctgac 9420 gegeeetgae gggettgtet geteeeggea teegettaca gacaagetgt gacegtetee 9480 gggagctgca tgtgtcagag gttttcaccg tcatcaccga aacgcgcgag acgaaagggc 9540 ctcgtgatac gcctattttt ataggttaat gtcatgataa taatggtttc-ttagacgtca 9600 ggtggcactt ttcggggaaa tgtgcgcgga acccctattt gtttattttt ctaaatacat 9660 tcaaatatgt atccgctcat gagacaataa ccctgataaa tgcttcaata atattgaaaa 9720 aggaagagta tgagtattca acatttccgt gtcgccctta ttcccttttt tgcggcattt 9780 tgccttcctg tttttgctca cccagaaacg ctggtgaaag taaaagatgc tgaagatcag 9840

PCT/GB2004/003263

ttgggtgcac	gagtgggtta	catcgaactg	gatctcaaca	gcggtaagat	ccttgagagt	9900
tttcgccccg	aagaacgttt	tccaatgatg	agcactttta	aagttctgct	atgtggcgcg	9960
gtattatccc	gtattgacgc	cgggcaagag	caactcggtc	gccgcataca	ctattctcag	10020
aatgacttgg	ttgagtactc	accagtcaca	gaaaagcatc	ttacggatgg	catgacagta	10080
agagaattat	gcagtgctgc	cataaccatg	agtgataaca	ctgcggccaa	cttacttctg	10140
acaacgatcg	gaggaccgaa	ggagctaacc	gcttttttgc	acaacatggg	ggatcatgta	10200
actcgccttg	atcgttggga	accggagctg	aatgaagcca	taccaaacga	cgagcgtgac	10260
accacgatgc	ctgtagcaat	ggcaacaacg	ttgcgcaaac	tattaactgg	cgaactactt	10320
actctagctt	cccggcaaca	attaatagac	tggatggagg	cggataaagt	tgcaggacca	10380
cttctgcgct	cggcccttcc	ggctggctgg	tttattgctg	ataaatctgg	agccggtgag	10440
cgtgggtctc	gcggtatcat	tgcagcactg	gggccagatg	gtaagccctc	ccgtatcgta	10500
gttatctaca	cgacggggag	tcaggcaact	atggatgaac	gaaatagaca	gatcgctgag	10560
ataggtgcct	cactgattaa	gcattggtaa	ctgtcagacc	aagtttactc	atatatactt	10620
tagattgatt	taaaacttca	tttttaattt	aaaaggatct	aggtgaagat	cctttttgat	10680
aatctcatga	ccaaaatccc	ttaacgtgag	ttttcgttcc	actgagcgtc	agaccccgta	10740
gaaaagatca	aaggatcttc	ttgagatcct	ttttttctgc	gcgtaatctg	ctgcttgcaa	10800
acaaaaaaac	caccgctacc	agcggtggtt	tgtttgccgg	atcaagagct	accaactctt	10860
tttccgaagg	taactggctt	cagcagagcg	cagataccaa	atactgtcct	tctagtgtag	10920
ccgtagttag	gccaccactt	caagaactct	gtagcaccgc	ctacatacct	cgctctgcta	10980
atcctgttac.	cagtggctgc	tgccagtggc	gataagtcgt	gtcttaccgg	gttggactca	11040
agacgatagt	taccggataa	ggcgcagcgg	tcgggctgaa	cggggggttc	gtgcacacag	11100
cccagcttgg	agcgaacgac	ctacaccgaa	ctgagatacc	tacagcgtga	gcattgagaa	11160
agcgccacgc	ttcccgaagg	gagaaaggcg	gacaggtatc	cggtaagcgg	cagggtcgga	11220
acaggagagc	gcacgaggga	gcttccaggg	ggaaacgcct	ggtatcttta	tagtcctgtc	11280
gggtttcgcc	acctctgact	tgagcgtcga	tttttgtgat	gctcgtcagg	ggggcggagc	11340
ctatggaaaa	acgccagcaa	cgcggccttt	ttacggttcc	tggccttttg	ctggcctttt	11400
gctcacatgt	tatttactga	gttatcccct	gattctgtgg	ataaccgtat	taccgccttt	11460
gagtgagctg	ataccgctcg	ccgcagccga	acgaccgagc	gcagcgagtc	agtgagcgag	11520
gaagcggaag	agcgcccaat	acgcaaaceg	cctctccccg	cgcgttggcc	gattcattaa	11580
tgcagctggc	acgacaggtt	tcccgactgg	aaagcgggca	gtgagcgcaa	cgcaattaat	11640
gtgagttagc	tcactcatta	ggcaccccag	gctttacact	ttatgcttcc	ggctcgtatg	11700
ttgtgtggaa	ttgtgagcgg	ataacaattt	cacacaggaa	acagctatga	ccatgattac	11760
gaatttcgac	ctgcaggcat	gcaagcttgc	atgcctgcag	gtcgacgctc	gcgcgacttg	11820

51

gtttgccatt ctttagcgcg cgtcgcgtca cacagcttgg ccacaat 11867 <210> 23 <211> 10786 <212> DNA <213> Artificial <220> <223> pLA670 <400> 23 ggccgctcat ttaaatctgg ccggccgcaa ccattgtggg aaccgtgcga tcaaacaaac 60 gcqaqatacc qqaagtactg aaaaacagtc gctccaggcc agtgggaaca tcgatgtttt 120 gttttgacgg accepttact etegteteat ataaacegaa gecagetaag atggtatact 180 tattatcatc ttgtgatgag gatgcttcta tcaacgaaag taccggtaaa ccgcaaatgg 240 ttatgtatta taatcaaact aaaggcggag tggacacgct agaccaaatg tgttctgtga 300 tgacctgcag taggaagacg aataggtggc ctatggcatt attgtacgga atgataaaca 360 ttgcctgcat aaattctttt attatataca gccataatgt cagtagcaag ggagaaaagg 420 tccaaagtcg caaaaaattt atgagaaacc tttacatgag cctgacgtca tcgtttatgc 480 540 gtaagcgttt agaagctcct actttgaaga gatatttgcg cgataatatc tctaatattt tgccaaatga agtgcctggt acatcagatg acagtactga agagccagta atgaaaaaaac 600 gtacttactg tacttactgc ccctctaaaa taaggcgaaa ggcaaatgca tcgtgcaaaa 660 aatgcaaaaa agttatttgt cgagagcata atattgatat gtgccaaagt tgtttctgac 720 tgactaataa gtataatttg tttctattat gtataagtta agctaattac ttattttata 780 __atacaacatg_actgttttta_aagtacaaaa_taagtttatt tttgtaaaag agagaatgtt 840 900 960 taaacataaa taaattqttt gttgaattta ttattagtat gtaagtgtaa atataataaa 1020 acttaatatc tattcaaatt aataaataaa cctcgatata cagaccgata aaacacatgc gtcaatttta cgcatgatta tctttaacgt acgtcacaat atgattatct ttctagggtt 1080 aaataatagt ttctaatttt tttattattc agcctgctgt cgtgaatacc gtatatctca 1140 acqctgtctg tgagattgtc gtattctagc ctttttagtt tttcgctcat cgacttgata 1200 ttgtccgaca cattttcgtc gatttgcgtt ttgatcaaag acttgagcag agacacgtta 1260 atcaactgtt caaattgatc catattaacg atatcaaccc gatgcgtata tggtgcgtaa 1320 aatatatttt ttaaccctct tatactttgc actctgcgtt aatacgcgtt cgtgtacaga 1380 cgtaatcatg ttttctttt tggataaaac tcctactgag tttgacctca tattagaccc 1440 tcacaagttg caaaacgtgg cattttttac caatgaagaa tttaaagtta ttttaaaaaa 1500 tttcatcaca gatttaaaga agaaccaaaa attaaattat ttcaacagtt taatcgacca 1560 gttaatcaac gtgtacacag acgcgtcggc aaaaaacacg cagcccgacg tgttggctaa 1620

52

PCT/GB2004/003263

aattattaaa tcaacttgtg ttatagtcac ggatttgccg tccaacgtgt tcctcaaaaa 1680 gttgaagacc aacaagttta cggacactat taattatttg attttgcccc acttcatttt 1740 qtqqqatcac aattttqtta tattttaaac aaagcttggc actggccgtc gttttacaac 1800 gtcgtgactg ggaaaaccct ggcgttaccc aacttaatcg ccttgcagca catccccctt 1860 togocagetg gogtaatage gaagaggeee geacegateg ceetteecaa cagttgegea 1920 1980 gcctgaatgg cgaatggcgc ctgatgcggt attttctcct tacgcatctg tgcggtattt cacaccgcat atggtgcact ctcagtacaa tctgctctga tgccgcatag ttaagccagc 2040 cccgacaccc gccaacaccc gctgacgcgc cctgacgggc ttgtctgctc ccggcatccg 2100 cttacagaca agctgtgacc gtctccggga gctgcatgtg tcagaggttt tcaccgtcat 2160 caccgaaacg cgcgagacga aagggcctcg tgatacgcct atttttatag gttaatgtca 2220 2280 tgataataat ggtttcttag acgtcaggtg gcacttttcg gggaaatgtg cgcggaaccc 2340 ctatttgttt atttttctaa atacattcaa atatgtatcc gctcatgaga caataaccct gataaatgct tcaataatat tgaaaaagga agagtatgag tattcaacat ttccgtgtcg 2400 cccttattcc cttttttgcg gcattttgcc ttcctgtttt tgctcaccca gaaacgctgg 2460 tgaaagtaaa agatgetgaa gateagttgg gtgeacgagt gggttacate gaactggate 2520 tcaacagegg taagateett gagagtttte geecegaaga aegtttteea atgatgagea 2580 cttttaaagt tctgctatgt ggcgcggtat tatcccgtat tgacgccggg caagagcaac 2640 tcggtcgccg catacactat tctcagaatg acttggttga gtactcacca gtcacagaaa 2700 agcatcttac ggatggcatg acagtaagag aattatgcag tgctgccata accatgagtg 2760 ataacactgc ggccaactta cttctgacaa cgatcggagg accgaaggag ctaaccgctt 2820 ttttgcacaa catgggggat catgtaactc gccttgatcg ttgggaaccg gagctgaatg 2880 aagccatacc aaacgacgag cgtgacacca cgatgcctgt agcaatggca acaacgttgc 2940 gcaaactatt aactggcgaa ctacttactc tagcttcccg gcaacaatta atagactgga 3000 tggaggegga taaagttgea ggaceaette tgegetegge cetteegget ggetggttta 3060 ttgctgataa atctggagcc ggtgagcgtg ggtctcgcgg tatcattgca gcactggggc 3120 cagatggtaa gccctcccgt atcgtagtta tctacacgac ggggagtcag gcaactatgg 3180 atgaacgaaa tagacagatc gctgagatag gtgcctcact gattaagcat tggtaactgt 3240 cagaccaagt ttactcatat atactttaga ttgatttaaa acttcatttt taatttaaaa 3300 3360 ggatctaggt gaagateett titgataate teatgaeeaa aateeettaa egtgagtttt: cgttccactg agcgtcagac cccgtagaaa agatcaaagg atcttcttga gatccttttt 3420 3480 ttctgcgcgt aatctgctgc ttgcaaacaa aaaaaccacc gctaccagcg gtggtttgtt tgccggatca agagctacca actettttte cgaaggtaac tggcttcagc agagcgcaga 3540 taccaaatac tgtccttcta gtgtagccgt agttaggcca ccacttcaag aactctgtag 3600

PCT/GB2004/003263

caccgcctac atacctcgct ctgctaatcc tgttaccagt ggctgctgcc agtggcgata 3660 agtegtgtet tacegggttg gaeteaagae gatagttace ggataaggeg cageggtegg 3720 gctgaacggg gggttcgtgc acacagccca gcttggagcg aacgacctac accgaactga 3780 gatacctaca gcgtgagcat tgagaaagcg ccacgcttcc cgaagggaga aaggcggaca 3840 ggtatccggt aagcggcagg gtcggaacag gagagcgcac gaggggagctt ccagggggaa 3900 acgcctggta tctttatagt cctgtcgggt ttcgccacct ctgacttgag cgtcgatttt 3960 tgtgatgctc gtcagggggg cggagcctat ggaaaaacgc cagcaacgcg gcctttttac 4020 ggttcctggc cttttgctg ccttttgctc acatgttctt tcctgcgtta tcccctgatt 4080 etgtggataa eegtattaee geetttgagt gagetgatae egetegeege ageegaaega 4140 ccgagcgcag cgagtcagtg agcgaggaag cggaagagcg cccaatacgc aaaccgcctc 4200 tccccgcgcg ttggccgatt cattaatgca gctggcacga caggtttccc gactgqaaag 4260 cgggcagtga gcgcaacgca attaatgtga gttagctcac tcattaggca ccccaggctt 4320 tacactttat getteegget egtatgttgt gtggaattgt gageggataa caattteaca 4380 caggaaacag ctatgaccat gattacgaat ttcgacctgc aggcatgcaa gcttgcatgc 4440 ctgcaggtcg acgctcgcgc gacttggttt gccattcttt agcgcgcgtc gcgtcacaca 4500 gcttggccac aatgtggttt ttgtcaaacg aagattctat gacgtgttta aagtttaggt 4560 cgagtaaagc gcaaatcttt tttaacccta gaaagatagt ctgcqtaaaa ttqacqcatq 4620 cattettgaa atattgetet etetttetaa atagegegaa teegtegetg tgeatttagg 4680 acateteagt egeegettgg ageteeegtg aggegtgett gteaatgegg taagtgteae 4740 tgattttgaa ctataacgac cgcgtgagtc aaaatgacgc atgattatct tttacgtgac 4800 ttttaagatt taactcatac gataattata ttgttatttc atgttctact tacgtgataa 4860 cttattatat atatattttc ttgttataga tatcgtgact aatatataat aaaatgggta 4920 gttetttaga egatqageat atcetetetg etettetgea aagegatgae gagettgttg 4980 gtgaggattc tgacagtgaa atatcagatc acgtaagtga agatgacgtc cagagcgata 5040 cagaagaagc gtttatagat gaggtacatg aagtgcagcc aacgtcaagc ggtagtgaaa 5100 tattagacga acaaaatgtt attgaacaac caggttette attggettet aacagaatet 5160 tgaccttgcc acagaggact attagaggta agaataaaca ttgttggtca acttcaaagt 5220 ccacgaggcg tagccgagtc tctgcactga acattgtcag atcggcccgg gcgccgtttt 5280 tettgaaata ttgetetete tttetaaata gegegaatee gtegetgtge atttaggaca 5340 tctcagtcgc cgcttggagc tcccaaacgc gccagtggta gtacacagta ctgtgggtgt 5400 tcagtttgaa atcctcttgc ttctccattg tctcggttac ctttggtcaa atccatgggt 5460 tctattgcct atatactctt gcgattacca gtgattgcgc tattagctat tagatggatt 5520 gttggccaaa cttgtcgctt aagtggctgg gaattgtaac cgtaggcccg agtgtaatga 5580

54

PCT/GB2004/003263

tcccccataa aaagttttcg caatgccttt attttttgtt gcaaatctct ctttattctg 5640 cggtattctt cattattgcg gggatgggga aagtgtttat atagaagcaà cttacgattg 5700 aacccaaatg cacctgacaa gcaaggtcaa agggccagat ttttaaatat attatttagt 5760 cttaggactc tctatttgca attaaattac tttgctacct gagggttaaa tcttccccat 5820 tgataataat aattecacta tatgtteaat tgggttteac egegettagt tacatgaega 5880 gccctaatga gccgtcggtg gtctataaac tgtgccttac aaatacttgc aactcttctc 5940 gttttgaagt cagcagagtt attgctaatt gctaattgct aattgctttt aactgatttc 6000 ttcgaaattg gtgctatgtt tatggcgcta ttaacaagta tgaatgtcag gtttaaccag 6060 gggatgctta attgtgttct caacttcaaa ggcagaaatg tttactcttg accatgggtt 6120 taggtataat gttatcaagc tcctcgagtt aacgttacgt taacgttaac gttcgaggtc 6180 gactetagaa etacceaceg tactegteaa ttecaaggge ateggtaaac atetgeteaa 6240 actegaagte ggecatatee agagegeegt agggggegga gtegtggggg gtaaateeeg 6300 gaccegggga ateccegtee eccaacatgt ceagategaa ategtetage gegteggeat 6360 gegecatege caegiteteg cegitetaagi ggagetegie ceccaggetg acateggieg 6420 ggggggccgt cgacagtctg cgcgtgtgtc ccgcggggag aaaggacagg cgcggagccg 6480 ccageceege etettegggg gegtegtegt cegggagate gageaggeee tegatggtag 6540 accegtaatt gtttttegta egegegege tgtaegeggg geeegageee gaetegeatt 6600 tcagttgctt ttccaatccg cagataatca gctccaagcc gaacaggaat gccggctcgg 6660 ctccttgatg atcgaacagc tcgattgcct gacgcagcag tgggggcatc gaatcggttg 6720 ttggggtctc_gcgctcctct.tttgcgactt_gatgctcttg_gtcctccagc acgcagccca 6780 gggtaaagtg accgacggcg ctcagagcgt agagagcatt ttccaggctg aagccttgct 6840 ggcacaggaa cgcgagctgg ttctccagtg tctcgtattg cttttcggtc gggcgcgtgc 6900 cgagatggac tttggcaccg tctcggtggg acagcagagc gcagcggaac gacttggcgt 6960 tattgcggag gaagtcctgc caggactcgc cttccaacgg gcaaaaatgc gtgtggtggc 7020 ggtcgagcat ctcgatggcc agggcatcca gcagcgcccg cttattcttc acgtgccagt 7080 agagggtggg ctgctccacg cccagcttct gcgccaactt gcgggtcgtc agtccctcaa 7140 tgccaacttc gttcaacagc tccaacgcgg agttgatgac tttggactta tccaggcggc 7200 tgcccatggt ggtttctaaa ggtgttataa atcaaattag ttttgttttt tcttgaaaac 7260 tttgcgtttc ctttgatcaa--cttaccgcca-gggtaccgca gattgtttag cttgttcagc 7320 tgcgcttgtt tatttgctta gctttcgctt agcgacgtgt tcactttgct tgtttgaatt 7380 gaattgtcgc tccgtagacg aagcgcctct atttatactc cggcgctcgt tttcgagttt 7440 accactecet atcagtgata gagaaaagtg aaagtegagt ttaccactee etateagtga 7500 tagagaaaag tgaaagtcga gtttaccact ccctatcagt gatagagaaa agtgaaagtc 7560

gagtttacca ctccctatca gtgatagaga aaagtgaaag tcgagtttac cactccctat 7620 cagtgataga gaaaagtgaa agtcgagttt accactccct atcagtgata gagaaaagtg 7680 aaagtcgagt ttaccactcc ctatcagtga tagagaaaag tgaaagtcga aacctggcgc 7740 gcctcttaat taactcgcgt taagatacat tgatgagttt ggacaaacca caactagaat 7800 gcagtgaaaa aaatgcttta tttgtgaaat ttgtgatgct attgctttat ttgtaaccat 7860 tataagctgc aataaacaag ttaacaacaa caattgcatt cattttatgt ttcaggttca 7920 gggggaggtg tgggaggttt tttaaagcaa gtaaaacctc tacaaatgtg gtatggctga 7980 ttatgatcag ttatctagat ccggtggatc ttacgggtcc tccaccttcc gctttttctt 8040 gggtcgagat ctcaggaaca ggtggtggcg gccctcggtg cgctcgtact gctccacgat 8100 ggtgtagtcc tcgttgtggg aggtgatgtc cagcttggcg tccacgtagt agtagccggg 8160 cagctgcacg ggcttcttgg ccatgtagat ggacttgaac tccaccaggt agtggccgcc 8220 8280 gtccttcagc ttcagggcct tgtgggtctc gcccttcagc acgccgtcgc gggggtacag gcgctcggtg gaggcctccc agcccatggt cttcttctgc atcacggggc cgtcggaggg 8340 gaagttcacg ccgatgaact tcaccttgta gatgaagcag ccgtcctgca gggaggagtc 8400 ctgggtcacg gtcgccacgc cgccgtcctc gaagttcatc acgcgctccc acttgaagcc 8460 ctcggggaag gacagcttct tgtagtcggg gatgtcggcg gggtgcttca cgtacacctt 8520 ggagccgtac tggaactggg gggacaggat gtcccaggcg aagggcaggg ggccgccctt 8580 8640 ggtcaccttc agcttcacgg tgttgtggcc ctcgtagggg cggccctcgc cctcgccctc gatetegaac tegtggeegt teaeggtgee etecatgege acettgaage geatgaacte 8700 _ggtgatgacg.ttctcggagg_aggccatggt ggcgaccggt ttgcgcttct tcttgggtgg 8760 ggtgggatcc ccgatctgca ttttggatta ttctgcgggt caaaatagag atgtggaaaa 8820 ttagtacgaa atcaaatgag tttcgttgaa attacaaaac tattgaaact aacttcctgg 8880 ctggggaata aaaatgggaa acttatttat cgacgccaac tttgttgaga aacccctatt 8940 9000 aaccctctac gaatattgga acaaaggaaa gcgaagaaac aggaacaaag gtagttgaga aacctgttcc gttgctcgtc atcgttttca taatgcgagt gtgtgcatgt atatatacac 9060 agctgaaacg catgcataca cattattttg tgtgtatatg gtgacgtcac aactactaag 9120 caataagaaa ttttccagac gtggctttcg tttcaagcaa cctactctat ttcagctaaa 9180 aataagtgga tttcgttggt aaaatacttc aattaagcaa agaactaact aactaataac 9240 9300 --atgcacacaa-atgctcgagt gcgttcgtga tttctcgaat tttcaaatgc gtcactgcga atttcacaat ttgccaataa atcttggcga aaatcaacac gcaagtttta tttatagatt 9360 tgtttgcgtt ttgatgccaa ttgattggga aaacaagatg cgtggctgcc aatttcttat 9420 tttgtaatta cgtagagcgt tgaataaaaa aaaaatggcc gaacaaagac cttgaaatgc 9480 agtttttctt gaaattactc aacgtcttgt tgctcttatt actaattggt aacagcgagt 9540

56

WO 2005/012534 PCT/GB2004/003263

	taaaaactta	cgtttcttgt	gactttcgag	aatgttcttt	taattgtact	ttaatcacca	9600
	acaattaagt	ataaatttt	cgctgattgc	gctttacttt	ctgcttgtac	ttgctgctgc	9660
	aaatgtcaat	tggttttgaa	ggcgaccgtt	cgcgaacgct	gtttatatac	cttcggtgtc	9720
	cgttgaaaat	cactaaaaaa	taccgtagtg	ttcgtaacac	tttagtacag	agaaaaaaaa	9780
	ttgtgccgaa	atgtttttga	tacgtacgaa	taccttgtat	taaaattttt	tatgatttct	9840
	gtgtatcact	tttttttgt	gtttttcgtt	taaactcacc	acagtacaaa	acaataaaat	9900
	atttttaaga	caatttcaaa	ttgagacctt	tctcgtactg	acttgaccgg	ctgaatgagg	9960
	atttctacct	agacgaccta	cttcttacca	tgacattgaa	tgcaatgcca	cctttgatct	10020
	aaacttacaa	aagtccaagg	cttgttagga	ttggtgttta	tttagtttgc	ttttgaaata	10080
	gcactgtctt	ctctaccggc	tataattttg	aaactcgcag	cttgactgga	aatttaaaaa	10140
	gtaattctgt	gtaggtaaag	ggtgttttaa	aagtgtgatg	tgttgagcgt	tgcggcaacg	10200
	actgctattt	atgtatatat	tttcaaaact	tattgttttt	gaagtgtttt	aaatggagct	10260
	atctggcaac	gctgcgcata	atcttacaca	agcttttctt	aatccatttt	taagtgaaat	10320
	ttgtttttac	tctttcggca	aataattgtt	aaatcgcttt	aagtgggctt	acatctggat	10380
	aagtaatgaa	aacctgcata	ttataatatt	aaaacatata	atccactgtg	ctttccccgt	10440
	gtgtggccat	atacctaaaa	aagtttattt	tegeagagee	ccgcacggtc	acactacggt	10500
	tcggcgattt	tcgattttgg	acagtactga	ttgcaagcgc	accgaaagca	aaatggagct	10560
	ggagattttg	aacgcgaaga	acagcaagcc	gtacggcaag	gtgaaggtgc	cctccggcgc	10620
	cacgcccatc	ggcgatctgc	gcgccctaat	tcacaagacc	ctgaagcaga	ccccacacgc	10680
-	_gaat <u>c</u> gccag_	tegettegte	tggaactgaa	gggcaaaagc	ctgaaagata	cggacacatt	10740
	ggaatctctg	tcgctgcgtt	ccggcgacaa	gatcggggta	ccatgc		10786

<210> 24

<211> 14720 <212> DNA <213> Artificial

<220>

<223> pLA1038

<400> 24

gggctatggc gcgccggacg cggcaagtct gcgagcttat atttacgtgg atctccggtg 60 tgtccatgat tcggcatcat atcataaacg acgaattcca ataaaaactt tgcttgttga 120 taacacctga tgttcagaga tgcccgataa aatcacagct gttctggttc acagtcacca--180 gaaataaaaa atattggaat tgagatgtac acaattaacg atatttataa atatcttccg 240 atagtctatc gtccggttaa tcaaaataaa gtgcgacgaa ttaacatatt ttcaaaatta 300 agacgctttg atagatgtat ttgtatagag atagaaatta aggttaaaat aacataaatg 360 ccaaagttta gagcactatt caataattct cttgatttca aattgaaata atacacaata 420

WO 2005/012534 PCT/GB2004/003263

57

taacattttc taacactaca aagtcacgat attcttccac caaccgatag tatcgcacac 480 ttgccattcg cctcatcacg cacacgcccg cttcacaatt caaacgaacg gcattttatt 540 ttcacaggat cccgggagtc gtgaatgttt tacccaatat cgactttcat tgttaactga 600 ccaaaattgt aatctgttct gttagttgtc gagtgcctgt gccgcgatcg ctatgggcat 660 atgttgccaa actctaaacc aaatactcat tctgatgttt taaatgattt gccctcccat 720 atgtccttcc gagtgagaga cacaaaaaat tccaacacac tattgcaatg aaaataaatt 780 tcctttatta gccagaagtc agatgctcaa ggggcttcat gatgtcccca taatttttgg 840 cagagggaaa aagateteag tggtatttgt gageeaggge attggeeaca ceageeacea 900 ccttctgata ggcagcctgc acctgaggag tgaattcttt gccaaaatga tgagacagca 960 caacaaccag cacgttgccc aggagctgta ggaaagagaa gaaggcatga acatggttag 1020 cagaggggcc cggtttggac tcagagtatt ttatcctcat ctcaaacagt gtatatcatt 1080 gtaaccataa agagaaaggc aggatgatga ccagggtgta gttgtttcta ccaataagaa 1140 tatttccacg ccagccagaa tttatatgca gaaatattct accttatcat ttaattataa 1200 1260 aaagtgatta gagaaagtac ttacaatctg acaaataaac aaaagtgaat ttaaaaattc 1320 gttacaaatg caagctaaag tttaacgaaa aagttacaga aaatgaaaag aaaataagag 1380 gagacaatgg ttgtcaacag agtagaaagt gaaagaaaca aaattatcat gagggtccat 1440 ggtgatacaa gggacatctt cccattctaa acaacacct gaaaactttg cccctccat 1500 ataacatgaa ttttacaata gcgaaaaaga aagaacaatc aagggtcccc aaactcaccc 1560 tgaagttetc agetetagac gcgtttcact acccaccgta ctcgtcaatt ccaagggcat 1620 cggtaaacat ctgctcaaac tcgaagtcgg ccatatccag agcgccgtag ggggcgqagt 1680 cgtgggggt aaatcccgga cccggggaat ccccgtcccc caacatgtcc agatcgaaat 1740 cgtctagege gteggcatge gecategeea egteetegee gtetaagtgg agetegteee 1800 ccaggctgac atcggtcggg ggggccgtcg acagtctgcg cgtgtgtccc gcggggagaa 1860 aggacaggeg eggageegee ageeeegeet etteggggge gtegtegtee gggagatega 1920 gcaggccctc gatggtagac ccgtaattgt ttttcgtacg cgcgcggctg tacgcggacc 1980 cactttcaca tttaagttgt ttttctaatc cgcatatgat caattcaagg ccgaataaga 2040 aggetggete tgeacettgg tgateaaata attegatage ttgtegtaat aatggeggea 2100 tactatcagt agtaggtgtt tecetttett etttagegae ttgatgetet tgatetteea 2160 atacgcaacc taaagtaaaa tgccccacag cgctgagtgc atataatgca ttctctagtg 2220 aaaaaccttg ttggcataaa aaggctaatt gattttcgag agtttcatac tgtttttctg 2280 taggccgtgt acctaaatgt acttttgctc catcgcgatg acttagtaaa gcacatctaa 2340 aacttttagc gttattacgt aaaaaatctt gccagctttc cccttctaaa gggcaaaagt 2400

gagtatggtg cctatctaac atctcaatgg ctaaggcgtc gagcaaagcc cgcttatttt 2460 ttacatgcca atacaatgta ggctgctcta cacctagctt ctgggcgagt ttacgggttg 2520 2580 tatctaatct caattccatg gtggcaacct gcaaggcgaa tgaataaaca agattgtggc 2640 gaacagtgta atgcgaagaa cccacctctg ctccaattcc caattcccta ttcagctcga 2700 gcggggatcc ccgggtaccg agctcgaatt cggggccgcg gaggctggat cggtcccggt 2760 gtcttctatg gaggtcaaaa cagcgtggat ggcgtctcca ggcgatctga cggttcacta 2820 aacgagetet gettatatag geeteecace gtacaegeet acetegacee gggtacegag 2880 ctcgactttc acttttctct atcactgata gggagtggta aactcgactt tcacttttct 2940 ctatcactga tagggagtgg taaactcgac tttcactttt ctctatcact gatagggagt 3000 ggtaaactcg actttcactt ttctctatca ctgataggga gtggtaaact cgactttcac 3060 ttttctctat cactgatagg gagtggtaaa ctcgactttc acttttctct atcactgata 3120 gggagtggta aactcgactt tcacttttct ctatcactga tagggagtgg taaactcgaa 3180 atgtcgacta tgcggaccga gcgccggagt ataaatagag gcgcttcgtc tacggagcga 3240 caattcaatt caaacaagca aagtgaacac gtcgctaagc gaaagctaag caaataaaca 3300 agcgcagctg aacaagctaa acaatctgcg ctagccacca tggttgttat taaacgtaga 3360 tttggtaatt ttaaaagcat attttttttt ttgaaattca taagttatca attatcgatg 3420 gaaatgtatt ctatggagaa cgttttaccc gatgaatggg tgcaaaaatt attttacctt 3480 caaatctaca atcaacaca gctaactttt gtgacttgat caactctcac ctggaaaagc 3540 --aaccaactac-aatcaacatt..ctatgggata..atcgacaagt gagtaaaatt atagccggac 3600 ctcttagtac agtgtattta aaaggggaat aatattctat caataggaat aaaaataagg 3660 3720 tcagcagcca tgacttttcc atcattttga atatacctta tttgtttcgg gattaattgg gggtcggaaa tcctcttgaa ttcagaaacg ggaaccggag gaaggtgccg gtctttcaga 3780 3840 aagctgtgaa aaataccaac atttctgctg ccaagagctc aataagaagt ttcaaaaatt 3900 gtcttggatg ttgcagctgt ggctgctaag taataagaca tctattagta tctagatttg ttagaccatt taacatagtg ttttaaacga tggggttaat agatgagggt taagaagcta 3960 gttatattac tgttgctgta acgccttcaa ttgtcggtta cagagcaaac attattgaat 4020 gttaatgtaa agagtttatt tgttttctag taaacatata gcgattggtt agtaatcact 4080 aatagaaatt tttcataagt atcaaaaaaag taaacctctt tttcagtcta tgtaataagt 4140 aaaccaagga aagggaaaat atctacaatc aacaagccat tgttgcagca acaaagcaac 4200 tgaaactaca atcaacattc aataaacttg ggtaatttgg aatttaattc tctgggacac 4260 ctgtggatta caacaatcaa ctcgaaactt attatacaat gtaaataaaa attgatatgc 4320 atacatgaag atcaagtgaa attccattta gaatcaattt ttttcgaata ttaagtttct 4380

tgctttaatt tatctgaaag taaatagaca ttccaaattc aagttaacaa attaataatg 4440 aattgactag tgatttttaa gagaaaaaga taagatttaa aaaaggaaag cctttcttga 4500 taaatttttg aaccacttta tgccgtttca atcataaaaa cttttaagaa cacatgactg 4560 gtaaaattaa tttaaaacaa atttaaattt tcaacgtaac attcaacaaa aatggtgaaa 4620 4680 actatcacgg aaattgttaa tattaatatg tcccaaaaat agcctttgta tgtatatgat actaatccat acatctatgg tatctatagg tgaaggctca aagcctctgg gcgctctcct 4740 qqqcctqccc qaaaqccaaa cqqaqcttqa taatcttaca qaatacaaca cggcccacaa 4800 teggegeate teaatgetgg geategatga tgataceaat atgegaaage aaaaegeett 4860 gaaacaggga cggcgcactc gaaatgtcac atttaacgat gaggagattg tcatcaatcc 4920 tgaggatgtg gatcctaatg tgggacgctt caggaacttg gtacaaacca ctgtggtgcc 4980 cgccaagagg gctcgctgcg acgtcaacca ttagtgataa cgcgtctaga gctgagaact 5040 tcagggtgag tttggggacc cttgattgtt ctttctttt cgctattgta aaattcatgt 5100 tatatqqaqq qqqcaaagtt ttcagggtgt tgtttagaat gggaagatgt cccttgtatc 5160 accggtgatc ataatcagcc ataccacatt tgtagaggtt ttacttgctt taaaaaacct 5220 5280 cccacacctc cccctgaacc tgaaacataa aatgaatgca attgttgttg ttaacttgtt tattgcagct tataatggtt acaaataaag caatagcatc acaaatttca caaataaagc 5340 atttttttca ctgcattcta gttgtggttt gtccaaactc atcaatgtat cttaacgcga 5400 5460 gtttaaacgc gtccgcatac gtccgctcac gttaagttcc gcagagagaa gttgttgaaa acataaacaq aatcacttqt tgcactcttt gagaaaactg gggctattgc ggaaaaaacc 5520 -aactaaaaat-attgcaggtt-aggggtacta-cgctcgattg.gcgtacggcc accacttttg 5580 cqacttcact qttaaccgct accttcatag agacttttac ccgataaatg ttatgtagtt 5640 tgactttctc tgttaatcac aagaaaaaat attgtggaaa ttaaaattat ctcaaactca 5700 ataaggaaat aataatatat acacctatgt tttatagaag tcaacagtaa ataagttatt 5760 5820 tggaaaacca ttgtagccgt ttaaataaat ctccttgagt gtgttttaaa taacggtcat taagtatatt acttggccct ctgaatttct tgaattacac cattttttga aataaatcaa 5880 tccaaaagac tactttttgg tggcaaatga actgcataaa aagtaacaaa agaaatatgt 5940 ttttgaaata acagtatagc tgaagtgtat taaaaaatac cgtcatatga gcgacccgct 6000 qttaccqctt cqctqcqaat gacaaaacgg gctgagcaag aaaatggcgt agaaggcgac 6060 6120 gaaaattegt tteaetegtg aagaaaacet egataaetga ggaatacage tgggatttaa 6180 agagcatatt cgaactacaa gcagagatgt ttcctggtgg aaacggaaac gccgatttgg gctacaacaa gcatgcccac gtccatggac ttggacaaca tggccatggg cacaaccata 6240 atcacaatca gttcctgcgc agcccccacc acccccaca catttttcac tgccctccgg 6300 gggcggtcag ggcatggtga cgcccatggt agccgccggc ctgccgctcg ccatgcaggg 6360

PCT/GB2004/003263

60

tggcgttggc atcgattggc gcagctcgcc cagcaatgga ttaattaact cgcgttaaga 6420 tacattgatg agtttggaca aaccacaact agaatgcagt gaaaaaaatg ctttatttgt 6480 gaaatttgtg atgctattgc tttatttgta accattataa gctgcaataa acaagttaac 6540 aacaacaatt gcattcattt tatgtttcag gttcaggggg aggtgtggga ggttttttaa 6600 agcaagtaaa acctctacaa atgtggtatg gctgattatg atcagttatc tagatccggt 6660 ggatettaeg ggteeteeae etteegettt ttettgggte gagateteag gaacaggtgg 6720 tggcggccct cggtgcgctc gtactgctcc acgatggtgt aqtcctcqtt qtqqqaqqtq 6780 atgtccagct tggcgtccac gtagtagtag ccgggcagct gcacgggctt cttggccatg 6840 tagatggact tgaactccac caggtagtgg cogcogtect tcagcttcag ggccttgtgg 6900 gtctcgccct tcagcacgcc gtcgcggggg tacaggcgct cggtggaggc ctcccagccc 6960 atggtcttct tctgcatcac ggggccgtcg gaggggaagt tcacgccgat gaacttcacc 7020 ttgtagatga agcagccgtc ctgcagggag gagtcctggg tcacggtcgc cacgccgccg 7080 tectegaagt teateaegeg eteceaettg aageeetegg ggaaggacag ettettgtag 7140 teggggatgt eggeggggtg etteaegtae acettggage egtaetggaa etggggggae 7200 aggatgtece aggegaaggg cagggggeeg ceettggtea cetteagett caeggtgttg 7260 tggccctcgt aggggcgcc ctcgccctcg ccctcgatct cgaactcgtg gccgttcacg 7320 gtgccctcca tgcgcacctt gaagcgcatg aactcggtga tgacgttctc ggaggaggcc 7380 7440 gattattctg cgggtcaaaa tagagatgtg gaaaattagt acgaaatcaa atgagtttcg 7500 -ttgaaattac-aaaactattg aaactaactt._cctggctggg .gaataaaaat gggaaactta 7560 tttatcgacg ccaactttgt tgagaaaccc ctattaaccc tctacgaata ttggaacaaa 7620 ggaaagcgaa gaaacaggaa caaaggtagt tgagaaacct gttccgttgc tcgtcatcgt 7680 tttcataatg cgagtgtgtg catgtatata tacacagctg aaacgcatgc atacacatta 7740 7800 ttttgtgtgt atatggtgac gtcacaacta ctaagcaata agaaattttc cagacgtggc tttcgtttca agcaacctac tctatttcag ctaaaaataa gtggatttcg ttggtaaaat 7860 acttcaatta agcaaagaac taactaacta ataacatgca cacaaatgct cgagtgcgtt 7920 cgtgatttct cgaattttca aatgcgtcac tgcgaatttc acaatttgcc aataaatctt 7980 ggcgaaaatc aacacgcaag ttttatttat agatttgttt gcgttttgat gccaattgat 8040 -tgggaaaaca agatgcgtgg ctgccaattt cttattttgt aattacgtag agcgttgaat 8100aaaaaaaaa tggccgaaca aagaccttga aatgcagttt ttcttgaaat tactcaacgt 8160 cttgttgctc ttattactaa ttggtaacag cgagttaaaa acttacgttt cttgtgactt 8220 tcgagaatgt tcttttaatt gtactttaat caccaacaat taagtataaa tttttcgctg 8280 attgcgcttt actttctgct tgtacttgct gctgcaaatg tcaattggtt ttgaaggcga 8340

ccgttcgcga acgctgttta tataccttcg gtgtccgttg aaaatcacta aaaaataccg 8400 tagtgttcgt aacactttag tacagagaaa aaaaattgtg ccgaaatgtt tttgatacgt 8460 acgaatacct tgtattaaaa ttttttatga tttctgtgta tcactttttt tttgtgtttt 8520 tegtttaaac teaccacagt acaaaacaat aaaatatttt taagacaatt teaaattgag 8580 acctttctcg tactgacttg accggctgaa tgaggatttc tacctagacg acctacttct 8640 taccatgaca ttgaatgcaa tgccaccttt gatctaaact tacaaaagtc caaggcttgt 8700 taggattgqt gtttatttag tttgcttttg aaatagcact gtcttctcta ccqqctataa 8760 ttttgaaact cgcagcttga ctggaaattt aaaaagtaat tctgtgtagg taaagggtgt 8820 tttaaaagtg tgatgtgtg agcgttgcgg caacgactgc tatttatgta tatattttca 8888 aaacttattg tttttgaagt gttttaaatg gagctatctg gcaacgctgc gcataatctt 8940 acacaagett ttettaatee atttttaagt gaaatttgtt tttactettt eggeaaataa 9000 ttgttaaatc gctttaagtg ggcttacatc tggataagta atgaaaacct gcatattata 9060 atattaaaac atataatcca ctgtgctttc cccgtgtgtg gccatatacc taaaaaagtt 9120 tattttcgca gagccccgca cggtcacact acggttcggc gattttcgat tttggacagt 9180 actgattgca agcgcaccga aagcaaaatg gagctggaga ttttgaacgc gaagaacagc 9240 aagcegtacg gcaaggtgaa ggtgccctcc ggcgccacgc ccatcggcga tctgcgcgc 9300 ctaattcaca agaccctgaa gcagacccca cacgcgaatc gccagtcgct tcgtctggaa 9360 ctgaagggca aaagcctgaa agatacggac acattggaat ctctgtcgct gcgttccggc 9420 gacaagatcg gggtaccatg cggccgctca tttaaatctg gccggcctgg ccgatctgac 9480 --aatgtteagt-gcagagaete-ggctacgcet-cgtggaettt gaagttgaee aacaatgttt 9540 attettacet etaatagtee tetgtggeaa ggteaagatt etgttagaag ceaatgaaga 9600 acctggttgt tcaataacat tttgttcgtc taatatttca ctaccqcttq acqttqqctq 9660 cacttcatgt acctcatcta taaacgcttc ttctgtatcg ctctggacgt catcttcact 9720 tacgtgatet gatatttcae tgtcagaate etcaccaaca agetegteat egetttgcag 9780 aagagcagag aggatatgct catcgtctaa agaactaccc attttattat atattagtca 9840 cgatatctat aacaagaaaa tatatatata ataagttatc acgtaagtag aacatgaaat 9900 aacaatataa ttatcgtatg agttaaatct taaaagtcac gtaaaagata atcatgcgtc 9960 attttgactc acgcggtcgt tatagttcaa aatcagtgac acttaccgca ttgacaagca 10020 cgcctCacgg gagetccaag cggcgactga gatgtcctaa atgcacagcg acggattcgc-10080 gctatttaga aagagagagc aatatttcaa gaatgcatgc gtcaatttta cqcaqactat 10140 ctttctaggg ttaaaaaaga tttgcgcttt actcgaccta aactttaaac acgtcataga 10200 10260 atggcaaacc aagtegegeg agegtegace tgeaggeatg caagettgea tgeetgeagg 10320

62

PCT/GB2004/003263

tegaaatteg taateatggt catagetgtt teetgtgtga aattgttate egeteacaat 10380 tccacacaac atacgagccg gaagcataaa gtgtaaagcc tggggtgcct aatgagtgag 10440 ctaactcaca ttaattgcgt tgcgctcact gcccgctttc cagtcgggaa acctgtcgtg 10500 ccagctgcat taatgaatcg gccaacgcgc ggggagaggc ggtttgcgta ttgggcgctc 10560 ttccgcttcc tcgctcactg actcgctgcg ctcggtcgtt cggctgcggc gagcggtatc 10620 agctcactca aaggcggtaa tacggttatc cacagaatca ggggataacg caggaaagaa 10680 catgtgagca aaaggccagc aaaaggccag gaaccgtaaa aaggccgcgt tgctggcgtt 10740 10800 tttccatagg ctccgcccc ctgacgagca tcacaaaaat cgacgctcaa gtcagaggtg gcgaaacccg acaggactat aaagatacca ggcgtttccc cctggaagct ccctcgtgcg 10860 eteteetgtt eegaceetge egettaeegg atacetgtee geetttetee ettegggaag 10920 cgtggcgctt tctcaatgct cacgctgtag gtatctcagt tcggtgtagg tcgttcgctc 10980 caagetggge tgtgtgcaeg aaccececgt teagecegae egetgegeet tateeggtaa 11040 ctatcgtctt gagtccaacc cggtaagaca cgacttatcg ccactggcag cagccactgg 11100 taacaggatt agcagagcga ggtatgtagg cggtgctaca gagttcttga agtggtggcc 11160 taactacggc tacactagaa ggacagtatt tggtatctgc gctctgctga agccagttac 11220 cttcggaaaa agagttggta gctcttgatc cggcaaacaa accaccgctg gtagcggtgg 11280 11340 gatcttttct acggggtctg acgctcagtg gaacgaaaac tcacgttaag ggattttggt 11400 catgagatta tcaaaaagga tcttcaccta gatcctttta aattaaaaat gaagttttaa 11460 atcaatctaa_agtatatatg_agtaaacttg_gtctgac<u>agt_taccaatgct_taatcagtg</u>a 11520 ggcacctatc tcagcgatct gtctatttcg ttcatccata gttgcctgac tccccgtcgt 11580 gtagataact acgatacggg agggcttacc atctggcccc agtgctgcaa tgataccgcg 11640 agacccacgc tcaccggctc cagatttatc agcaataaac cagccagccg gaagggccga 11700 gcgcagaagt ggtcctgcaa ctttatccgc ctccatccag tctattaatt gttgccggga 11760 agctagagta agtagttege cagttaatag tttgegeaac gttgttgeea ttgetaeagq 11820 categtggtg teacgetegt egtttggtat ggetteatte ageteeggtt eccaaegate 11880 aaggcgagtt acatgatccc ccatgttgtg caaaaaagcg gttagctcct tcggtcctcc 11940 gategttgte agaagtaagt tggcegeagt gttateacte atggttatgg cageactgea 12000 taattetett aetgteatge cateegtaag atgettetet gtgactggtg agtacteaae 12060 caagtcattc tgagaatagt gtatgcggcg accgagttgc tcttgcccgg cgtcaatacg 12120 ggataatacc gcgccacata gcagaacttt aaaagtgctc atcattggaa aacgttcttc 12180 ggggcgaaaa ctctcaagga tcttaccgct gttgagatcc agttcgatgt aacccactcg tgcacccaac tgatcttcag catcttttac tttcaccagc gtttctgggt gagcaaaaac 12300

aggaaggcaa aatgccgcaa aaaagggaat aagggcgaca cggaaatgtt gaatactcat 12360 actottcott tttcaatatt attgaagcat ttatcagggt tattgtctca tgagcggata 12420 catatttgaa tgtatttaga aaaataaaca aataggggtt ccgcgcacat ttccccgaaa 12480 agtgccacct gacgtctaag aaaccattat tatcatgaca ttaacctata aaaataggcg 12540 tatcacgagg ccctttcgtc tcgcgcgttt cggtgatgac ggtgaaaacc tctgacacat 12600 geageteeeg gagaeggtea eagettgtet gtaageggat geegggagea gacaageeeg 12660 teagggegeg teagegggtg ttggegggtg teggggetqq ettaaetatq eqqeateaqa 12720 gcagattgta ctgagagtgc accatatatg cggtgtgaaa taccgcacag atgcgtaagg 12780 agaaaatacc gcatcaggcg ccattcgcca ttcaggctgc gcaactgttg ggaagggcga 12840 teggtgeggg cetetteget attacgecag etggegaaag ggggatgtge tgeaaggega 12900 ttaagttggg taacgccagg gttttcccag tcacgacgtt gtaaaacgac ggccagtgcc 12960 aagetttgtt taaaatataa caaaattgtg ateecacaaa atgaagtggg gcaaaatcaa 13020 ataattaata gtgtccgtaa acttgttggt cttcaacttt ttgaggaaca cqttqqacqq 13080 caaatccgtg actataacac aagttgattt aataatttta gccaacacgt cgggctgcgt 13140 gttttttgcc gacgcgtctg tgtacacgtt gattaactgg tcgattaaac tgttgaaata 13200 atttaatttt tggttcttct ttaaatctgt gatgaaattt tttaaaataa ctttaaattc 13260 ttcattggta aaaaatgcca cgttttgcaa cttgtgaggg tctaatatga ggtcaaactc 13320 agtaggagtt ttatccaaaa aagaaaacat gattacgtct gtacacgaac gcgtattaac 13380 gcagagtgca aagtataaga gggttaaaaa atatatttta cgcaccatat acgcatcggq 13440 ttgatategt_taatatggat...caatttgaac agttgattaa_egtgtetetg etcaagtett 13500 tgatcaaaac gcaaatcgac gaaaatgtgt cggacaatat caagtcgatg agcgaaaaac 13560 taaaaaaggct agaatacgac aatctcacag acagcgttga gatatacggt attcacgaca 13620 gcaggctgaa taataaaaaa attagaaact attatttaac cctagaaaga taatcatatt 13680 gtgacgtacg ttaaagataa tcatgcgtaa aattgacgca tgtgttttat cggtctgtat 13740 atogaggttt atttattaat ttgaatagat attaagtttt attatattta cacttacata 13800 ctaataataa attcaacaaa caatttattt atgtttattt atttattaaa aaaaaacaaa 13860 aactcaaaat ttcttctata aagtaacaaa acttttaaac attctctctt ttacaaaaat 13920 aaacttattt tgtactttaa aaacagtcat gttgtattat aaaataagta attagcttaa 13980 cttatacata atagaaacaa attatactta ttagtcagtc agaaacaact ttggcacata 14040 tcaatattat gctctcgaca aataactttt ttgcattttt tgcacgatgc atttgccttt 14100 cgccttattt tagaggggca gtaagtacag taagtacgtt ttttcattac tggctcttca 14160 gtactgtcat ctgatgtacc aggcacttca tttggcaaaa tattagagat attatcqcqc 14220 aaatatetet teaaagtagg agettetaaa egettaegea taaaegatga egteaggete

PCT/GB2004/003263

atgtaa	aggt ttctcataaa	ttttttgcga	ctttggacct	tttctccctt	gctactgaca	14340
ttatgg	ctgt atataataaa	agaatttatg	caggcaatgt	ttatcattcc	gtacaataat	14400
gccatag	ggcc acctattcgt	cttcctactg	caggtcatca	cagaacacat	ttggtctagc	14460
gtgtcc	actc cgcctttagt	ttgattataa	tacataacca	tttgcggttt	accggtactt	14520
tegttg	atag aagcatcctc	atcacaagat	gataataagt	ataccatctt	agctggcttc	14580
ggtttal	tatg agacgagagt	aaggggtccg	tcaaaacaaa	acatcgatgt	tcccactggc	14640
ctggag	cgac tgtttttcag	tacttccggt	atctcgcgtt	tgtttgatcg	cacggttccc	14700
acaatg	gttg eggeeageee					14720
<210><211><212><213>	25 23 DNA Artificial					
<220> <223>	PCR Primer					
<400> catcgal	25 tgcc cagcattgag	atg				23
<210><211><212><213>	26 34 DNA Artificial					
<220> <223>	PCR Primer					
<400> _caagcaa	26 aagt .gaacacgtcg.	_ctaagcgaaa	gcta			34
<210><211><211><212><213>	27 28 DNA Artificial			Ŷ		
<220> <223>	PCR Primer					
<400> gccatco	27 cacg ctgttttgac	ctccatag				28
<210> <211> <212> <213>	28 27 DNA Artificial					
<220> <223>	PCR Primer					
<400> gccaata	28 acaa tgtaggctgc	tctacac				27

65

<210> 29 <211> 1005 <212> DNA <213> Artificial <220> <223> coding region of tTA from pUHD15-1 atgtctagat tagataaaag taaagtgatt aacagcgcat tagagctgct taatgaggtc 60 ggaatcgaag gtttaacaac ccgtaaactc gcccagaagc taggtgtaga gcagcctaca 120 ttgtattggc atgtaaaaaa taagcgggct ttgctcgacg ccttagccat tgagatgtta 180 gataggcacc atactcactt ttgcccttta gaaggggaaa gctggcaaga ttttttacqt 240 aataacgcta aaagttttag atgtgcttta ctaagtcatc gcgatggagc aaaagtacat 300 ttaggtacac ggcctacaga aaaacagtat gaaactctcg aaaatcaatt agccttttta 360 tgccaacaag gtttttcact agagaatgca ttatatgcac tcagcgctgt ggggcatttt 420 actttaggtt gcgtattgga agatcaagag catcaagtcg ctaaagaaga aagggaaaca 480 cctactactg atagtatgcc gccattatta cgacaagcta tcgaattatt tgatcaccaa 540 ggtgcagagc cagcettett atteggeett gaattgatea tatgeggatt agaaaaacaa 600 cttaaatgtg aaagtgggtc cgcgtacagc cgcgcgcgta cgaaaaacaa ttacgggtct 660 accategagg geetgetega teteceggae gaegaegeee eegaagagge ggggetggeg 720 geteegegee tgteetttet eeeegeggga cacacqcqca qactqtcqac qqcccccccq 780 accgatgtca gcctggggga cgagctccac ttagacggcg aggacgtggc gatggcgcat 840 gccgacgcgc tagacgattt cgatctggac atgttggggg acggggattc cccgggtccg 900 _ggatttacce_cccacgactc cgccccctac ggcgctctgg atatggccga cttcgagttt 960 gagcagatgt ttaccgatgc ccttggaatt gacgagtacg gtggg 1005 <210> 30 <211> 336 <212> PRT <213> Artificial <220> <223> tTA <400> 30 Met Gly Ser Arg Leu Asp Lys Ser Lys Val Ile Asn Ser Ala Leu Glu 10

Leu Leu Asn Glu Val Gly Ile Glu Gly Leu Thr Thr Arg Lys Leu Ala 25

Gln Lys Leu Gly Val Glu Gln Pro Thr Leu Tyr Trp His Val Lys Asn

66

Lys Arg Ala Leu Leu Asp Ala Leu Ala Ile Glu Met Leu Asp Arg His 50 60

His Thr His Phe Cys Pro Leu Glu Gly Glu Ser Trp Gln Asp Phe Leu 65 70 75 80

Arg Asn Asn Ala Lys Ser Phe Arg Cys Ala Leu Leu Ser His Arg Asp 85 90 95

Gly Ala Lys Val His Leu Gly Thr Arg Pro Thr Glu Lys Gln Tyr Glu 100 105 110

Thr Leu Glu Asn Gln Leu Ala Phe Leu Cys Gln Gln Gly Phe Ser Leu 115 120 125

Glu Asn Ala Leu Tyr Ala Leu Ser Ala Val Gly His Phe Thr Leu Gly 130 140

Cys Val Leu Glu Asp Gln Glu His Gln Val Ala Lys Glu Glu Arg Glu 145 150 155 160

Thr Pro Thr Thr Asp Ser Met Pro Pro Leu Leu Arg Gln Ala Ile Glu 165 170 175

Leu Phe Asp His Gln Gly Ala Glu Pro Ala Phe Leu Phe Gly Leu Glu 180 185 190

Leu Ile Ile Cys Gly Leu Glu Lys Gln Leu Lys Cys Glu Ser Gly Ser 195 200 205

Ala Tyr Ser Arg Ala Arg Thr Lys Asn Asn Tyr Gly Ser Thr Ile Glu 210 215 220

Gly Leu Leu Asp Leu Pro Asp Asp Asp Ala Pro Glu Glu Ala Gly Leu 225 230 235

Ala Ala Pro Arg Leu Ser Phe Leu Pro Ala Gly His Thr Arg Arg Leu 245 250 255

Ser Thr Ala Pro Pro Thr Asp Val Ser Leu Gly Asp Glu Leu His Leu 260 265 270

Asp Gly Glu Asp Val Ala Met Ala His Ala Asp Ala Leu Asp Asp Phe .. 275 280 280

Asp Leu Asp Met Leu Gly Asp Gly Asp Ser Pro Gly Pro Gly Phe Thr 290 295 300

Pro His Asp Ser Ala Pro Tyr Gly Ala Leu Asp Met Ala Asp Phe Glu 305 310 315 320

Phe Glu Gln Met Phe Thr Asp Ala Leu Gly Ile Asp Glu Tyr Gly Gly 330

<210> <211> <212> <213>	31 101 DNA Art	7 ificial					
<220> <223>	tTA	V					
<400> atgggc	31 agcc	gcctggataa	gtccaaagtc	atcaactccg	cgttggagct	gttgaacgaa	60
gttggc	attg	agggactgac	gacccgcaag	ttggcgcaga	agctgggcgt	ggagcagccc	120
accctc	tact	ggcacgtgaa	gaataagcgg	gcgctgctgg	atgccctggc	catcgagatg	180
ctcgac	cgcc	accacacgca	tttttgcccg	ttggaaggcg	agtcctggca	ggacttcctc	240
cgcaat	aacg	ccaagtcgtt	ccgctgcgct	ctgctgtccc	accgagacgg	tgccaaagtc	300
catctc	ggca	cgcgcccgac	cgaaaagcaa	tacgagacac	tggagaacca	gatagagtta	360
ctgtgc	cagc	aaggcttcag	cctggaaaat	gctctctacg	ctctgagcgc	cgtcggtcac	420
tttacc	ctgg	gctgcgtgct	ggaggaccaa	gagcatcaag	tcgcaaaaga	ggagcgcgag	480
acccca	acaa	ccgattcgat	gccccactg	ctgcgtcagg	caatcgagct	gttcgatcat	540
caagga	gccg	agccggcatt	cctgttcggc	ttggagctga	ttatctgcgg	attggaaaag	600
caactg	aaat	gcgagtcggg	ctcgggcccc	gcgtacagcc	gcgcgcgtac	gaaaaacaat	660
tacggg	tcta	ccatcgaggg	cctgctcgat	ctcccggacg	acgacgcccc	cgaagaggcg	720
-gggctg	gcgg.	-ctccgcgcct	gtcctttctc	-eecgcgggac	acacgcgcag	actgtcgacg	780
gccccc	ccga	ccgatgtcag	cctgggggac	gagctccact	tagacggcga	ggacgtggcg	840
atggcg	catg	ccgacgcgct	agacgatttc	gatctggaca	tgttggggga	cggggattcc	900
ccgggt	ccgg	gatttacccc	ccacgactcc	gccccctacg	gcgctctgga	tatggccgac	960
ttcgag	tttg	agcagatgtt	taccgatgcc	cttggaattg	acgagtacgg	tgggtag .	1017
<210><211><211><212><213>	32 338 PRT Art:	ificial					

<220> <223> tTAV

Met Gly Ser Arg Leu Asp Lys Ser Lys Val Ile Asn Ser Ala Leu Glu 1 5 15

Leu Leu Asn Glu Val Gly Ile Glu Gly Leu Thr Thr Arg Lys Leu Ala 20 25 30

WO 2005/012534 PCT/GB2004/003263

Gln Lys Leu Gly Val Glu Gln Pro Thr Leu Tyr Trp His Val Lys Asn 35 40 45

- Lys Arg Ala Leu Leu Asp Ala Leu Ala Ile Glu Met Leu Asp Arg His 50 60
- His Thr His Phe Cys Pro Leu Glu Gly Glu Ser Trp Gln Asp Phe Leu 65 70 75 80
- Arg Asn Asn Ala Lys Ser Phe Arg Cys Ala Leu Leu Ser His Arg Asp 90 95
- Gly Ala Lys Val His Leu Gly Thr Arg Pro Thr Glu Lys Gln Tyr Glu 100 105 110
- Thr Leu Glu Asn Gln Leu Ala Phe Leu Cys Gln Gln Gly Phe Ser Leu 115 120 125
- Glu Asn Ala Leu Tyr Ala Leu Ser Ala Val Gly His Phe Thr Leu Gly 130 135 140
- Cys Val Leu Glu Asp Gln Glu His Gln Val Ala Lys Glu Glu Arg Glu 145 150 155 160
- Thr Pro Thr Thr Asp Ser Met Pro Pro Leu Leu Arg Gln Ala Ile Glu 165 170 175
- Leu Phe Asp His Gln Gly Ala Glu Pro Ala Phe Leu Phe Gly Leu Glu
 180 185 190
- Leu Ile Ile Cys Gly Leu Glu Lys Gln Leu Lys Cys Glu Ser Gly Ser 195 200 205
- Gly Pro Ala Tyr Ser Arg Ala Arg Thr Lys Asn Asn Tyr Gly Ser Thr 210 215 220
- Ile Glu Gly Leu Leu Asp Leu Pro Asp Asp Asp Ala Pro Glu Glu Ala 225 230 235 240
- Gly Leu Ala Ala Pro Arg Leu Ser Phe Leu Pro Ala Gly His Thr Arg 245 250 255
- Arg Leu Ser Thr Ala Pro Pro Thr Asp Val Ser Leu Gly Asp Glu Leu 260 265 270
- His Leu Asp Gly Glu Asp Val Ala Met Ala His Ala Asp Ala Leu Asp 275 280 285

WO 2005/012534 PCT/GB2004/003263

69

Asp Phe Asp Leu Asp Met Leu Gly Asp Gly Asp Ser Pro Gly Pro Gly 290 295 300

Phe Thr Pro His Asp Ser Ala Pro Tyr Gly Ala Leu Asp Met Ala Asp 305 310 315

Phe Glu Phe Glu Gln Met Phe Thr Asp Ala Leu Gly Ile Asp Glu Tyr 325 330 335

Gly Gly

<210> 33

<211> 4455

<212> DNA

<213> Artificial

<220>

<223> pUHD15-1

<400> 33

ctcgaggagc ttggcccatt gcatacgttg tatccatatc ataatatgta catttatatt 60 ggctcatgtc caacattacc gccatgttga cattgattat tgactagtta ttaatagtaa 120 tcaattacgg ggtcattagt tcatagccca tatatggagt tccgcgttac ataacttacg 180 gtaaatggcc cgcctggctg accgcccaac gacccccgcc cattgacgtc aataatgacg 240 tatgttccca tagtaacgcc aatagggact ttccattgac gtcaatgggt ggagtattta 300 cgctaaactg cccacttggc agtacatcaa gtgtatcata tgccaagtac gccccctatt 360 gacgtcaatg acggtaaatg gcccgcctgg cattatgccc agtacatgac cttatgqqac 420 tttcctactt ggcagtacat.ctacgtatta gtcatcgcta ttaccatggt gatgcggttt 480 tggcagtaca tcaatgggcg tggatagcgg tttgactcac ggggatttcc aagtctccac 540 cccattgacg tcaatgggag tttgttttgg caccaaaatc aacgggactt tccaaaatgt 600 cgtaacaact ccgccccatt gacgcaaatg ggcggtaggc gtgtacggtq qqaqqtctat 660 ataagcagag ctcgtttagt gaaccgtcag atcgcctgga gacgccatcc acgctgtttt 720 gacetecata gaagacaceg ggacegatec ageeteegeg geeeegaatt catatgteta 780 gattagataa aagtaaagtg attaacagcg cattagagct gcttaatgag gtcggaatcg 840 aaggtttaac aaccegtaaa ctegeceaga agetaggtgt agageageet acattgtatt 900 ggcatgtaaa aaataagcgg gctttgctcg acgccttagc cattgagatg ttagatagqc 960 accatactca cttttgccct ttagaagggg aaagctggca agatttttta cgtaataacq 1020 ctaaaagttt tagatgtgct ttactaagtc atcgcgatgg agcaaaagta catttaggta 1080 cacggcctac agaaaaacag tatgaaactc tcgaaaatca attagccttt ttatgccaac 1140 aaggtttttc actagagaat gcattatatg cactcagcgc tgtggggcat tttactttag 1200 gttgcgtatt ggaagatcaa gagcatcaag tcgctaaaga agaaagggaa acacctacta 1260

ctgatagtat gccgccatta ttacgacaag ctatcgaatt atttgatcac caaggtgcag 1320 agccagcctt cttattcggc cttgaattga tcatatgcgg attagaaaaa caacttaaat 1380 gtgaaagtgg gtccgcgtac agccgcgcgc gtacgaaaaa caattacggg tctaccatcg 1440 1500 agggeetget egateteeg gaegaegaeg ceceegaaga ggeggggetg geggeteege gcctgtcctt tctccccgcg ggacacacgc gcagactgtc gacggccccc ccgaccgatg 1560 tcagcctggg ggacgagctc cacttagacg gcgaggacgt ggcgatggcg catgccgacg 1620 1680 cgctagacga tttcgatctg gacatgttgg gggacgggga ttccccgggt ccgggattta cccccacga ctccgcccc tacggcgctc tggatatggc cgacttcgag tttgagcaga 1740 tgtttaccga tgcccttgga attgacgagt acggtgggta ggggcgcga ggatccagac 1800 atgataagat acattgatga gtttggacaa accacaacta gaatgcagtg aaaaaaatgc 1860 tttatttgtg aaatttgtga tgctattgct ttatttgtaa ccattataag ctgcaataaa 1920 caagttaaca acaacaattg cattcatttt atgtttcagg ttcaggggga ggtgtgggag 1980 2040 gttttttaaa gcaagtaaaa cctctacaaa tgtggtatgg ctgattatga tcctgcaagc ctcgtcgtct ggccggacca cgctatctgt gcaaggtccc cggacgcgcg ctccatgagc 2100 2160 agagegeeg cegeegagge aagaeteggg eggegeeetg eeegteeeac caggteaaca 2220 ggcggtaacc ggcctcttca tcgggaatgc gcgcgacctt cagcatcgcc ggcatgtccc 2280 ctggcggacg ggaagtatca gctcgaccaa gcttggcgag attttcagga gctaaggaag ctaaaatgga gaaaaaaatc actggatata ccaccgttga tatatcccaa tggcatcgta 2340 aagaacattt tgaggcattt cagtcagttg ctcaatgtac ctataaccag accgttcagc 2400 tgcattaatg aatcggccaa cgcgcgggga gaggcggttt gcgtattggg cgctcttccg 2460 2520 cttcctcgct cactgactcg ctgcgctcgg tcgttcggct gcggcgagcg gtatcagctc actcaaaggc ggtaatacgg ttatccacag aatcagggga taacgcagga aagaacatgt 2580 2640 gagcaaaagg ccagcaaaag gccaggaacc gtaaaaaggc cgcgttgctg gcgtttttcc ataggeteeg ecceetgae gageateaea aaaategaeg eteaagteag aggtggegaa 2700 accegacagg actataaaga taccaggegt tteeceetgg aageteeete gtgegetete 2760 ctgttccgac cctgccgctt accggatacc tgtccgcctt tctcccttcg ggaagcgtgg 2820 cgctttctca atgctcacgc tgtaggtatc tcagttcggt gtaggtcgtt cgctccaagc 2880 tgggctgtgt gcacgaaccc cccgttcagc ccgaccgctg cgccttatcc ggtaactatc 2940 gtcttgagtc caacceggta agacacgact tatcgccact ggcagcagcc actggtaaca-3000 ggattagcag agcgaggtat gtaggcggtg ctacagagtt cttgaagtgg tggcctaact 3060 acggctacac tagaaggaca gtatttggta tctgcgctct gctgaagcca gttaccttcg 3120 gaaaaagagt tggtagctct tgatccggca aacaaaccac cgctggtagc ggtggttttt 3180 3240 ttgtttgcaa gcagcagatt acgcgcagaa aaaaaggatc tcaagaagat cctttgatct

tttctacggg	gtctgacgct	cagtggaacg	aaaactcacg	ttaagggatt	ttggtcatga	3300
gattatcaaa	aaggatcttc	acctagatcc	ttttaaatta	aaaatgaagt	tttaaatcaa	3360
tctaaagtat	atatgagtaa	acttggtctg	acagttacca	atgcttaatc	agtgaggcac	3420
ctatctcagc	gatctgtcta	tttcgttcat	ccatagttgc	ctgactcccc	gtcgtgtaga	3480
taactacgat	acgggagggc	ttaccatctg	gccccagtgc	tgcaatgata	ccgcgagacc	3540
cacgctcacc	ggctccagat	ttatcagcaa	taaaccagcc	agccggaagg	gccgagcgca	3600
gaagtggtcc	tgcaacttta	tccgcctcca	tccagtctat	taattgttgc	cgggaagcta	3660
gagtaagtag	ttcgccagtt	aatagtttgc	gcaacgttgt	tgccattgct	acaggcatcg	3720
tggtgtcacg	ctcgtcgttt	ggtatggctt	cattcagctc	cggttcccaa	cgatcaaggc	3780
gagttacatg	atcccccatg	ttgtgcaaaa	aagcggttag	ctccttcggt	cctccgatcg	3840
ttgtcagaag	taagttggcc	gcagtgttat	cactcatggt	tatggcagca	ctgcataatt	3900
ctcttactgt	catgccatcc	gtaagatgct	tttctgtgac	tggtgagtac	tcaaccaagt	3960
cattctgaga	atagtgtatg	cggcgaccga	gttgctcttg	cccggcgtca	atacgggata	4020
ataccgcgcc	acatagcaga	actttaaaag	tgctcatcat	tggaaaacgt	tcttcggggc	4080
gaaaactctc	aaggatctta	ccgctgttga	gatccagttc	gatgtaaccc	actcgtgcac	4140
ccaactgatc	ttcagcatct	tttactttca	ccagcgtttc	tgggtgagca	aaaacaggaa	4200
ggcaaaatgc	cgcaaaaaag	ggaataaggg	cgacacggaa	atgttgaata	ctcatactct	4260
tcctttttca	atattattga	agcatttatc	agggttattg	tctcatgagc	ggatacatat	4320
ttgaatgtat	ttagaaaaat	aaacaaatag	gggttccgcg	cacatttccc	cgaaaagtgc	4380
cacctgacgt-	-ctaagaaacc	attattatca	tgacattaac	ctataaaaat	aggcgtatca	4440
cgaggccctt	tcgtc					4455

INTERNATIONAL SEARCH REPORT

Application No 'GB2004/003263

Relevant to claim No.

A. CLASSIFICATION OF SUBJECT MATTER IPC 7 C12N15/85 A01K67/033

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Category °

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

Citation of document, with indication, where appropriate, of the relevant passages

EPO-Internal, BIOSIS, WPI Data

C. DOCUMENTS CONSIDERED TO BE RELEVANT

X	HORN C ET AL: "A transgene-bas embryo-specific lethality system insect pest management." NATURE BIOTECHNOLOGY, vol. 21, no. 1, January 2003 (2 pages 64-70, XP002301699 ISSN: 1087-0156 the whole document	1-30, 33-42	
Х	WO 01/39599 A (ALPHEY LUKE ; TH (GB); ISIS INNOVATION (GB)) 7 June 2001 (2001-06-07) the whole document	DMAS DEAN	1-30, 33-42
	ner documents are listed in the continuation of box C.	X Patent family members are listed i	n annex.
Special categories of cited documents: A' document defining the general state of the art which is not considered to be of particular relevance E' earlier document but published on or after the international filling date L' document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) O' document referring to an oral disclosure, use, exhibition or other means P' document published prior to the international filing date but later than the priority date claimed Date of the actual completion of the international search		"T" later document published after the Inte or priority date and not in conflict with cited to understand the principle or the invention "X" document of particular relevance; the cannot be considered novel or cannot involve an inventive step when the do "Y" document of particular relevance; the cannot be considered to involve an indocument is combined with one or more ments, such combination being obvious in the art. "&" document member of the same patent Date of mailing of the international sea	the application but soory underlying the laimed invention be considered to current is taken alone laimed invention ventive step when the ore other such docuus to a person skilled family
2	1 October 2004	05/11/2004	
Name and r	mailing address of the ISA European Patent Office, P.B. 5818 Patentiaan 2 NL – 2280 HV Rijswijk Tel. (+31–70) 340–2040, Tx. 31 651 epo nl, Fax: (+31–70) 340–3016	Authorized officer Cupido, M	

INTERNATIONAL SEARCH REPORT

Application No 'GB2004/003263

		GB2004/003263
	ation) DOCUMENTS CONSIDERED TO BE RELEVANT	
Category °	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	THOMAS D D ET AL: "Insect population control using a dominant, repressible, lethal genetic system" SCIENCE (WASHINGTON D C), vol. 287, no. 5462, 31 March 2000 (2000-03-31), pages 2474-2476, XP002301700 ISSN: 0036-8075 cited in the application the whole document	1-30, 33-42
X	WU T-Y ET AL: "Expression of highly controllable genes in insect cells using a modified tetracycline-regulated gene expression system" JOURNAL OF BIOTECHNOLOGY, ELSEVIER SCIENCE PUBLISHERS, AMSTERDAM, NL, vol. 80, no. 1, June 2000 (2000-06), pages 75-83, XP004201980 ISSN: 0168-1656 the whole document	1-9, 33-36,42
X	CHEN H-H ET AL.: "The use of a modified tetracycline regulatory expression system with reduced basal level to develop an in vivo biopesticide expression system" FOOD SCIENCE AND AGRICULTURAL CHEMISTRY, vol. 2, no. 4, October 2000 (2000-10), pages 220-225, XP008037322 TAIPEI the whole document	1-9
A	ALPHEY L ET AL: "Dominant lethality and insect population control" MOLECULAR AND BIOCHEMICAL PARASITOLOGY, ELSEVIER SCIENCE PUBLISHERS, AMSTERDAM, NL, vol. 121, no. 2, May 2002 (2002-05), pages 173-178, XP002297190 ISSN: 0166-6851 cited in the application page 175 - page 177	10-30

INTERNATIONAL SEARCH REPORT

Application No /GB2004/003263

Patent document cited in search report		Publication date		Patent family member(s)	Publication date
WO 0139599	A	07-06-2001	GB AU CA CN EP WO NZ SK US ZA	2355459 A 1716501 A 2392111 A1 1433475 T 1246927 A2 0139599 A2 519175 A 7352002 A3 2003213005 A1 200204167 A	25-04-2001 12-06-2001 07-06-2001 30-07-2003 09-10-2002 07-06-2001 27-02-2004 06-11-2002 13-11-2003 25-08-2003